ComeleTravel

https://elastic-davinci-ebc744.netlify.app/

Smer: Internet Tehnologije

Modul: Internet Tehnologije

Predmet: Web Programiranje1

Uvod

Korišceni programski jezici

Za izradu sajta korišćeni su sledeći programski jezici:

- HTML5
- CSS 3
- JavaScript
- jQuery
- Visual Studio Code

Funkcionalnosti sajta

- Navigacija je dinamički ispisana iz JavaScripta, prilikom skrolovanja na dole menja boju i svaka stavka navigacije vodi na odredjeni deo stranice na koju ona ukazuje
- Dugme Explore Now služi za skrolovanje na pretragu
- Pretraga ima 3 kartice koje su ispisane jQuery-em i prilikom kolika na bilo koju od tih kartica prikazuje se blok vezan za tu karticu
- Tajmer za odbrojavanje specijalne ponude se restartuje nakon isteka vremena, a specijalna ponuda koja je ispod istaknuta menja se na sledeću. Postoje 3 sprecijalne ponude koje se vrte u krug nakon isteka vremena.
- Kartice u Special Packages-u ispisane su dinamički iz JavaScript-a, a dugme Book Now vodi na kraj stranice na kojoj se nalazi forma za rezervaciju putovanja
- Latest News ispisane dinamički iz JavaScripta
- Kontakt forma obezbeđena regularnim izrazima i onemogućavanje slanja podataka serveru sve dok korisnik ne unese ispravno sve podatke
- Klikom na strelicu za povratak na vrh stranice preko JavaScript-a se ostvaruje povratak

Stranice sajta

Index.html>aboutme.html


Sitemap

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
<loc>index.html</loc>
<lastmod>2021-12-10</lastmod>
<changefreq>daily</changefreq>
<priority>1</priority>
</url>

<loc>about.html</loc>
<lastmod>2021-12-10</lastmod>
<changefreq>yearly</changefreq>
<priority>0.5</priority>
</url>
```

Strane sajta


Indrex.html



Početak index strane, dinamički ispisan navigacioni meni i svaki od linkova vodi na odgovarajući deo stranice.


Dugme EXPLORE NOW vodi na sledeći deo stranice

Tours:





Dinamički ispisane sve padajuće liste i svaka kartica iz jQuery-ja prikazuje odgovarajući div pomocu display:none i displaz:block

Hotels:




Flights:






Dinamički ispisane top destinacije



Tajmer koji odbrojava vreme do isteka specijanle ponude. Nakon isteka vremena specijalna ponuda se menja na drugu od tri specijalne ponude i tajmer opet krece sa odbrojavanjem predviđenim za trajanje druge specijalne ponude. Nakon isteka treće specijalne ponude i tajmer i specijana ponuda se vraćaju na prvu.

Special Packages




Dinamički ispisani specijalni paketi čiji tasteri Book Now vode ka formi koja se popunjava za rezervisanje putovanja.




Slajder sa 2 slike.




Dinamički ispisana specijalna ponuda koja se menja u zavisnosti od vremana na tajmeru.




Dinamički ispisane novosti u vezi raznih putovanja.



Kontakt forma obezbeđena regularnim izrazima i onemogućavanje slanja podataka serveru sve dok korisnik ne unese ispravno sve podatke.



Dinamički ispisani svi linkovi u futeru zajedno sa linkovima ka stranici o autoru i dokumentaciji.




Dugme koje obezbeđuje vraćanje na početak stranice.

Aboutme.html



Stranica o autoru koja sadrži link za vraćanje na index stranicu sajta.



Futer autorske stranice sajta.

Kodovi

Index.html

```
link
href="https://fonts.googleapis.com/css?family=Poppins:100,200,300,400,500,600,700
,800,900" rel="stylesheet" />
        <!-- TITLE OF SITE -->
        <title>ComeleTravel</title>
        <!-- favicon img -->
        <link rel="shortcut icon" type="image/icon"</pre>
href="assets/logo/favicon.png"/>
        <!--font-awesome.min.css-->
        <link rel="stylesheet" href="assets/css/font-awesome.min.css" />
        <!--animate.css-->
        <link rel="stylesheet" href="assets/css/animate.css" />
        <link rel="stylesheet" href="assets/css/hover-min.css">
        <!--datepicker.css-->
        <link rel="stylesheet" href="assets/css/datepicker.css" >
        <!--owl.carousel.css-->
        <link rel="stylesheet" href="assets/css/owl.carousel.min.css">
        <link rel="stylesheet" href="assets/css/owl.theme.default.min.css"/>
        <!-- range css-->
        <link rel="stylesheet" href="assets/css/jquery-ui.min.css" />
        <!--bootstrap.min.css-->
        <link rel="stylesheet" href="assets/css/bootstrap.min.css" />
        <!-- bootsnav -->
        <link rel="stylesheet" href="assets/css/bootsnav.css"/>
        <!--style.css-->
        <link rel="stylesheet" href="assets/css/style.css" />
        <!--responsive.css-->
        <link rel="stylesheet" href="assets/css/responsive.css" />
        <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and
media queries -->
```

```
<!-- WARNING: Respond.js doesn't work if you view the page via file:// --
        <!--[if lt IE 9]>
        <script
src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
        <![endif]-->
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
        <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/bxslider/4.2.12/jquery.bxslider.css">
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
        <script
src="https://cdn.jsdelivr.net/bxslider/4.2.12/jquery.bxslider.min.js"></script>
    </head>
    <body>
        <!--[if lte IE 9]>
        You are using an <strong>outdated</strong>
browser. Please <a href="https://browsehappy.com/">upgrade
            your browser</a> to improve your experience and security.
        <![endif]-->
        <!-- main-menu Start -->
        <button onclick="gorefja()" id="gore"><i class="fa fa-angle-double-</pre>
up"></i></button>
        <header class="top-area">
            <div class="header-area">
                <div class="container">
                    <div class="row">
                        <div class="col-sm-2">
                            <div class="logo">
                                <a href="index.html">
                                    Comele<span>Travel</span>
                                </a>
                            </div><!-- /.logo-->
                        <div class="col-sm-10">
```

```
<div class="main-menu" >
                                 <!-- Brand and toggle get grouped for better
mobile display -->
                                 <div class="navbar-header">
                                     <button type="button" class="navbar-toggle"</pre>
data-toggle="collapse" data-target=".navbar-collapse">
                                         <i class="fa fa-bars"></i></i>
                                 </div><!-- /.navbar-header-->
                                 <div class="collapse navbar-collapse"</pre>
id="navMeni">
                                     </div><!-- /.navbar-collapse -->
                             </div><!-- /.main-menu-->
                        </div><!-- /.col-->
                    </div><!-- /.row -->
                    <div class="home-border"></div><!-- /.home-border-->
                </div><!-- /.container-->
            </div><!-- /.header-area -->
        </header><!-- /.top-area-->
        <!-- main-menu End -->
        <!--about-us start -->
        <section id="home" class="about-us">
            <div class="container">
                <div class="about-us-content">
                    <div class="row">
                        <div class="col-sm-12">
                             <div class="single-about-us">
                                 <div class="about-us-txt">
                                         Explore the Beauty of the Beautiful World
                                     </h2>
                                     <div class="about-btn">
                                         <button class="about-view"</pre>
href="#litours" onclick="explore()">
                                             explore now
```

```
</button>
                                 </div><!--/.about-btn-->
                             </div><!--/.about-us-txt-->
                         </div><!--/.single-about-us-->
                      </div><!--/.col-->
                      <div class="col-sm-0">
                         <div class="single-about-us">
                         </div><!--/.single-about-us-->
                      </div><!--/.col-->
                  </div><!--/.row-->
               </div><!--/.about-us-content-->
           </div><!--/.container-->
       </section><!--/.about-us-->
       <!--travel-box start-->
       <section class="travel-box">
           <div class="container">
              <div class="row">
                  <div class="col-md-12">
                      <div class="single-travel-boxes">
                         <div id="desc-tabs" class="desc-tabs">
                             role="presentation" class=""
id="litours">
                                     <a aria-controls="tours" role="tab"</pre>
data-toggle="tab">
                                        <i class="fa fa-tree"></i></i>
                                        tours
                                     </a>
                                 <a aria-controls="hotels" role="tab"</pre>
data-toggle="tab">
                                        <i class="fa fa-building"></i></i>
                                        hotels
                                     </a>
                                 role="presentation" id="liflights">
```

```
<a aria-controls="liflights" role="tab"</pre>
data-toggle="tab">
                                               <i class="fa fa-plane"></i></i>
                                               flights
                                          </a>
                                      <!-- Tab panes -->
                                  <div class="tab-content">
                                      <div role="tabpanel" class="tab-pane active</pre>
fade in" id="tours">
                                          <div class="tab-para">
                                               <div class="row">
                                                   <div class="col-lg-4 col-md-4</pre>
col-sm-12">
                                                       <div class="single-tab-</pre>
select-box">
                                                           <h2>destination</h2>
                                                           <div class="travel-
select-icon" id="selektovanje">
                                                           </div>
                                                       </div><!--/.single-tab-
select-box-->
                                                   </div><!--/.col-->
                                                   <div class="col-lg-2 col-md-3</pre>
col-sm-4">
                                                       <div class="single-tab-</pre>
select-box">
                                                            <h2>check in</h2>
                                                           <div class="travel-check-
icon">
                                                                <form action="#">
                                                                    <input</pre>
type="text" name="check_in" class="form-control" data-toggle="datepicker"
placeholder="Check In ">
                                                               </form>
```

```
</div><!-- /.travel-
                                                        </div><!--/.single-tab-
select-box-->
                                                   <div class="col-lg-2 col-md-3"
col-sm-4">
                                                        <div class="single-tab-
select-box">
                                                            <h2>check out</h2>
                                                            <div class="travel-check-</pre>
icon">
                                                                <form action="#">
                                                                     <input</pre>
type="text" name="check_out" class="form-control" data-toggle="datepicker"
placeholder="Check Out ">
                                                                </form>
                                                            </div><!-- /.travel-
                                                        </div><!--/.single-tab-
                                                   </div><!--/.col-->
                                                   <div class="col-lg-2 col-md-1</pre>
col-sm-4">
                                                        <div class="single-tab-</pre>
select-box">
                                                            <h2>duration</h2>
                                                            <div class="travel-
select-icon" id="duration2">
                                                            </div><!-- /.travel-
                                                        </div><!--/.single-tab-
select-box-->
                                                   </div><!--/.col-->
                                                   <div class="col-lg-2 col-md-1</pre>
col-sm-4">
                                                       <div class="single-tab-</pre>
select-box">
                                                            <h2>members</h2>
                                                            <div class="travel-
select-icon" id="members1">
```

```
</div><!-- /.travel-
select-icon -->
                                                      </div><!--/.single-tab-
select-box-->
                                                  </div><!--/.col-->
                                              <div class="row">
                                                  <div class="col-sm-5">
                                                      <div class="travel-budget">
                                                          <div class="row">
                                                               <div class="col-md-3"
col-sm-4">
                                                              </div><!--/.col-->
                                                               <div class="co-md-9"
col-sm-8">
class="travel-filter">
                                                                       <div
class="info_widget">
                                                                           <div
class="price_filter">
/.slider-range-->
                                                                           </div><!-
-/.price-filter-->
                                                                       </div><!--
/.info widget-->
                                                                   </div><!--
/.travel-filter-->
                                                               </div><!--/.col-->
                                                           </div><!--/.row-->
                                                  </div><!--/.col-->
                                                  <div class="clo-sm-7">
                                                      <div class="about-btn travel-</pre>
mrt-0 pull-right">
                                                          <button class="about-</pre>
view travel-btn">
```

```
search
                                                            </button><!--/.travel-
btn-->
                                                        </div><!--/.about-btn-->
                                               </div><!--/.row-->
                                           </div><!--/.tab-para-->
                                      </div><!--/.tabpannel-->
                                      <div role="tabpanel" class="tab-pane fade in"</pre>
id="hotels">
                                           <div class="tab-para">
                                               <div class="row">
                                                   <div class="col-lg-4 col-md-4</pre>
col-sm-12">
                                                        <div class="single-tab-</pre>
select-box">
                                                            <h2>hotels</h2>
                                                            <div class="travel-
select-icon" id="gradoviHotel">
                                                            </div>
                                                            <div class="travel-
select-icon" id="hotelNaziv">
                                                            </div>
                                                        </div><!--/.single-tab-
select-box-->
                                                   </div><!--/.col-->
                                                   <div class="col-lg-2 col-md-3"
col-sm-4">
                                                        <div class="single-tab-</pre>
select-box">
                                                            <h2>check in</h2>
                                                            <div class="travel-check-</pre>
icon">
```

```
<form action="#">
                                                                   <input</pre>
type="text" name="check_in" class="form-control" data-toggle="datepicker"
placeholder="12 -01 - 2017 ">
                                                               </form>
                                                           </div><!-- /.travel-
check-icon -->
                                                       </div><!--/.single-tab-
select-box-->
                                                  </div><!--/.col-->
                                                  <div class="col-lg-2 col-md-3</pre>
col-sm-4">
                                                       <div class="single-tab-
select-box">
                                                           <h2>check out</h2>
                                                           <div class="travel-check-
icon">
                                                               <form action="#">
                                                                   <input</pre>
type="text" name="check_out" class="form-control" data-toggle="datepicker"
placeholder="22 -01 - 2017 ">
                                                               </form>
                                                           </div><!-- /.travel-
check-icon -->
                                                       </div><!--/.single-tab-
select-box-->
                                                  </div><!--/.col-->
                                                  <div class="col-lg-2 col-md-1</pre>
col-sm-4">
                                                       <div class="single-tab-</pre>
select-box">
                                                           <h2>duration</h2>
                                                           <div class="travel-
select-icon" id="duration1">
                                                           </div><!-- /.travel-
select-icon -->
                                                       </div><!--/.single-tab-
select-box-->
```

```
<div class="col-lg-2 col-md-1</pre>
col-sm-4">
                                                        <div class="single-tab-</pre>
select-box">
                                                            <h2>members</h2>
                                                            <div class="travel-
select-icon" id="members2">
                                                            </div><!-- /.travel-
select-icon -->
                                                        </div><!--/.single-tab-
select-box-->
                                                    </div><!--/.col-->
                                               </div><!--/.row-->
                                               <div class="row">
                                                    <div class="col-sm-5"></div><!--</pre>
                                                    <div class="clo-sm-7">
                                                        <div class="about-btn travel-</pre>
mrt-0 pull-right">
                                                            <button class="about-</pre>
view travel-btn">
                                                                 search
                                                            </button><!--/.travel-
btn-->
                                                    </div><!--/.col-->
                                               </div><!--/.row-->
                                           </div><!--/.tab-para-->
                                       </div><!--/.tabpannel-->
                                       <div role="tabpanel" class="tab-pane fade in"</pre>
id="flights">
                                           <div class="tab-para">
                                               <div class="trip-circle">
                                                    <div class="single-trip-circle">
                                                        <input type="radio"</pre>
id="radio01" name="radio" />
                                                        <label for="radio01">
```

```
<span class="round-</pre>
boarder">
                                                                  <span class="round-</pre>
boarder1"></span>
                                                             </span>round trip
                                                         </label>
                                                    </div><!--/.single-trip-circle-->
                                                     <div class="single-trip-circle">
                                                         <input type="radio"</pre>
id="radio02" name="radio" />
                                                         <label for="radio02">
                                                             <span class="round-</pre>
boarder">
                                                                  <span class="round-</pre>
boarder1"></span>
                                                             </span>on way
                                                         </label>
                                                     </div><!--/.single-trip-circle-->
                                                </div><!--/.trip-circle-->
                                                <div class="row">
                                                     <div class="col-lg-4 col-md-4</pre>
col-sm-12">
                                                         <div class="single-tab-</pre>
select-box">
                                                             <h2>from</h2>
                                                             <div class="travel-
select-icon" id="letOd">
                                                             </div><!-- /.travel-
                                                         </div><!--/.single-tab-
select-box-->
                                                    </div><!--/.col-->
                                                    <div class="col-lg-2 col-md-3"
col-sm-4">
                                                         <div class="single-tab-</pre>
select-box">
                                                             <h2>departure</h2>
                                                             <div class="travel-check-</pre>
icon">
                                                                 <form action="#">
```

```
<input</pre>
type="text" name="departure" class="form-control" data-toggle="datepicker"
                                                                     placeholder="12 -
01 - 2017 ">
                                                                 </form>
                                                        </div><!--/.single-tab-
select-box-->
                                                   </div><!--/.col-->
                                                   <div class="col-lg-2 col-md-3</pre>
col-sm-4">
                                                        <div class="single-tab-</pre>
select-box">
                                                            <h2>return</h2>
                                                            <div class="travel-check-</pre>
icon">
                                                                 <form action="#">
type="text" name="return" class="form-control" data-toggle="datepicker"
placeholder="22 -01 - 2017 ">
                                                                 </form>
                                                            </div><!-- /.travel-
check-icon -->
                                                        </div><!--/.single-tab-
select-box-->
                                                   </div><!--/.col-->
                                                   <div class="col-lg-2 col-md-1</pre>
col-sm-4">
                                                        <div class="single-tab-</pre>
select-box">
                                                            <h2>adults</h2>
                                                            <div class="travel-
select-icon" id="odrasliMesto">
                                                            </div><!-- /.travel-
                                                        </div><!--/.single-tab-
select-box-->
                                                   <div class="col-lg-2 col-md-1</pre>
col-sm-4">
```

```
<div class="single-tab-
select-box">
                                                          <h2>childs</h2>
                                                          <div class="travel-
select-icon" id="decaMesto">
                                                          </div><!-- /.travel-
                                                      </div><!--/.single-tab-
select-box-->
                                              <div class="row">
                                                  <div class="col-lg-4 col-md-4"
col-sm-12">
                                                      <div class="single-tab-</pre>
select-box">
                                                          <h2>to</h2>
                                                          <div class="travel-
select-icon" id="letKa">
                                                      </div><!--/.single-tab-
select-box-->
                                                  </div><!--/.col-->
                                                  <div class="col-lg-3 col-md-3</pre>
col-sm-4">
                                                      <div class="single-tab-
select-box">
                                                          <h2>class</h2>
                                                          <div class="travel-
select-icon" id="klasaMesto">
                                                          </div><!-- /.travel-
                                                      </div><!--/.single-tab-
select-box-->
                                                 </div><!--/.col-->
```

```
<div class="clo-sm-5">
                                                      <div class="about-btn pull-</pre>
right">
                                                          <button class="about-</pre>
view travel-btn">
                                                              search
                                                          </button><!--/.travel-
                                                      </div><!--/.about-btn-->
                                                  </div><!--/.col-->
                                              </div><!--/.row-->
                                         </div>
                                     </div><!--/.tabpannel-->
                                 </div><!--/.tab content-->
                             </div><!--/.desc-tabs-->
                         </div><!--/.single-travel-box-->
                     </div><!--/.col-->
                </div><!--/.row-->
            </div><!--/.container-->
        </section><!--/.travel-box-->
        <!--travel-box end-->
        <!--service start-->
        <section id="service" class="service">
            <div class="container">
                <div class="service-counter text-center">
                    <div class="col-md-4 col-sm-4">
                         <div class="single-service-box">
                             <div class="service-img">
                                 <img src="assets/images/service/s1.png"</pre>
alt="service-icon" />
                             </div><!--/.service-img-->
                             <div class="service-content">
                                 <h2>
                                     <a href="#">
                                     amazing tour packages
                                     </a>
                                 </h2>
```

```
</div><!--/.service-content-->
                         </div><!--/.single-service-box-->
                    </div><!--/.col-->
                    <div class="col-md-4 col-sm-4">
                         <div class="single-service-box">
                             <div class="service-img">
                                 <img src="assets/images/service/s2.png"</pre>
alt="service-icon" />
                             </div><!--/.service-img-->
                             <div class="service-content">
                                 <h2>
                                     <a href="#">
                                         book top class hotel
                                     </a>
                                 </h2>
                             </div><!--/.service-content-->
                         </div><!--/.single-service-box-->
                    </div><!--/.col-->
                    <div class="col-md-4 col-sm-4">
                         <div class="single-service-box">
                             <div class="statistics-img">
                                 <img src="assets/images/service/s3.png"</pre>
alt="service-icon" />
                             </div><!--/.service-img-->
                             <div class="service-content">
                                 <h2>
                                     <a href="#">
                                         online flight booking
                                     </a>
                                 </h2>
                             </div><!--/.service-content-->
                         </div><!--/.single-service-box-->
                </div><!--/.statistics-counter-->
            </div><!--/.container-->
        <!--service end-->
```

```
<!--galley start-->
        <section id="gallery" class="gallery">
            <div class="container">
                <div class="gallery-details">
                    <div class="gallary-header text-center">
                            top destination
                        </h2>
                   </div><!--/.gallery-header-->
                    <div class="gallery-box">
                        <div class="gallery-content">
                            <div class="filtr-container">
                                <div class="row" id="galerija">
                                    <div class="col-md-6">
                                        <div class="filtr-item">
                                            <img
src="assets/images/gallary/g1.jpg" alt="portfolio image"/>
                                            <div class="item-title">
                                                <a href="#">
                                                    china
                                                </a>
                                                <span>20 tours</span><span>15
places</span>
                                            </div><!-- /.item-title -->
                                        </div><!-- /.filtr-item -->
                                    </div><!-- /.col -->
                                    <div class="col-md-6">
                                        <div class="filtr-item">
                                            <img
src="assets/images/gallary/g2.jpg" alt="portfolio image"/>
                                            <div class="item-title">
                                                <a href="#">
                                                    venuzuala
                                                <span>12 tours</span><span>9
places</span>
                                            </div> <!-- /.item-title-->
                                        </div><!-- /.filtr-item -->
                                    </div><!-- /.col -->
                                   <div class="col-md-4">
```

```
<div class="filtr-item">
src="assets/images/gallary/g3.jpg" alt="portfolio image"/>
                                           <div class="item-title">
                                               <a href="#">
                                                   brazil
                                               </a>
                                               <span>25 tours</span><span>10
places</span>
                                           </div><!-- /.item-title -->
                                       </div><!-- /.filtr-item -->
                                   </div><!-- /.col -->
                                   <div class="col-md-4">
                                       <div class="filtr-item">
                                           <img
src="assets/images/gallary/g4.jpg" alt="portfolio image"/>
                                           <div class="item-title">
                                               <a href="#">
                                                   australia
                                               </a>
                                               <span>18 tours</span><span>9
places</span>
                                           </div> <!-- /.item-title-->
                                       </div><!-- /.filtr-item -->
                                   </div><!-- /.col -->
                                   <div class="col-md-4">
                                       <div class="filtr-item">
src="assets/images/gallary/g5.jpg" alt="portfolio image"/>
                                           <div class="item-title">
                                               <a href="#">
                                                   netharland
                                               <span>14 tours</span><span>12
places</span>
                                           </div> <!-- /.item-title-->
                                       </div><!-- /.filtr-item -->
                                   </div><!-- /.col -->
                                   <div class="col-md-8">
                                       <div class="filtr-item">
src="assets/images/gallary/g6.jpg" alt="portfolio image"/>
```

```
<div class="item-title">
                                                <a href="#">
                                                    turkey
                                                </a>
                                                <span>14 tours</span><span>6
places</span>
                                            </div> <!-- /.item-title-->
                                        </div><!-- /.filtr-item -->
                                    </div><!-- /.col -->
                                </div><!-- /.row -->
                            </div><!-- /.filtr-container-->
                        </div><!-- /.gallery-content -->
                    </div><!--/.galley-box-->
                </div><!--/.gallery-details-->
            </div><!--/.container-->
        </section><!--/.gallery-->
        <!--gallery end-->
        <!--discount-offer start-->
        <section class="discount-offer">
            <div class="container">
                <div class="row">
                    <div class="col-sm-12">
                        <div class="dicount-offer-content text-center">
                            <h2>Look at our special offer</h2>
                            <div class="campaign-timer">
                                <div id="timer">
                                    <div class="time time-after" id="days">
                                        <span></span>
                                    </div><!--/.time-->
                                    <div class="time time-after" id="hours">
                                    </div><!--/.time-->
                                    <div class="time time-after" id="minutes">
                                    </div><!--/.time-->
                                    <div class="time" id="seconds">
                                    </div><!--/.time-->
                                </div><!--/.timer-->
                            </div><!--/.campaign-timer-->
```

```
<div class="about-btn">
                                 <button onclick="kaPonudi()" class="about-view"</pre>
discount-offer-btn">
                                     Special offer
                                 </button>
                        </div><!-- /.dicount-offer-content-->
                    </div><!-- /.col-->
                </div><!-- /.row-->
            </div><!-- /.container-->
        </section><!-- /.discount-offer-->
        <!--discount-offer end-->
        <!--packages start-->
        <section id="pack" class="packages">
            <div class="container">
                <div class="gallary-header text-center">
                    <h2>
                        special packages
                    </h2>
                </div><!--/.gallery-header-->
                <div class="packages-content">
                    <div class="row" id = "specPonude">
                </div><!--/.packages-content-->
            </div><!--/.container-->
        </section><!--/.packages-->
        <!--packages end-->
        <div id="slider"></div>
        <!--special-offer start-->
        <section id="spo" class="special-offer" >
```

```
</section><!--/.special-offer end-->
        <!--special-offer end-->
        <!--blog start-->
        <section id="blog" class="blog">
            <div class="container">
                <div class="blog-details">
                        <div class="gallary-header text-center">
                                latest news
                            </h2>
                                Travel News from all over the world
                            </div><!--/.gallery-header-->
                        <div class="blog-content">
                            <div class="row" id="latestNews">
                            </div><!--/.row-->
                        </div><!--/.blog-content-->
                    </div><!--/.blog-details-->
                </div><!--/.container-->
        <!--blog end-->
        <!--subscribe start-->
        <section id="subs" class="subscribe">
            <div class="container">
                <div class="subscribe-title text-center">
                    <form>
                        <div class="row" id="name">
                            <div class="col-md-6">
                              <label for="exampleInputEmail1">First Name</label>
                              <input type="text" class="form-control"</pre>
placeholder="First name" id="ime">
                              <div id="greskaIme">First Name is
incorrect</div>
                            </div>
```

```
<div class="col-md-6">
                              <label for="exampleInputEmail1">Last Name</label>
                              <input type="text" class="form-control"</pre>
placeholder="Last name" id="prezime">
                              <div id="greskaPrezime">Last Name is
incorrect</div>
                            </div>
                        </div>
                        <div class="form-group">
                          <label for="exampleInputEmail1">Email Address</label>
                          <input type="email" class="form-control" id="email"</pre>
aria-describedby="emailHelp" placeholder="Enter email" >
                          <div id="greskaEmail">E-mail is incorrect</div>
                        </div>
                        <div class="form-group">
                            <label
for="exampleFormControlSelect1">Destination</label>
                            <div >
                                <select class="form-control " id="bookSelect">
                                </select>
                                <div id="greskaSelect">You must select
destination</div>
                            </div>
                      </form>
                      <div id="submit">
                            <button type="submit" class="btn btn-primary"</pre>
value="Posalji" id="posaljiPodatke">Submit</button>
                            <div id="ispravno">Thank you for your interest in
this journey! We will contact you for further information.</div>
                          </div>
                </div>
```

```
</section>
        <!--subscribe end-->
        <!-- footer-copyright start -->
        <footer class="footer-copyright">
            <div class="container">
                <div class="footer-content">
                    <div class="row">
                        <div class="col-sm-3">
                            <div class="single-footer-item">
                                <div class="footer-logo">
                                    <a href="index.html">
                                        Comele<span>Travel</span>
                                    </a>
                                        best travel agency
                                    </div>
                            </div><!--/.single-footer-item-->
                        <div class="col-sm-3">
                            <div class="single-footer-item">
                                <h2>link</h2>
                                <div class="single-footer-txt" id="meniFuter" >
                                </div><!--/.single-footer-txt-->
                            </div><!--/.single-footer-item-->
                        </div><!--/.col-->
                        <div class="col-sm-3">
                            <div class="single-footer-item">
                                <h2>popular destination</h2>
                                <div class="single-footer-txt"</pre>
id="destinacijeFuter">
                                </div><!--/.single-footer-txt-->
                            </div><!--/.single-footer-item-->
```

```
</div><!--/.col-->
                     <div class="col-sm-3">
                         <div class="single-footer-item text-center">
                             <h2 class="text-left">contacts</h2>
                             <div class="single-footer-txt text-left">
                                011 3290828
                                <a</pre>
href="#">info@ctravel.com</a>
                                Zdravka Celara 16
                                Belgrade, SRB
                                <div id="podaci">
                                    <a href="aboutme.html">About
Me</a>
                                    <a href="">Documentation</a>
                                </div>
                             </div><!--/.single-footer-txt-->
                         </div><!--/.single-footer-item-->
                     </div><!--/.col-->
                  </div><!--/.row-->
              </div><!--/.footer-content-->
              <hr>>
              <div class="foot-icons">
                  <a href="#" target="_blank" class="foot-icon-bg-1"><i</pre>
class="fa fa-facebook"></i></a>
                     <a href="#" target="_blank" class="foot-icon-bg-2"><i</pre>
class="fa fa-twitter"></i></a>
                     <a href="#" target="_blank" class="foot-icon-bg-3"><i</a>
class="fa fa-instagram"></i></a>
                  </div><!--/.foot-icons-->
              <div id="scroll-Top">
                  <i class="fa fa-angle-double-up return-to-top" id="scroll-</pre>
top" data-toggle="tooltip" data-placement="top" title="" data-original-
title="Back to Top" aria-hidden="true"></i>
              </div><!--/.scroll-Top-->
```

```
</footer><!-- /.footer-copyright-->
        <!-- footer-copyright end -->
        <link rel="stylesheet" href="assets/css/mojStyle.css" type="text/css"/>
        <script src="assets/js/main.js" ></script>
        <script src="assets/js/jquery.js"></script>
        <!-- Include all compiled plugins (below), or include individual files as
        <!--modernizr.min.js-->
        <script src="https://cdnjs.cloudflare.com/ajax/libs/modernizr/2.8.3/mode</pre>
rnizr.min.js"></script</pre>
        <script src="assets/js/bootstrap.min.js"></script>
        <!-- bootsnav js -->
        <script src="assets/js/bootsnav.js"></script>
        <!-- jquery.filterizr.min.js -->
        <script src="assets/js/jquery.filterizr.min.js"></script>
        <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-</pre>
easing/1.4.1/jquery.easing.min.js"></script>
        <!--jquery-ui.min.js-->
        <script src="assets/js/jquery-ui.min.js"></script>
        <script src="assets/js/jquery.counterup.min.js"></script>
        <script src="assets/js/waypoints.min.js"></script>
        <!--owl.carousel.js-->
        <script src="assets/js/owl.carousel.min.js"></script>
        <!-- jquery.sticky.js -->
        <script src="assets/js/jquery.sticky.js"></script>
        <!--datepicker.js-->
        <script src="assets/js/datepicker.js"></script>
        <!--Custom JS-->
        <script src="assets/js/custom.js"></script>
```

```
</body>
</html>
```

Aboutme.html

```
<!doctype html>
<html class="no-js" lang="en">
                                                 <!-- main.js PRETRAGA-->
    <head>
        <!-- META DATA -->
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <!-- The above 3 meta tags *must* come first in the head; any other head
content must come *after* these tags -->
        <!--font-family-->
        <link href="https://fonts.googleapis.com/css?family=Rufina:400,700"</pre>
rel="stylesheet" />
        link
href="https://fonts.googleapis.com/css?family=Poppins:100,200,300,400,500,600,700
,800,900" rel="stylesheet" />
        <!-- TITLE OF SITE -->
        <title>About Me</title>
        <link rel="shortcut icon" type="image/icon"</pre>
href="assets/logo/favicon.png"/>
        <link rel="stylesheet" href="assets/css/font-awesome.min.css" />
        <!--animate.css-->
        <link rel="stylesheet" href="assets/css/animate.css" />
        <!--hover.css-->
```

```
<link rel="stylesheet" href="assets/css/hover-min.css">
       <link rel="stylesheet" href="assets/css/datepicker.css" >
       <!--owl.carousel.css-->
       <link rel="stylesheet" href="assets/css/owl.carousel.min.css">
       <link rel="stylesheet" href="assets/css/owl.theme.default.min.css"/>
       <!-- range css-->
       <link rel="stylesheet" href="assets/css/jquery-ui.min.css" />
       <!--bootstrap.min.css-->
       <link rel="stylesheet" href="assets/css/bootstrap.min.css" />
       <!-- bootsnav -->
       <link rel="stylesheet" href="assets/css/bootsnav.css"/>
       <!--stvle.css-->
       <link rel="stylesheet" href="assets/css/style.css" />
       <!--responsive.css-->
       <link rel="stylesheet" href="assets/css/responsive.css" />
       <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and
media queries -->
       <!-- WARNING: Respond.js doesn't work if you view the page via file:// --
       <!--[if lt IE 9]>
       <script
src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
       <script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
       <![endif]-->
       <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
   </head>
   <body>
       <!--[if lte IE 9]>
       You are using an <strong>outdated</strong>
browser. Please <a href="https://browsehappy.com/">upgrade
```

```
your browser</a> to improve your experience and security.
        <![endif]-->
        <!-- main-menu Start -->
        <button onclick="gorefja()" id="gore"><i class="fa fa-angle-double-</pre>
up"></i></button>
       <header class="top-area">
           <div class="header-area">
               <div class="container">
                   <div class="row">
                       <div class="col-sm-2">
                           <div class="logo">
                               <a href="index.html">
                                   Comele<span>Travel</span>
                               </a>
                       </div><!-- /.col-->
                       <div class="col-sm-10">
                           <div class="main-menu" >
                               <!-- Brand and toggle get grouped for better
mobile display -->
                               <div class="navbar-header">
                                   <button type="button" class="navbar-toggle"</pre>
data-toggle="collapse" data-target=".navbar-collapse">
                                       <i class="fa fa-bars"></i></i>
                                   </button><!-- / button-->
                               </div><!-- /.navbar-header-->
                               <div class="collapse navbar-collapse" id="">
                                         right">
                                             <a href="index.html">Back to
site</a>
                                         </div><!-- /.navbar-collapse -->
                           </div><!-- /.main-menu-->
                       </div><!-- /.col-->
                   </div><!-- /.row -->
                   <div class="home-border"></div><!-- /.home-border-->
           </div><!-- /.header-area -->
```

```
</header><!-- /.top-area-->
        <!-- main-menu End -->
       <!--about-us start -->
       <section id="home" class="about-us">
           <div class="container">
               <div class="about-us-content">
                   <div class="row">
                       <div class="col-sm-12">
                           <div class="single-about-us">
                              <div class="about-us-txt">
                                      <div class="row">
                                          <div class="col-sm-6 col-md-5">
                                            <div class="about-img">
                                              <img
src="assets/images/me/m1.jpg" class="img-fluid rounded b-shadow-a" alt="">
                                            </div>
                                          </div>
                                          <div class="col-sm-6 col-md-7">
                                            <div class="about-info">
                                              <span</pre>
class="title-s">Name: </span> <span>Nebojša Lukić</span>
                                              <span</pre>
class="title-s">Idex: </span> <span>60/19</span>
                                              <span</pre>
class="title-s">Email: </span> <span>nebojsa.lukic.60.19@ict.edu.rs</span>
                                              <span</pre>
class="title-s">Phone: </span> <span>063 518425</span>
                                            </div>
                                          </div>
                                      </div>
                               </div><!--/.about-us-txt-->
                           </div><!--/.single-about-us-->
                       </div><!--/.col-->
                       <div class="col-sm-0">
                           <div class="single-about-us">
                           </div><!--/.single-about-us-->
                       </div><!--/.col-->
                   </div><!--/.row-->
           </div><!--/.container-->
```

```
</section><!--/.about-us-->
       <!--about-us end -->
       <!-- footer-copyright start -->
       <footer class="footer-copyright">
           <div class="container">
               <div class="footer-content">
                   <div class="row">
                       <div class="col-sm-3">
                          <div class="single-footer-item">
                              <div class="footer-logo">
                                  <a href="index.html">
                                      Comele<span>Travel</span>
                                  </a>
                                      best travel agency
                                  </div>
                          </div><!--/.single-footer-item-->
                      </div><!--/.col-->
                       <div class="col-sm-3">
                          <div class="single-footer-item text-center">
                              <h2 class="text-left">contacts</h2>
                              <div class="single-footer-txt text-left">
                                  011 3290828
                                  <a</pre>
href="#">info@ctravel.com</a>
                                  Zdravka Celara 16
                                  Belgrade, SRB
                              </div><!--/.single-footer-txt-->
                          </div><!--/.single-footer-item-->
```

```
</div><!--/.row-->
               </div><!--/.footer-content-->
               <hr>>
               <div class="foot-icons ">
                   <a href="#" target=" blank" class="foot-icon-bg-1"><i</a>
class="fa fa-facebook"></i></a>
                       <a href="#" target=" blank" class="foot-icon-bg-2"><i</a>
class="fa fa-twitter"></i></a>
                       <a href="#" target="_blank" class="foot-icon-bg-3"><i</pre>
class="fa fa-instagram"></i></i>
                   </div><!--/.foot-icons-->
               <div id="scroll-Top">
                   <i class="fa fa-angle-double-up return-to-top" id="scroll-</pre>
top" data-toggle="tooltip" data-placement="top" title="" data-original-
title="Back to Top" aria-hidden="true"></i>
               </div><!--/.scroll-Top-->
           </div><!-- /.container-->
       </footer><!-- /.footer-copyright-->
       <!-- footer-copyright end -->
       <link rel="stylesheet" href="assets/css/mojStyle.css" type="text/css"/>
       <script src="assets/js/main.js" ></script>
       <script src="assets/js/jquery.js"></script>
       <!-- Include all compiled plugins (below), or include individual files as
       <script src="https://cdnjs.cloudflare.com/ajax/libs/modernizr/2.8.3/mode</pre>
rnizr.min.js"></script>
       <!--bootstrap.min.js-->
       <script src="assets/js/bootstrap.min.js"></script>
       <!-- bootsnav is -->
       <script src="assets/js/bootsnav.js"></script>
       <!-- jquery.filterizr.min.js -->
```

```
<script src="assets/js/jquery.filterizr.min.js"></script>
        <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-</pre>
easing/1.4.1/jquery.easing.min.js"></script>
        <!--jquery-ui.min.js-->
        <script src="assets/js/jquery-ui.min.js"></script>
        <script src="assets/js/jquery.counterup.min.js"></script>
        <script src="assets/js/waypoints.min.js"></script>
        <script src="assets/js/owl.carousel.min.js"></script>
        <!-- jquery.sticky.js -->
        <script src="assets/js/jquery.sticky.js"></script>
        <!--datepicker.js-->
        <script src="assets/js/datepicker.js"></script>
        <!--Custom JS-->
        <script src="assets/js/custom.js"></script>
    </body>
</html>
```

Main.js

```
//URADITI
//Forma
//Slajder
//Tajmer sa specijalnom ponudom
//Dokumentacija

//ZAKAZIVANJE
// Padajuce liste dinamicki +
```

```
Kartice display none kad se klikne+
//KARTICA DESTINATION
// Ispis svih slika+
//KARTICA Special Packages
// ispis Special Packages+
//KARTICA SPECIJANA PONUDA
// ispis specijalne ponude i menjanje nakon nekog vremena
//KARTICA BLOG
//ODBROJAVANJE
// odbrojava neko vreme do promene specijalne ponude
//VRACANJE NA POCETAK STRANICE+
//FUNKCIJE
function ispisPadajuci(mestoIspisa, ispis,) {
 var selekt = `<select class="form-control ">
 for (var i = 0; i < ispis.length; i++) {</pre>
   selekt += `<option value="${ispis[i]}">${ispis[i]}</option>`;
 selekt += `</select>`;
  mestoIspisa.innerHTML = selekt;
function ispisListaLink(mestoIspisa, ispis, link, klasaUl, klasaLi) {
 var lista = ``;
 for (let i = 0; i < ispis.length; i++) {
   lista += `<a href="${link[i]}">${ispis[i]}</a>`;
 lista += ``;
 mestoIspisa.innerHTML = lista;
function ispisPLink(mestoIspisa, pIspis, pLink) {
 var ptag = ``;
 for (let i = 0; i < pIspis.length; i++) {</pre>
   ptag += `<a href="${pLink[i]}">${pIspis[i]}</a>`;
```

```
mestoIspisa.innerHTML = ptag;
//nav Meni
var navMeni = document.querySelector("#navMeni");
var meni = ["Home", "Destination", "Packages", "Special Offers", "Blog", "Book
var meniLink = ["#home", "#gallery", "#pack", "#spo", "#blog", "#subs",];
var meniKlasaUl = "nav navbar-nav navbar-right";
var meniKlasaLi = "smooth-menu";
ispisListaLink(navMeni, meni, meniLink, meniKlasaUl, meniKlasaLi);
//futer
var meniFuter = document.querySelector("#meniFuter");
ispisPLink(meniFuter, meni, meniLink);
var destinacijeFuter = document.querySelector("#destinacijeFuter");
var destNaziv = ["China", "netherland", "brasil", "australia", "turkey",
var destLink = ["#gallery", "#gallery", "#gallery", "#gallery", "#gallery",
"#gallery"];
ispisPLink(destinacijeFuter, destNaziv, destLink);
// tours destinacija ispis
var gradoviNaziv = ["Choose your destination", "Istanbul", "Praga", "Paris",
"Cyprus", "Santorini", "Barcelona"];
var selektor = document.querySelector(".travel-select-icon");
ispisPadajuci(selektor, gradoviNaziv);
// ispis hotela
var hotelGrad = document.querySelector("#gradoviHotel");
var hotelNaziv = document.querySelector("#hotelNaziv");
ispisPadajuci(hotelGrad, gradoviNaziv);
var hoteli = ["Choose your hotel", "Emirates Palace", "Mardan Palace", "Burj Al
Arab", "Atlantis Paradise", "The Las Vegas Palms"];
ispisPadajuci(hotelNaziv, hoteli);
//ispis duration
var duration1 = document.querySelector("#duration1");
var duration2 = document.querySelector("#duration2");
var brojDana = ["Duration", 5, 7, 10, 15, 20];
ispisPadajuci(duration1, brojDana);
ispisPadajuci(duration2, brojDana);
```

```
// ispis members
var members1 = document.querySelector("#members1");
var members2 = document.querySelector("#members2");
var brojOsoba = ["Members", 1, 2, 3, 4, 5];
ispisPadajuci(members1, brojOsoba);
ispisPadajuci(members2, brojOsoba);
// ispis letovi
var klasa = ["Choose Class", "A", "B", "C"];
var odrasli = ["Choose Adults", 1, 2, 3, 4, 5, 6, 7, 8];
var deca = ["Choose childs", 1, 2, 3, 4, 5, 6, 7, 8];
var letKa = document.guerySelector("#letKa");
var letOd = document.guerySelector("#letOd");
var klasaMesto = document.querySelector("#klasaMesto");
var odrasliMesto = document.querySelector("#odrasliMesto");
var decaMesto = document.querySelector("#decaMesto");
ispisPadajuci(letKa, gradoviNaziv);
ispisPadajuci(letOd, gradoviNaziv);
ispisPadajuci(klasaMesto, klasa);
ispisPadajuci(decaMesto, deca);
ispisPadajuci(odrasliMesto, odrasli);
//Kartice display none kad se klikne
$("#litours").on("click", function () {
 $("#tours").css("display", "block");
 $("#hotels").css("display", "none");
 $("#flights").css("display", "none");
});
$("#lihotels").on("click", function () {
  $("#tours").css("display", "none");
 $("#hotels").css("display", "block");
 $("#flights").css("display", "none");
$("#liflights").on("click", function () {
 $("#tours").css("display", "none");
 $("#hotels").css("display", "none");
 $("#flights").css("display", "block");
});
// Special Packages
var destinacije = ["Rome", "London", "Paris", "Uttar Pradesh", "Madrid",
"Bangkok"];
```

```
var cene = [499, 1499, 1199, 799, 999, 799];
var brDana = [5, 7, 7, 9, 5, 12];
var brNocenja = [6, 8, 8, 10, 7, 14];
var zvezdice = [5, 4, 5, 4, 5, 3];
var transport = [1, 1, 1, 1, 0, 1];
var hrana = [1, 1, 1, 0, 1, 0];
var specPonude = document.querySelector("#specPonude");
var ispisPonude;
function ispisSpecPonuda() {
  for (let i = 0; i < destinacije.length; i++) {</pre>
    ispisPonude += `
    <div class="col-md-4 col-sm-6">
      <div class="single-package-item">
          <img src="assets/images/packages/p${i}.jpg" alt="${destinacije[i]}">
            <div class="single-package-item-txt">
              <h3>${destinacije[i]} <span class="pull-right">$${cene[i]}</span>
              </h3>
                <div class="packages-para">
                    <span>
                      <i class="fa fa-angle-right"></i> ${brDana[i]} days
${brNocenja[i]} nights
                    </span>
                    <span>
                      <i class="fa fa-angle-right"></i>  ${zvezdice[i]} star
accomodation
                    </span>
                  if (transport[i]) {
      ispisPonude += `
                      <span>
                        <i class="fa fa-angle-right"></i> transportation
                      </span>`;
    if (hrana[i]) {
      ispisPonude += `<i class="fa fa-angle-right"></i> food facilities`;
    ispisPonude += `
                  </div><!--/.packages-para-->
                <div class="packages-review">
    for (let j = 0; j < zvezdice[i]; j++) {
```

```
ispisPonude += `<i class="fa fa-star"></i>`;
    ispisPonude += `
                  </div>
                <div class="about-btn">
                  <button onclick="kaBook()" class="about-view packages-btn">
                    book now
                  </button>
              </div>
            </div>
      </div>
    </div>`;
  specPonude.innerHTML = ispisPonude;
ispisSpecPonuda();
//Latest news
var latestNews = document.querySelector("#latestNews");
var datumNews = ["8 December 2021", "2 December 2021", "25 November 2021"];
var naslovNews = ["Discover on beautiful weather, Fantastic foods and historical
place in Prag", "Incredible India", "Mauritius - bringing you closer to nature"];
var tekstNews = [
  "Everywhere you look, fine examples of Gothic, Baroque, Renaissance, and Art
Nouveau styles dot the city, providing a dramatic contrast to the sturdy old
Prague Castle",
  "One of the oldest civilisations in the world, India is a mosaic of
multicultural experiences. With a rich heritage and myriad attractions, the
country is among the most popular tourist destinations in the world",
  "Turquoise lagoons, volcanic craters, humid swathes of subtropical rainforest
alive with the chatter of birds - Mauritius has a variety of landscapes the envy
of countries several times its size",
];
function ispisNews() {
 var news = ``;
  for (let i = 0; i < naslovNews.length; i++) {</pre>
    news += `<div class="col-sm-4 col-md-4">
        <div class="thumbnail">
            <h2>trending news <span>${datumNews[i]}</span></h2>
            <div class="thumbnail-img">
```

```
<img src="assets/images/blog/b${i + 1}.jpg" alt="blog-img${1}">
                <div class="thumbnail-img-overlay"></div>
            </div>
            <div class="caption">
                <div class="blog-txt">
                    <h3>
                        <a href="#">
                            ${naslovNews[i]}
                        </a>
                    </h3>
                        ${tekstNews[i]}
                    </div>
            </div>
        </div>
    </div>`;
  latestNews.innerHTML = news;
ispisNews();
//galerija
var galerija = document.querySelector("#galerija");
var tours = [20, 18, 22, 25, 30, 11];
var places = [15, 10, 7, 6, 9, 12];
function ispisGalerije() {
 var slike = ``;
 for (let i = 0; i < destNaziv.length; i++) {</pre>
    slike += `<div class="col-md-6">
        <div class="filtr-item">
        <img src="assets/images/gallary/g${i + 1}.jpg" alt="portfolio image${i +</pre>
1}"/>
        <div class="item-title">
              <a href="#">
                  ${destNaziv[i]}
                <span>${tours[i]} tours</span><span>${places[i]}
places</span>
            </div>
        </div>
```

```
</div>`;
  galerija.innerHTML = slike;
ispisGalerije();
// skrol top
var gore = document.querySelector("#gore");
window.onscroll = function () {
  skrol();
};
function skrol() {
  if (document.body.scrollTop > 300 || document.documentElement.scrollTop > 300)
    gore.style.display = "block";
  } else {
    gore.style.display = "none";
function gorefja() {
  window.scrollTo({ top: 0, behavior: "smooth" });
// Explore button
function explore() {
  window.scrollTo({ top: 700, behavior: "smooth" });
//tajmer
var spo = document.querySelector("#spo");
var nazivSpo = ["Greece", "Malaysia", "Hong Kong"];
var zvezdiceSpo = [5, 5, 5];
var brojDanaSpo = [12, 15, 10];
var brojNociSpo = [11, 14, 9];
var brojOsobaSpo = [2, 2, 4];
var transportSpo = [1, 1, 1];
var hranaSpo = [1, 1, 1];
var opisSpo = [
  "Despite contending with overcrowding, Santorini remains a must-visit: With its
whitewashed houses perched on cliffs overlooking the sea, it's exactly what you
picture when you think of Greece. See it before doing so becomes even more
difficult",
```

```
"Batu Caves in Kuala Lumpur features not only a series of fascinating caves,
but a century-old Hindu temple. The temple is accessed via colorful rainbow
steps, themselves a popular tourist attraction",
  "More than being practical, the Hong Kong-Zuhai-Macao Bridge is awe-inspiring
to witness in person. At 34 miles, it's the longest sea-spanning bridge in the
world",
1;
var popustSpo = [40, 50, 60];
var cenaSpo = [930, 1490, 944];
var regCenaSpo = [1550, 2980, 2360];
var trajanjePonude = ["Dec 19 2021 00:00", "Dec 25 2021 00:00", "Jan 05 2022
00:00"];
var baner = document.querySelector("#spo");
function pozadinaSpo0() {
  baner.style.backgroundImage = "url('assets/images/offer/o0.jpg')";
  baner.style.backgroundRepeat = "no-repeat";
  baner.style.backgroundPosition = "center";
function pozadinaSpo1() {
  baner.style.backgroundImage = "url('assets/images/offer/o1.jpg')";
  baner.style.backgroundRepeat = "no-repeat";
  baner.style.backgroundPosition = "center";
function pozadinaSpo2() {
  baner.style.backgroundImage = "url('assets/images/offer/o2.jpg')";
  baner.style.backgroundRepeat = "no-repeat";
  baner.style.backgroundPosition = "center";
pozadinaSpo0();
function specOffer() {
  var spo1 = `
    <div class="container">
            <div class="special-offer-content">
                <div class="row">
                    <div class="col-sm-8">
                        <div class="single-special-offer">
                            <div class="single-special-offer-txt">
                                <h2>${nazivSpo[i]}</h2>
                                <div class="packages-review special-offer-</pre>
review">
  for (let x = 0; x < zvezdiceSpo[i]; x++) {
```

```
spo1 += `<i class="fa fa-star"></i>`;
  spo1 += `
                 </div>
                 <div class="packages-para special-offer-para">
                       <i class="fa fa-angle-right"></i> ${brojDanaSpo[i]} days
${brojNociSpo[i]} nights
                     </span>
                     <span>
                       <i class="fa fa-angle-right"></i> ${brojOsobaSpo[i]}
person
                     </span>
                     <span>
                       <i class="fa fa-angle-right"></i> ${zvezdiceSpo[i]} star
accomodation
                     </span>
                   `;
 if (transportSpo) {
    spo1 += `<span>
                                           <i class="fa fa-angle-</pre>
right"></i> transportation
                                           </span>`;
 if (hranaSpo) {
   spo1 += `<span>
                                           <i class="fa fa-angle-</pre>
right"></i> food facilities
                                       </span>`;
  spo1 += `
                   ${opisSpo[i]}
                   </div><!--/.packages-para-->
                 <div class="offer-btn-group">
                   <div class="about-btn">
                     <button onclick="kaBook()" class="about-view packages-btn</pre>
                       book now
                     </button>
                   </div><!--/.about-btn-->
```

```
</div><!--/.offer-btn-group-->
                </div><!--/.single-special-offer-txt-->
              </div><!--/.single-special-offer-->
            </div><!--/.col-->
            <div class="col-sm-4">
              <div class="single-special-offer">
                <div class="single-special-offer-bg">
                  <img src="assets/images/offer/offer-shape.png" alt="offer-</pre>
shape">
                </div><!--/.single-special-offer-bg-->
                <div class="single-special-shape-txt">
                  <h3>special offer</h3>
                  <h4><span>${popustSpo[i]}%</span><br>off</h4>
                  <span>$ ${cenaSpo[i]}</span><br>regular
$${regCenaSpo[i]}
                </div><!--/.single-special-shape-txt-->
              </div><!--/.single-special-offer-->
            </div><!--/.col-->
          </div><!--/.row-->
        </div><!--/.special-offer-content-->
      </div><!--/.container-->`;
  spo.innerHTML = spo1;
var i = 0;
specOffer();
function makeTimer() {
 var endTime = new Date(trajanjePonude[i]);
 var endTime1 = Date.parse(endTime) / 1000;
 var now = new Date();
 var now1 = Date.parse(now) / 1000;
 var timeLeft = endTime1 - now1;
 var days = Math.floor(timeLeft / 86400);
 var hours = Math.floor((timeLeft - days * 86400) / 3600);
 var minutes = Math.floor((timeLeft - days * 86400 - hours * 3600) / 60);
 var seconds = Math.floor(timeLeft - days * 86400 - hours * 3600 - minutes *
60);
 if (hours < "10") {
   hours = "0" + hours;
```

```
if (minutes < "10") {</pre>
    minutes = "0" + minutes;
  if (seconds < "10") {</pre>
    seconds = "0" + seconds;
  $("#days").html(days + '<span class="camp">Days</span>');
  $("#hours").html(hours + '<span class="camp">Hour</span>');
  $("#minutes").html(minutes + '<span class="camp">Minute</span>');
  $("#seconds").html(seconds + '<span class="camp">Second</span>');
  if (timeLeft < 0) {</pre>
    if (i == nazivSpo.length) {
      i = 0;
    } else {
      i++;
    switch (i) {
      case 0:
        pozadinaSpo0();
        break;
      case 1:
        pozadinaSpo1();
        break;
      case 2:
        pozadinaSpo2();
        break;
    specOffer();
    makeTimer();
setInterval(function () {
  makeTimer();
}, 1000);
function kaPonudi() {
  window.scrollTo({ top: 6000, behavior: "smooth" });
function kaBook() {
 window.scrollTo({ top: 7600, behavior: "smooth" });
```

```
var bookSelect = document.querySelector("#bookSelect");
function ispisPadajuciForm(mestoIspisa, ispis, initValue = "Choose your
destination") {
  var selekt = `<option value = "0">${initValue}</option>
  for (var i = 0; i < ispis.length; i++) {</pre>
    selekt += `<option value="${ispis[i]}">${ispis[i]}</option>`;
  mestoIspisa.innerHTML = selekt;
ispisPadajuciForm(bookSelect, gradoviNaziv)
function setSlider(images = null) {
  const slider = document.querySelector("#slider");
  // let content = `
  // images.forEach((image) => {
  // content += `<div><img src="assets/img/${image.img}.jpg"</pre>
alt="${image.alt}"/></div>`;
  // });
  // content += `</div>`;
  let content = `
    <div class="slider" id="idSlider">
      <div id="slider1">1</div>
      <div id="slider2">2</div>
    </div>
  slider.innerHTML = content;
  $(".slider").bxSlider({
   slideWidth: 1300,
  });
setSlider();
$(document).ready(function(){
  $('#posaljiPodatke').click(proveraForme);
})
function proveraForme(e){
```

```
e.preventDefault()
  var tacnostForme = true;
  var ime = document.getElementById('ime').value;
  var prezime =document.getElementById('prezime').value;
  var email = document.getElementById('email').value;
  var imeBorder = document.getElementById('ime');
  var prezimeBorder =document.getElementById('prezime');
  var emailBorder = document.getElementById('email');
  var greskaIme = document.getElementById('greskaIme');
  var greskaPrezime = document.getElementById('greskaPrezime');
  var greskaEmail = document.getElementById('greskaEmail');
 var regularniIme = /^[A-ZČĆŠĐŽ][a-zčćžđš]{2,15}(\s[A-ZČĆŠĐŽ][a-
zčćžđš \{2,15\} \{0,1\} \{0,1\}
  var regularniPrezime = /^[A-ZČĆŠĐŽ][a-zčćžđš]{2,15}(\s[A-ZČĆŠĐŽ][a-
zčćžđš \{2,15\} \{0,1\}$/;
  var regularniMejl = /^[a-z\check{c}\check{z}d\check{s}][a-z]d\-\.\wčćžd\check{s}]+\@[a-z]+(\.[a-
z]{2,12}){1,2}$/
  function pokaziGresku(promenljiva, izraz, idPoruke, idBorder){
    if (!izraz.test(promenljiva)){
      console.log(idPoruke)
      tacnostForme = false;
      idPoruke.style.display = "block"
      idBorder.classList.add("greskeBorder")
    else {
      idPoruke.style.display = 'none';
      idBorder.classList.remove("greskeBorder")
    }
  pokaziGresku(ime, regularniIme, greskaIme,imeBorder);
  pokaziGresku(prezime, regularniPrezime, greskaPrezime, prezimeBorder);
  pokaziGresku(email, regularniMejl, greskaEmail, emailBorder);
  var izbor = document.getElementById('bookSelect').value;
```

```
if(izbor == '0'){
   tacnostForme = false;
   document.getElementById('greskaSelect').style.display = 'block';
   document.getElementById('bookSelect').classList.add("greskeBorder")
}
else{
   document.getElementById('greskaSelect').style.display = 'none';
   document.getElementById('bookSelect').classList.remove("greskeBorder")
}
if(tacnostForme == true){
   document.getElementById('ispravno').style.display = 'block';
}
else{
   document.getElementById('ispravno').style.display = 'none';
}
else{
   document.getElementById('ispravno').style.display = 'none';
}
```

Style.css

```
'*======== TABLE OF CONTENTS ========

    General css (Reset code)

2. Header
5. Travel-box
5. Service
6. Gallery
Discount-offer
8. Packages
9. Testemonial
10. Special Offer
11. Blog
12. Subscribe
13. Footer-copyright
 padding: 0;
 margin: 0;
  -webkit-box-sizing: border-box;
  -moz-box-sizing: border-box;
  -o-box-sizing: border-box;
  -ms-box-sizing: border-box;
 box-sizing: border-box;
body {
 position: relative;
  font-size: 14px;
  color: #222222;
 background: #fff;
  font-family: "Poppins", sans-serif;
 max-width: 1920px;
 margin: 0 auto;
  overflow-x: hidden;
```

```
a:hover,
a:active,
a:focus {
 display: inline-block;
 text-decoration: none;
 font-size: 13px;
 padding: 0;
  margin: 0;
h1,
h2,
h3,
h4,
h5,
h6 {
 margin: 0;
 color: #222222;
 text-transform: capitalize;
p {
 margin: 0;
 color: #666666;
  font-size: 14px;
img {
 border: none;
 max-width: 100%;
 height: auto;
ul {
 padding: 0;
 margin: 0;
 list-style: none;
ul li {
 list-style: none;
select,
```

```
input,
textarea,
button {
 box-shadow: none;
 outline: 0 !important;
html,
body {
 height: 100%;
  z-index: 2;
[placeholder]:focus::-webkit-input-placeholder {
  -webkit-transition: opacity 0.3s 0.3s ease;
  -moz-transition: opacity 0.3s 0.3s ease;
  -ms-transition: opacity 0.3s 0.3s ease;
 -o-transition: opacity 0.3s 0.3s ease;
 transition: opacity 0.3s 0.3s ease;
  opacity: 0;
/*=============*/
.top-area {
 position: absolute;
 width: 100%;
.wrapper {
 position: relative;
  z-index: -1;
.header-area {
 position: relative;
 width: 100%;
/*.sticky-wrapper */
.sticky-wrapper {
 position: relative;
 z-index: 2;
 transition: 0.7s;
```

```
.is-sticky .header-area {
.is-sticky .header-area:after {
  position: absolute;
  content: "";
 background: rgba(77, 78, 84, 1);
  height: 100%;
 width: 100%;
 top: 0;
 left: 0;
  z-index: -1;
 -webkit-transition: all 0.5s linear;
  -moz-transition: all 0.5s linear;
  -ms-transition: all 0.5s linear;
  -o-transition: all 0.5s linear;
  transition: all 0.5s linear;
.sticky-wrapper.is-sticky .main-menu .nav a:before {
 bottom: 17.6px;
} /*.sticky-wrapper */
.logo a,
.logo a:hover,
.logo a:focus {
 color: #fff;
 font-size: 24px;
 font-family: "Poppins", sans-serif;
 text-transform: capitalize;
  font-weight: 600;
 margin: 14px 0px 0;
  padding: 10px 0 0 0;
.logo a span {
 color: #00d8ff;
 text-transform: capitalize;
/*.logo*/
/*.main-menu*/
.main-menu {
 position: relative;
```

```
.main-menu ul .nav .navbar-nav {
 text-align: right;
 float: none;
.main-menu .nav li {
 position: relative;
 padding: 16px 12px 0px;
 -webkit-transition: all 0.2s linear;
 -moz-transition: all 0.2s linear;
 -ms-transition: all 0.2s linear;
 -o-transition: all 0.2s linear;
 transition: all 0.2s linear;
.main-menu .nav li a {
 padding: 11px 0 29px;
 color: #fff;
 font-size: 16px;
 text-transform: capitalize;
 font-family: "Poppins", sans-serif;
 font-weight: 500;
 -webkit-transition: all 0.25s ease-in-out 0s;
 -moz-transition: all 0.25s ease-in-out 0s;
 -o-transition: all 0.25s ease-in-out 0s;
 transition: all 0.25s ease-in-out 0s;
.main-menu .nav li.active a,
.main-menu .nav li a:hover,
.main-menu .nav li a:focus {
 color: #00d8ff;
 background-color: transparent;
.main-menu .nav a:before {
 position: absolute;
 content: "";
 width: 0px;
 height: 2px;
 bottom: -2.4px;
 left: 0;
 background: transparent;
 -webkit-transition: 0.3s ease-in-out;
 -ms-transition: 0.3s ease-in-out;
 -moz-transition: 0.3s ease-in-out;
 -o-transition: 0.3s ease-in-out;
 transition: 0.3s ease-in-out;
```

```
.main-menu .nav li.active a:before,
.main-menu .nav a:hover:before {
 background: #00d8ff;
 width: 100%;
/* tooggle */
.main-menu .navbar-toggle {
 margin-top: 5px;
 border: 1px solid;
 font-size: 16px;
 float: left;
.main-menu .navbar-toggle {
 color: #00d8ff;
.main-menu .navbar-default .navbar-toggle:focus,
.main-menu .navbar-default .navbar-toggle:hover {
 background-color: transparent;
.home-border {
 border-top: 2px solid #fff;
/*book-btn*/
.book-btn {
 background: #00d8ff;
 border: 1px solid #00d8ff;
 width: 120px;
 height: 40px;
 white-space: nowrap;
 text-align: center;
 color: #fff;
 font-size: 14px;
  font-family: "Poppins", sans-serif;
 text-transform: capitalize;
 border-radius: 5px;
  -webkit-transition: 0.5s ease-in-out;
  -moz-transition: 0.5s ease-in-out;
  -ms-transition: 0.5s ease-in-out;
  -o-transition: 0.5s ease-in-out;
 transition: 0.5s ease-in-out;
```

```
.book-btn:hover {
 color: #fff;
 background: #00d8d5;
 border: 1px solid #00d8d5;
} /*book-btn*/
.about-us {
 display: flex;
 justify-content: center;
  align-items: center;
  position: relative;
  background: url(../../assets/images/home/banner.jpg) no-repeat;
  background-size: cover;
  background-position: center;
 min-height: 1000px;
 about-us:before {
  position: absolute;
  content: "";
 top: 0;
 left: 0;
 width: 100%;
 height: 100%;
 background: rgba(0, 122, 207, 0.4);
/*about-us-content*/
.about-us-content {
 margin: -175px 0 0 0;
.about-us h2 {
 color: #fff;
 font-size: 84px;
  text-transform: inherit;
 max-width: 800px;
  font-weight: 600;
  line-height: 1.22;
.about-us h2 span {
 color: #2bdab5;
 margin-top: -11px;
```

```
.about-btn {
 margin-top: 39px;
 letter-spacing: 1.2px;
 -webkit-transition: 0.5s ease-in-out;
 -moz-transition: 0.5s ease-in-out;
 -ms-transition: 0.5s ease-in-out;
 -o-transition: 0.5s ease-in-out;
 transition: 0.5s ease-in-out;
.about-view {
 display: flex;
 justify-content: center;
 align-items: center;
 background: #00d8ff;
 border: 1px solid #00d8ff;
 width: 200px;
 height: 60px;
 white-space: nowrap;
 color: #fff;
 font-size: 16px;
 font-family: "Poppins", sans-serif;
 text-transform: uppercase;
 border-radius: 5px;
 box-shadow: 0 5px 20px rgba(14, 15, 18, 0.2);
 -webkit-transition: 0.5s ease-in-out;
 -moz-transition: 0.5s ease-in-out;
 -ms-transition: 0.5s ease-in-out;
 -o-transition: 0.5s ease-in-out;
 transition: 0.5s ease-in-out;
.about-btn:hover .about-view {
 color: #fff;
 background: #00d8d5;
 box-shadow: 0 5px 20px rgba(14, 15, 18, 0.7);
 border: 1px solid #00d8d5;
.travel-mrt-0 {
 margin-top: 0px;
/*about-us-content*/
   4. Travel-box
```

```
.single-travel-boxes {
 margin-top: -125px;
 background: #fff;
.tab-para p {
 font-size: 24px;
.desc-tabs {
 border: transparent;
 box-shadow: 0 10px 20px rgba(0, 0, 0, 0.1);
.desc-tabs .nav-tabs {
 display: inline-block;
 border-right: 1px solid #fff;
.desc-tabs .nav-tabs > li.active > a {
 color: #fff;
 background: #00d8ff;
 cursor: default;
 font-size: 20px;
 font-weight: 500;
 font-family: "Poppins", sans-serif;
 text-transform: capitalize;
 -webkit-transition: 0.5s;
 -moz-transition: 0.5s;
 -ms-transition: 0.5s;
 -o-transition: 0.5s;
 transition: 0.5s;
desc-tabs .nav-tabs > li.active > a:focus,
.desc-tabs .nav-tabs > li.active > a:hover {
 color: #565a5c;
 text-decoration: none;
.desc-tabs .nav-tabs > li > a {
 color: #fff;
 background: #00d8ff;
 cursor: default;
 font-size: 20px;
 font-weight: 500;
 font-family: "Poppins", sans-serif;
 text-transform: capitalize;
 padding: 17px 40px 17px 46px;
```

```
border: 0;
 -webkit-transition: 0.5s;
 -moz-transition: 0.5s;
 -ms-transition: 0.5s;
 -o-transition: 0.5s;
 transition: 0.5s;
.single-travel-boxes .nav > li > a:focus,
.single-travel-boxes .nav > li > a:hover {
 color: #565a5c;
 background: #fff; /*menjanje boje*/
 border: 0;
 text-decoration: none;
.desc-tabs .nav-tabs > li > a > i {
 padding-right: 6px;
.tab-para {
 padding: 43px 42px 24px;
.single-tab-select-box h2 {
 color: #565a5c;
 font-size: 20px;
 font-weight: 500;
 font-family: "Poppins", sans-serif;
 text-transform: capitalize;
 margin-bottom: 17px;
.travel-select-icon {
 position: relative;
.travel-select-icon:after {
 position: absolute;
 content: "\f107";
 right: 0px;
 top: 0;
 font-size: 18px;
 color: #aaa;
 background: #f9f9f9;
 font-family: "fontAwesome";
 pointer-events: none;
 border: 1px solid #d7d7d7;
```

```
border-bottom: transparent;
  padding: 10px;
.travel-check-icon {
  position: relative;
.travel-check-icon:after {
  position: absolute;
  content: "\f073";
  right: 0px;
  top: 0;
 font-size: 18px;
  color: #aaa;
  background: #f9f9f9;
 font-family: "fontAwesome";
  pointer-events: none;
  border: 1px solid #d7d7d7;
 border-bottom: transparent;
 padding: 10px 8px;
} /*travel-select-icon*/
.travel-select-icon select,
.travel-check-icon input {
  color: #aaa;
 font-size: 14px;
 font-family: "Poppins", sans-serif;
 text-transform: capitalize;
 height: 48px;
} /*select*/
.travel-select-icon .form-control,
.travel-check-icon .form-control {
  -webkit-appearance: none;
  -moz-appearance: none;
  -o-appearance: none;
  -ms-appearance: none;
  appearance: none;
  outline: 0 !important;
 box-shadow: none;
 border: 1px solid #d7d7d7;
 border-radius: 0px;
  margin-bottom: 20px;
} /*.travel-select-icon .form-control*/
```

```
/*.trip-circle*/
.trip-circle {
 display: flex;
 margin-bottom: 17px;
.single-trip-circle {
 display: flex;
.single-trip-circle:nth-child(2) {
 display: flex;
 margin-left: 42px;
.single-trip-circle input[type="radio"] {
 display: none;
.single-trip-circle input[type="radio"] + label {
 color: #565a5c;
 font-size: 16px;
 font-weight: 500;
 font-family: "Poppins", sans-serif;
 text-transform: capitalize;
 margin-bottom: 17px;
 margin-left: 0px;
.single-trip-circle input[type="radio"] + label span.round-boarder {
 display: inline-block;
 width: 15px;
 height: 15px;
 margin: -1px 4px 0 0;
 vertical-align: middle;
 cursor: pointer;
 -moz-border-radius: 50%;
 border-radius: 50%;
.single-trip-circle input[type="radio"] + label span.round-boarder1 {
 display: inline-block;
 width: 9px;
 height: 9px;
 margin: -13px 0px 0 1px;
 vertical-align: middle;
 cursor: pointer;
 -moz-border-radius: 50%;
 border-radius: 50%;
.single-trip-circle input[type="radio"] + label span.round-boarder {
```

```
border: 2px solid #aaa;
.single-trip-circle input[type="radio"] + label span.round-boarder1 {
 border: 1px solid #fff;
 background-color: #fff;
.single-trip-circle input[type="radio"]:checked + label span.round-boarder1 {
 background-color: #00d8ff;
.single-trip-circle input[type="radio"] + label span.round-boarder1,
.single-trip-circle input[type="radio"]:checked + label span.round-boarder1 {
 -webkit-transition: background-color 0.4s linear;
 -o-transition: background-color 0.4s linear;
 -moz-transition: background-color 0.4s linear;
 transition: background-color 0.4s linear;
/*.trip-circle*/
/* filter */
.travel-budget {
 margin-top: 38px;
.travel-budget h3 {
 color: #565a5c;
 font-size: 20px;
 font-weight: 500;
 font-family: "Poppins", sans-serif;
 text-transform: capitalize;
.price filter {
 margin-top: 9px;
price filter .ui-slider.ui-slider-horizontal.ui-widget.ui-widget-content.ui-
corner-all {
 background: #d7d7d7;
 border: medium none;
 border-radius: 0;
 height: 6px;
 border: 1px solid #d7d7d7;
 border-radius: 5px;
.price filter .ui-slider-handle.ui-state-default.ui-corner-all {
```

```
background: #00d8ff none repeat scroll 0 0;
 border: 0px solid #00d8ff;
 border-radius: 50%;
 height: 12px;
 width: 12px;
 outline: 0;
 cursor: pointer;
 z-index: 1;
.price_filter .ui-slider-range {
 background: #00d8ff none repeat scroll 0 0;
.price_slider_amount > input[type="text"] {
 font-weight: 500;
 font-size: 14px;
 color: #aaa;
 letter-spacing: 5.5px;
 height: 40px;
 text-align: center;
 width: 280px;
 border: none !important;
 font-family: "Poppins", sans-serif;
.price slider amount label {
 font-weight: 500;
 font-size: 14px;
 color: #aaa;
 font-family: "Poppins", sans-serif;
.price_slider_amount > input[type="text"]:focus {
 outline: 0;
.price_slider_amount > input[type="submit"] {
 outline: 0;
price slider amount {
 letter-spacing: 2px;
price_slider_amount > input[type="submit"] {
 font-weight: 500;
 font-size: 14px;
 color: #aaa;
 font-family: "Poppins", sans-serif;
```

```
* .travel-btn */
.about-view.travel-btn {
 width: 180px;
 margin-right: 15px;
       5. Service
.service {
 position: relative;
 padding: 80px 0 54px;
/* single-ststistics-box */
.single-service-box {
 display: flex;
 margin-bottom: 30px;
/* single-ststistics-box */
.service-content {
 max-width: 268px;
 margin-left: 7px;
 margin-top: 6px;
 margin: 6px 0 30px 7px;
.service-content h2 a {
 color: #565a5c;
 font-size: 16px;
 text-transform: capitalize;
 font-family: "Poppins", sans-serif;
  font-weight: 500;
.service-content p {
 color: #aaa;
 font-size: 14px;
 text-transform: inherit;
 font-family: "Poppins", sans-serif;
 margin-top: 17px;
       6. Gallery
.gallery {
 background: #f9f9f9;
```

```
.gallery-details {
 margin-top: 117px;
 margin-bottom: 109px;
gallery-content {
 margin-top: 62px;
/* gallary-header */
.gallary-header h2 {
 position: relative;
 color: #565a5c;
 font-size: 30px;
 font-weight: 500;
 text-transform: capitalize;
 font-family: "Poppins", sans-serif;
 padding-bottom: 14px;
.gallary-header p {
 position: relative;
 color: #aaa;
 font-size: 16px;
 font-family: "Poppins", sans-serif;
 margin-top: 17px;
/* featured-header */
/* ---- .item ---- */
.filtr-container .filtr-item {
 overflow: hidden;
 float: left;
 position: relative;
 margin-bottom: 30px;
 overflow: hidden;
/*.item img*/
.filtr-container .filtr-item img {
 width: 100%;
 height: 100%;
 transition: 0.5s;
 -webkit-transition: 0.5s;
 -moz-transition: 0.5s;
 -ms-transition: 0.5s;
 -o-transition: 0.5s;
```

```
transition: 0.5s;
.filtr-container .filtr-item:hover img {
  -webkit-transform: scale(1.5);
  -moz-transform: scale(1.5);
  -ms-transform: scale(1.5);
  -o-transform: scale(1.5);
  transform: scale(1.5);
} /*.item img*/
/*.item-title*/
.item-title {
 position: absolute;
  background: transparent;
  bottom: 20%;
 left: 60px;
 width: 170px;
 height: 60px;
  -webkit-transition: all 0.6s linear;
  -moz-transition: all 0.6s linear;
  -ms-transition: all 0.6s linear;
  -o-transition: all 0.6s linear;
  transition: all 0.6s linear;
.item-title a {
  color: #fff;
 font-size: 24px;
  text-transform: capitalize;
  font-family: "Poppins", sans-serif;
  font-weight: 500;
 margin-bottom: 3px;
  -webkit-transition: all 0.6s linear;
  -moz-transition: all 0.6s linear;
  -ms-transition: all 0.6s linear;
  -o-transition: all 0.6s linear;
  transition: all 0.6s linear;
.item-title p {
  color: #fff;
  font-size: 16px;
 text-transform: capitalize;
  font-family: "Poppins", sans-serif;
  -webkit-transition: all 0.6s linear;
  -moz-transition: all 0.6s linear;
  -ms-transition: all 0.6s linear;
```

```
-o-transition: all 0.6s linear;
 transition: all 0.6s linear;
.item-title p span {
 padding-right: 30px;
.filtr-container .filtr-item:hover .item-title a,
.filtr-container .filtr-item:hover .item-title p {
 color: #2cdbb5;
/*.item-title*/
       Discount-offer
.discount-offer {
 padding: 120px 0;
 position: relative;
 background: url(../../assets/images/home/offer-timer.jpg) no-repeat center
 background-size: cover;
 z-index: 1;
.discount-offer:after,
.subscribe:after {
 position: absolute;
 content: "";
 top: 0;
 left: 0;
 width: 100%;
 height: 100%;
 background: rgba(0, 122, 207, 0.5);
 z-index: -1;
.dicount-offer-content h2 {
 color: #fff;
 font-size: 30px;
 font-family: "Poppins", sans-serif;
 font-weight: 500;
 line-height: 1.4;
/* campaign-timer */
.campaign-timer {
```

```
background: rgba(50, 55, 63, 0.65);
  max-width: 555px;
  margin: 43px auto;
  padding: 24px 0 30px;
  border-radius: 5px;
  box-shadow: 0 0 20px rgba(34, 31, 31, 0.2);
.camp {
  display: block;
 font-size: 14px;
 color: #fff;
  font-weight: 600;
 font-family: "Poppins", sans-serif;
 padding: 10px 0;
 time-after {
 position: relative;
.time-after:after {
 position: absolute;
 content: ":";
 top: 10px;
  right: -8px;
.time {
 display: inline-block;
 line-height: 1;
 padding: 10px 22px 0;
 font-weight: 500;
 font-size: 48px;
 color: #fff;
 font-family: "Poppins", sans-serif;
} /* campaign-timer */
/*.discount-offer-btn*/
.about-view.discount-offer-btn {
 color: #fff;
 max-width: 160px;
 margin: 0 auto;
} /*.discount-offer-btn*/
.packages {
```

```
padding: 120px 0 90px;
.packages-content {
 margin-top: 65px;
/*single-package-item */
.single-package-item {
 margin-bottom: 30px;
  padding-bottom: 20px;
  box-shadow: 0 0 20px rgba(0, 0, 0, 0.1);
  -webkit-transition: 0.5s;
  -moz-transition: 0.5s;
  -ms-transition: 0.5s;
  -o-transition: 0.5s;
  transition: 0.5s;
.single-package-item-txt {
  padding: 0 25px;
.single-package-item img {
 width: 100%;
.single-package-item h3 {
  position: relative;
  font-size: 20px;
  color: #565a5c;
  font-weight: 500;
  font-family: "Poppins", sans-serif;
  padding: 20px 0;
.single-package-item h3:after {
  position: absolute;
  content: " ";
  bottom: 0;
  left: 0;
 width: 100%;
 height: 1px;
  background: #ebebeb;
.packages-para {
 padding: 17px 0 0;
  text-transform: capitalize;
.packages-para p {
 font-size: 14px;
```

```
color: #aaa;
 font-family: "Poppins", sans-serif;
 margin-bottom: 15px;
.packages-para p span {
 display: inline-block;
 width: 150px;
packages-review p i {
 color: #ffdf00;
 font-size: 16px;
packages-review span {
 margin-left: 20px;
 font-size: 14px;
 color: #aaa;
 font-family: "Poppins", sans-serif;
 text-transform: capitalize;
.about-view.packages-btn {
 width: 110px;
 height: 35px;
 font-size: 14px;
 color: #fff;
 text-transform: capitalize;
 -webkit-transition: 0.5s;
 -moz-transition: 0.5s;
 -ms-transition: 0.5s;
 -o-transition: 0.5s;
 transition: 0.5s;
.about-view.packages-btn:hover {
 box-shadow: 0 5px 20px rgba(14, 15, 18, 0.3);
.single-package-item:hover {
 box-shadow: 0 0 20px rgba(0, 0, 0, 0.2);
/*single-package-item */
       9. Testemonial
.testemonial {
 position: relative;
```

```
background: #f9f9f9;
  padding: 120px 0;
/*testemonial-carousel*/
.home1-testm-single {
 max-width: 345px;
  background: #fff;
  padding: 50px 0;
  box-shadow: 0 0 20px rgba(0, 0, 0.1);
  -webkit-transition: 0.5s;
  -moz-transition: 0.5s;
  -ms-transition: 0.5s;
  -o-transition: 0.5s;
  transition: 0.5s;
.home1-testm-single:hover {
  box-shadow: 0 0 30px rgba(0, 0, 0, 0.3);
.home1-testm.item {
 padding-top: 74px;
  padding-bottom: 30px;
/*.home1-testm-img*/
.testemonial .owl-carousel .owl-item img {
 display: inline-block;
 width: 80px;
 height: 80px;
 line-height: 80px;
 border-radius: 50%;
} /*.home1-testm-img*/
/*owl-carousel*/
.testemonial .owl-carousel .owl-stage-outer {
  position: relative;
 overflow: hidden;
 padding: 0 19px;
.testemonial .owl-theme .owl-nav.disabled + .owl-dots {
 margin-top: 20px;
.testemonial .owl-theme .owl-dots .owl-dot span {
 width: 15px;
 height: 15px;
```

```
margin: 5px 3px;
  border-radius: 50%;
  background: #aaa;
.testemonial .owl-theme .owl-dots .owl-dot.active span {
  background: #00d8ff;
} /*owl-carousel*/
/*home1-testm-txt*/
.home1-testm-txt {
 padding-top: 27px;
.home1-testm-txt p {
 color: #aaa;
  font-size: 16px;
 font-family: "Poppins", sans-serif;
 max-width: 284px;
  margin: 0 auto;
  padding: 20px 0;
.home1-testm-txt h3 a {
 display: block;
  color: #00d8ff;
  font-size: 16px;
  font-family: "Poppins", sans-serif;
  font-weight: 500;
  text-transform: capitalize;
.home1-testm-txt h4 {
  color: #aaa;
  font-size: 14px;
  font-family: "Poppins", sans-serif;
 font-weight: 300;
 padding: 15px 0 0px;
.home1-testm-txt span {
 color: #ddd;
  font-size: 18px;
} /*home1-testm-txt*/
/*testemonial-carousel*/
        10. Special-Offer
```

```
.special-offer {
  position: relative;
  background: url(../../assets/images/offer/o1.jpg) no-repeat center;
 background-size: cover;
  z-index: 1;
.special-offer:after {
 position: absolute;
 content: "";
 top: 0;
 left: 0;
 width: 100%;
 height: 100%;
 background: rgba(0, 216, 255, 0.3);
  z-index: -1;
/*.single-special-offer-bg*/
.single-special-offer-bg {
 margin-top: -1px;
 position: relative;
 padding-bottom: 42px;
  z-index: -1;
.single-special-offer-bg:before {
 position: absolute;
 top: 0;
 left: 0;
 width: 100%;
 height: 100%;
 background: rgba(0, 216, 255, 0.7);
  z-index: 1;
.single-special-offer-bg img {
 height: 807px;
.single-special-shape-txt {
 position: absolute;
 top: 60px;
 left: 62px;
.single-special-shape-txt h3,
.single-special-shape-txt h4 {
 color: #fff;
```

```
font-size: 30px;
  font-family: "Poppins", sans-serif;
  font-weight: 700;
  text-align: center;
.single-special-shape-txt h4 {
 text-transform: uppercase;
 margin: 174px 0;
  line-height: 1.3;
.single-special-shape-txt h4 span {
  font-size: 60px;
.single-special-shape-txt p {
  font-size: 20px;
 font-weight: 500;
  color: #fff;
  text-align: center;
 text-transform: capitalize;
.single-special-shape-txt p span {
 font-size: 60px;
  font-weight: 700;
} /*.single-special-offer-bg*/
/*single-special-offer*/
.single-special-offer-txt {
 padding: 172px 0 0;
.single-special-offer h2 {
 color: #74eaff;
  font-size: 30px;
  font-family: "Poppins", sans-serif;
  font-weight: 500;
  margin-bottom: 22px;
/*single-special-offer*/
.packages-para.special-offer-para p {
  color: #fff;
 packages-para.special-offer-para p span {
  display: inline;
  color: #fff;
 width: 100%;
```

```
margin-right: 25px;
.offer-para {
 margin-top: 31px;
 text-transform: initial;
 line-height: 2;
packages-review.special-offer-review {
 margin-bottom: 13px;
packages-review.special-offer-review span {
 color: #fff;
.offer-btn-group {
 display: flex;
 margin-top: -10px;
.about-view.packages-btn.offfer-btn {
 background: transparent;
 border: 1px solid #fff;
 color: #fff;
 margin-right: 25px;
.blog {
 background: #fff;
 padding: 115px 0 92px;
/*blog-content*/
.blog-content {
 margin-top: 66px;
.blog-content .thumbnail {
 background: transparent;
 border: transparent;
 box-shadow: 0 0 15px rgba(0, 0, 0, 0.1);
 margin-bottom: 30px;
  -webkit-transition: 0.5s;
  -moz-transition: 0.5s;
  -ms-transition: 0.5s;
```

```
-o-transition: 0.5s;
 transition: 0.5s;
.blog-content .thumbnail:hover {
 box-shadow: 0 0 20px rgba(0, 0, 0, 0.2);
.thumbnail h2 {
 padding: 25px 0 25px 20px;
 color: #565a5c;
 font-size: 16px;
  font-family: "Poppins", sans-serif;
.thumbnail span {
 color: #aaa;
 font-size: 14px;
 font-weight: normal;
 padding-left: 25px;
 font-family: "Poppins", sans-serif;
/*.thumbnail-img*/
.thumbnail-img {
 position: relative;
.blog-content .thumbnail .thumbnail-img img {
 max-width: 102%;
 margin-left: -4px;
.thumbnail-img-overlay {
 position: absolute;
 top: 0;
 left: -4px;
 width: 102%;
 height: 100%;
 background: rgba(0, 0, 0, 0.5);
 opacity: 0;
  -webkit-transition: 0.5s;
 -moz-transition: 0.5s;
 -ms-transition: 0.5s;
  -o-transition: 0.5s;
 transition: 0.5s;
.blog-content .thumbnail:hover .thumbnail-img-overlay {
```

```
opacity: 1;
} /*.thumbnail-img*/
/*.caption*/
.blog-content .caption {
 background: #fff;
 -webkit-transition: 0.5s;
 -moz-transition: 0.5s;
  -ms-transition: 0.5s;
  -o-transition: 0.5s;
  transition: 0.5s;
.blog-content .thumbnail:hover .caption {
 border: transparent;
.blog-txt {
 margin-top: 8px;
 margin-left: 12px;
.blog-content .caption .blog-txt h3 a {
  color: #565a5c;
 font-size: 15px;
 font-weight: 500;
  font-family: "Poppins", sans-serif;
  margin-top: 15px;
  padding-bottom: 3px;
 min-height: 63px;
  line-height: 2;
.blog-content .caption .blog-txt p {
 color: #aaaaaa;
  font-size: 14px;
 font-family: "Poppins", sans-serif;
 min-height: 105px;
.blog-content .caption .blog-txt a {
  font-family: "Poppins", sans-serif;
  font-size: 16px;
 color: #64cbfa;
  padding-bottom: 12px;
  -webkit-transition: 0.5s;
  -moz-transition: 0.5s;
  -ms-transition: 0.5s;
  -o-transition: 0.5s;
  transition: 0.5s;
```

```
} /*.caption*/
/*blog-content*/
       12. Subscribe
.subscribe {
  position: relative;
 padding: 120px 0;
  background: url(../../assets/images/home/subscribe-banner.jpg) no-repeat center
fixed;
  background-size: cover;
  z-index: 1;
/*subscribe-title*/
.subscribe .subscribe-title {
 margin-bottom: 45px;
.subscribe-title h2 {
 color: #fff;
 font-size: 38px;
 font-family: "Poppins", sans-serif;
  font-weight: 500;
  line-height: 1.4;
.subscribe-title p {
 color: #fff;
 font-size: 20px;
 font-family: "Poppins", sans-serif;
 line-height: 1.4;
 margin-top: 10px;
} /*subscribe-title*/
/*custom-input-group*/
.custom-input-group {
 position: relative;
.custom-input-group i {
 position: absolute;
  color: #aaa;
 font-size: 16px;
 top: 25px;
 left: 40px;
```

```
.custom-input-group .form-control {
 position: absolute;
 height: 100%;
 left: 0;
 top: 0;
 padding-left: 63px;
 padding-right: 155px;
 font-size: 16px;
 -webkit-border-radius: 50px;
 -moz-border-radius: 50px;
 border-radius: 50px;
 border-color: #eee;
.custom-input-group .subscribe-btn {
 float: right;
 position: relative;
 z-index: 1;
 margin: 5px 5px;
/*custom-input-group*/
/*appsLand-btn*/
.appsLand-btn {
 background: #00d8ff;
 display: inline-block;
 padding: 17px 54px;
 text-decoration: none;
 -webkit-border-radius: 50px;
 -moz-border-radius: 50px;
 border-radius: 50px;
 text-transform: uppercase;
 color: #fff;
 font-size: 16px;
 font-weight: 500;
 font-family: "Poppins", sans-serif;
 box-shadow: 0 1px 5px rgba(2, 3, 3, 0.15);
 letter-spacing: 0.7px;
 border: 0;
 position: relative;
 overflow: hidden;
 cursor: pointer;
 -webkit-transition: all 0.5s ease-in-out 0s;
 -moz-transition: all 0.5s ease-in-out 0s;
 -o-transition: all 0.5s ease-in-out 0s;
```

```
transition: all 0.5s ease-in-out 0s;
.appsLand-btn:hover,
.appsLand-btn:focus,
.appsLand-btn:active {
 text-decoration: none;
 outline: none;
.appsLand-btn:hover {
 box-shadow: 0 3px 25px rgba(2, 3, 3, 0.25);
  background: #00d8ff;
.appsLand-btn.appsLand-btn-larg {
  padding: 20px 40px;
.appsLand-btn.appsLand-btn-larg i {
 margin-right: 9px;
 font-size: 24px;
 vertical-align: sub;
} /*appsLand-btn*/
        13. Footer-copyright
.footer-copyright {
  background: #f9f9f9;
  padding: 0 0 60px;
.footer-content {
  padding: 120px 0;
/*single-footer-item*/
.single-footer-item {
 font-family: "Poppins", sans-serif;
  text-transform: capitalize;
.single-footer-item h2 {
  color: #565a5c;
  font-size: 16px;
 font-weight: 600;
 margin-bottom: 40px;
} /*single-footer-item*/
```

```
/*footer-logo*/
.footer-logo {
 padding-top: 76px;
.footer-logo a,
.footer-logo a:hover,
.footer-logo a:focus {
 color: #565a5c;
 font-size: 24px;
 font-family: "Poppins", sans-serif;
 text-transform: capitalize;
 font-weight: 600;
 margin: 14px 0px 0;
 padding: 10px 0 0 0;
.footer-logo a > span {
 color: #00d8ff;
 text-transform: capitalize;
footer-logo p {
 color: #aaa;
 font-size: 16px;
 font-family: "Poppins", sans-serif;
 text-transform: capitalize;
/*single-footer-txt*/
.single-footer-txt p {
 margin-bottom: 8px;
.single-footer-txt p a {
 color: #565a5c;
 font-size: 16px;
 -webkit-transition: 0.5s ease-in-out;
 -moz-transition: 0.5s ease-in-out;
 -ms-transition: 0.5s ease-in-out;
 -o-transition: 0.5s ease-in-out;
 transition: 0.5s ease-in-out;
.single-footer-txt p a:hover {
 -webkit-transition: scaleX(1.2);
 -moz-transition: scaleX(1.2);
 -ms-transition: scaleX(1.2);
```

```
-o-transition: scaleX(1.2);
  transform: scaleX(1.2);
  color: #00d8ff;
} /*single-footer-txt*/
.footer-copyright hr {
 border-top: 1px solid #ebebeb;
/*foot-icons*/
.foot-icons {
 text-align: center;
 margin-top: 60px;
.foot-icons .footer-social-links li {
  padding: 0 10px;
  text-align: center;
.foot-icons .footer-social-links a {
  color: #fff;
 display: block;
 font-size: 18px;
 width: 60px;
 line-height: 60px;
 height: 60px;
 border-radius: 50%;
  -webkit-transition: all 0.5s ease-in-out 0s;
  -moz-transition: all 0.5s ease-in-out 0s;
  -o-transition: all 0.5s ease-in-out 0s;
  -ms-transition: all 0.5s ease-in-out 0s;
  transition: all 0.5s ease-in-out 0s;
  border-radius: 50%;
.foot-icon-bg-1 {
  background: #3b5999;
.foot-icon-bg-2 {
 background: #1da1f3;
.foot-icon-bg-3 {
  /* Permalink - use to edit and share this gradient:
http://colorzilla.com/gradient-editor/#8938ae+0,c13181+100 */
  background: #8938ae; /* Old browsers */
 background: -webkit-linear-gradient(right, #8938ae 0%, #c13181 100%);
```

```
background: -o-linear-gradient(right, #8938ae 0%, #c13181 100%);
  background: linear-gradient(to right, #8938ae 0%, #c13181 100%);
.foot-icons .footer-social-links a:hover {
  /*color: #00d8d5;*/
  color: #2cdbb5;
  -webkit-transform: rotate(360deg);
  -moz-transform: rotate(360deg);
  -o-transform: rotate(360deg);
  -ms-transform: rotate(360deg);
  transform: rotate(360deg);
.foot-icons p {
  color: #aaa;
  font-size: 16px;
  margin-top: 28px;
.foot-icons p a,
.foot-icons p a:hover,
.foot-icons p a:focus {
  color: #00d8ff;
  font-size: 16px;
 margin-top: 28px;
} /*foot-icons*/
         Scroll Top
#scroll-Top .return-to-top {
  position: fixed;
  right: 30px;
  bottom: 30px;
  display: none;
  width: 40px;
  line-height: 40px;
  height: 40px;
  text-align: center;
  font-size: 30px;
  cursor: pointer;
  z-index: 15;
  color: #fff;
  background: #00d8ff;
  border: 1px solid #00d8ff;
```

```
border-radius: 5px;
  -webkit-transition: 0.5s;
  -moz-transition: 0.5s;
  -ms-transition: 0.5s;
  -o-transition: 0.5s;
 transition: 0.5s;
  z-index: 2;
#scroll-Top .return-to-top:hover {
  background: #2cdbb5;
 color: #fff;
 border-radius: 50%;
/*========================*/
a {
 margin: 0;
 color: #666666;
 font-size: 14px;
 text-decoration: none;
#gore {
  display: none;
 position: fixed;
  bottom: 20px;
  right: 30px;
 z-index: 99;
  font-size: 35px;
  background-color: rgb(255, 255, 255, 0);
  color: #00d8ff;
  cursor: pointer;
  padding: 15px;
 border-radius: 12px;
 font-weight: bold;
 border: none;
  outline: none;
#gore:hover {
 background-color: hsl(189, 100%, 50%);
  color: white;
```

```
#tours {
  display: block;
#hotels {
  display: none;
#flights {
  display: none;
.stil {
  font-size: 20px !important;
  margin-bottom: 10px;
  color: white;
#submit {
  margin-top: 15px;
#name {
  margin-bottom: 15px;
#slider1 {
  background-image: url("../../assets/images/gallary/g7.jpg");
  height: 800px !important;
#slider2 {
  background-image: url("../../assets/images/gallary/g8.jpg");
  height: 800px !important;
#idSlider {
#slider {
  width: 1200px;
  margin: 0 auto;
.greskeBorder{
```

```
border-color: red;
#greskaIme {
  display: none;
#greskaIme p{
  color: red;
  font-size: 15px;
#greskaPrezime {
  display: none;
#greskaPrezime p{
  color: red;
  font-size: 15px;
#greskaEmail {
 display: none;
#greskaEmail p{
  color: red;
  font-size: 15px;
#greskaSelect {
  display: none;
#greskaSelect p{
  color: red;
  font-size: 15px;
```

```
#ispravno {
    display: none;
}
#ispravno p{
    font-size: 15px;
    font-weight: bold;
}
#podaci{
    background-color: red;
    border-radius: 5px;
    padding: 3px;
}
```