Question ID 002dba45

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■□

Line k is defined by $y = -\frac{17}{3}x + 5$. Line j is perpendicular to line k in the xy-plane. What is the slope of line j?

ID: 002dba45 Answer

Correct Answer: .1764, .1765, 3/17

Rationale

The correct answer is $\frac{3}{17}$. It's given that line j is perpendicular to line k in the xy-plane. This means that the slope of line j is the negative reciprocal of the slope of line k. The equation of line k, $y = -\frac{17}{3}x + 5$, is written in slope-intercept form $y = mx + b$, where m is the slope of the line and b is the y-coordinate of the y-intercept of the line. It follows that the slope of line k is $-\frac{17}{3}$. The negative reciprocal of a number is -1 divided by the number. Therefore, the negative reciprocal of $-\frac{17}{3}$ is $\frac{-1}{-\frac{17}{3}}$, or $\frac{3}{17}$. Thus, the slope of line j is $\frac{3}{17}$.

Note that 3/17, .1764, .1765, and 0.176 are examples of ways to enter a correct answer.

Question Difficulty: Medium

Question ID 9c7741c6

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■☐

2.2

On a 210-mile trip, Cameron drove at an average speed of 60 miles per hour for the first x hours. He then completed the trip, driving at an average speed of 50 miles per hour for the remaining y hours. If $x = 1$, what is the value of y ?

Rationale

The correct answer is 3. It's given that Cameron drove 60 miles per hour for x hours; therefore, the distance driven at this speed can be represented by $60x$. He then drove 50 miles per hour for y hours; therefore, the distance driven at this speed can be represented by $50y$. Since Cameron drove 210 total miles, the equation $60x + 50y = 210$ represents this situation. If $x = 1$, substitution yields $60(1) + 50y = 210$, or $60 + 50y = 210$. Subtracting 60 from both sides of this equation yields $50y = 150$. Dividing both sides of this equation by 50 yields $y = 3$.

Question Difficulty: Medium

Question ID d62ad380

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■□

An artist paints and sells square tiles. The selling price P, in dollars, of a painted tile is a linear function of the side length of the tile s, in inches, as shown in the table below.

Side length, s (inches)	Price, P (dollars)
3	8.00
6	18.00
9	28.00

Which of the following could define the relationship between s and P ?

A. $P = 3s + 10$

B. $P = \dfrac{10}{3}s + 8$

C. $P = \dfrac{10}{3}s - 2$

D. $P = \dfrac{3}{10}s - \dfrac{1}{10}$

ID: d62ad380 Answer

Correct Answer: C

Rationale

Choice C is correct. The relationship between s and P can be modeled by a linear equation of the form P = ks + a, where k and a are constants. The table shows that P increases by 10 when s increases by 3, so k = $\dfrac{10}{3}$. To solve for a, substitute one of the given pairs of values for s and P: when s = 3, P = 8, so $8 = \dfrac{10}{3}(3) + a$, which yields a = −2. The solution is therefore $P = \dfrac{10}{3}s - 2$.

Choice A is incorrect. When s = 3, P = 8, but 3(3) + 10 = 19 ≠ 8. Choice B is incorrect. This may result from using the first number given for P in the table as the constant term a in the linear equation $P = ks + a$, which is true only when s = 0. Choice D is incorrect and may result from using the reciprocal of the slope of the line.

Question Difficulty: Medium

Question ID 431c3038

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■□

2.4

In an article about exercise, it is estimated that a 160–pound adult uses 200 calories for every 30 minutes of hiking and 150 calories for every 30 minutes of bicycling. An adult who weighs 160 pounds has completed 1 hour of bicycling. Based on the article, how many hours should the adult hike to use a total of 1,900 calories from bicycling and hiking?

A. 9.5

B. 8.75

C. 6

D. 4

Correct Answer: D

Rationale

Choice D is correct. Since a 160-pound adult uses 200 calories for every 30 minutes of hiking, then the same adult uses $200h$ calories after hiking for h 30-minute periods. Similarly, the same adult uses $150b$ calories after bicycling for b 30-minute periods. Therefore, the equation $200h + 150b = 1{,}900$ represents the situation where a 160-pound adult uses a total of 1,900 calories from hiking for h 30-minute periods and bicycling for b 30-minute periods. It's given that the adult completes 1 hour, or 2 30-minute periods, of bicycling. Substituting 2 for b in the equation $200h + 150b = 1{,}900$ yields $200h + 150(2) = 1{,}900$, or $200h + 300 = 1{,}900$. Subtracting 300 from both sides of this equation yields $200h = 1{,}600$. Dividing both sides by 200 yields $h = 8$. Since h represents the number of 30-minute periods spent hiking and there are 2 30-minute periods in every hour, it follows that the adult will need to hike for $\frac{8}{2}$, or 4 hours to use a total of 1,900 calories from bicycling and hiking.

Choice A is incorrect and may result from solving the equation $200h = 1{,}900$. This represents 0 30-minute periods bicycling instead of 2. Choice B is incorrect and may result from solving the equation $200h + 150 = 1{,}900$. This represents 1 30-minute period of bicycling instead of 2. Choice C is incorrect. This may result from determining that the number of 30-minute periods the adult should hike is 8, but then subtracting 2 from 8, rather than dividing 8 by 2, to find the number of <u>hours</u> the adult should hike.

Question ID 265f2a53

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■□

When line n is graphed in the xy-plane, it has an x-intercept of $(-4, 0)$ and a y-intercept of $\left(0, \frac{86}{3}\right)$. What is the slope of line n?

A. $\frac{3}{344}$

B. $\frac{6}{43}$

C. $\frac{43}{6}$

D. $\frac{344}{3}$

ID: 265f2a53 Answer

Correct Answer: C

Rationale

Choice C is correct. It's given that when line n is graphed in the xy-plane, it has an x-intercept of $(-4, 0)$ and a y-intercept of $\left(0, \frac{86}{3}\right)$. The slope, m, of a line can be found using any two points on the line, (x_1, y_1) and (x_2, y_2), and the slope formula $m = \frac{y_2 - y_1}{x_2 - x_1}$. Substituting the points $(-4, 0)$ and $\left(0, \frac{86}{3}\right)$ for (x_1, y_1) and (x_2, y_2), respectively, in the slope formula yields $m = \frac{\frac{86}{3} - 0}{0 - (-4)}$, or $m = \frac{43}{6}$. Therefore, the slope of line n is $\frac{43}{6}$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect. This is the slope of a line that has an x-intercept of $\left(\frac{86}{3}, 0\right)$ and a y-intercept of $(0, -4)$.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Medium

Question ID f81a0503

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■□

In the xy-plane, line k passes through the points $(0, -5)$ and $(1, -1)$. Which equation defines line k?

A. $y = -x + \frac{1}{4}$

B. $y = \frac{1}{4}x - 5$

C. $y = -x + 4$

D. $y = 4x - 5$

ID: f81a0503 Answer

Correct Answer: D

Rationale

Choice D is correct. An equation defining a line in the xy-plane can be written in the form $y = mx + b$, where m represents the slope and $(0, b)$ represents the y-intercept of the line. It's given that line k passes through the point $(0, -5)$; therefore, $b = -5$. The slope, m, of a line can be found using any two points on the line, (x_1, y_1) and (x_2, y_2), and the slope formula $m = \frac{y_2 - y_1}{x_2 - x_1}$. Substituting the points $(0, -5)$ and $(1, -1)$ for (x_1, y_1) and (x_2, y_2), respectively, in the slope formula yields $m = \frac{(-1 - (-5))}{(1 - 0)}$, or $m = 4$. Substituting 4 for m and -5 for b in the equation $y = mx + b$ yields $y = 4x - 5$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Medium

Question ID 28c2253f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■□

2.7

Characteristics for Rock Types

Rock type	Weight per volume (lb/ft^3)	Cost per pound
Basalt	180	$0.18
Granite	165	$0.09
Limestone	120	$0.03
Sandstone	135	$0.22

A city is planning to build a rock retaining wall, a monument, and a garden in a park. The table above shows four rock types that will be considered for use in the project. Also shown for each rock type is its weight per volume, in pounds per cubic foot (lb/ft^3), and the cost per pound, in dollars. Only basalt, granite, and limestone will be used in the garden. The rocks in the garden will have a total weight of 1,000 pounds. If 330 pounds of granite is used, which of the following equations could show the relationship between the amounts, x and y, in ft^3, for each of the other rock types used?

A. $165x + 180y = 670$

B. $165x + 120y = 1,000$

C. $120x + 180y = 670$

D. $120x + 180y = 1,000$

Correct Answer: C

Rationale

Choice C is correct. It's given that the weight of the granite used in the garden is 330 pounds. The weight of the limestone used in the garden is a product of its weight per volume, in lb/ft^3, and its volume, in ft^3. Therefore, the weight of the limestone used in the garden can be represented by $120x$, where x is the volume, in ft^3, of the limestone used. Similarly, the weight of the basalt used in the garden can be represented by $180y$, where y

is the volume, in ft^3, of the basalt used. It's given that the total weight of the rocks used in the garden will be 1,000 pounds. Thus, the sum of the weights of the three rock types used is 1,000 pounds, which can be represented by the equation $120x + 180y + 330 = 1,000$. Subtracting 330 from both sides of this equation yields $120x + 180y = 670$.

Choice A is incorrect. This equation uses the weight per volume of granite instead of limestone. Choice B is incorrect. This equation uses the weight per volume of granite instead of basalt, and doesn't take into account the 330 pounds of granite that will be used in the garden. Choice D is incorrect. This equation doesn't take into account the 330 pounds of granite that will be used in the garden.

Question Difficulty: Medium

Question ID 2e1a7f66

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■☐

2.8

Figure A and figure B are both regular polygons. The sum of the perimeter of figure A and the perimeter of figure B is 63 inches. The equation $3x + 6y = 63$ represents this situation, where x is the number of sides of figure A and y is the number of sides of figure B. Which statement is the best interpretation of 6 in this context?

A. Each side of figure B has a length of 6 inches.

B. The number of sides of figure B is 6.

C. Each side of figure A has a length of 6 inches.

D. The number of sides of figure A is 6.

Correct Answer: A

Rationale

Choice A is correct. It's given that figure A and figure B (not shown) are both regular polygons and the sum of the perimeters of the two figures is 63 inches. It's also given that x is the number of sides of figure A and y is the number of sides of figure B, and that the equation $3x + 6y = 63$ represents this situation. Thus, $3x$ and $6y$ represent the perimeters, in inches, of figure A and figure B, respectively. Since $6y$ represents the perimeter, in inches, of figure B and y is the number of sides of figure B, it follows that each side of figure B has a length of 6 inches.

Choice B is incorrect. The number of sides of figure B is y, not 6.

Choice C is incorrect. Since the perimeter, in inches, of figure A is represented by $3x$, each side of figure A has a length of 3 inches, not 6 inches.

Choice D is incorrect. The number of sides of figure A is x, not 6.

Question Difficulty: Medium

Question ID 6f6dfe3e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■☐

2.9

x	y
-6	$n + 184$
-3	$n + 92$
0	n

The table shows three values of x and their corresponding values of y, where n is a constant, for the linear relationship between x and y. What is the slope of the line that represents this relationship in the xy-plane?

A. $-\frac{92}{3}$

B. $-\frac{3}{92}$

C. $\frac{n+92}{-3}$

D. $\frac{2n-92}{3}$

Correct Answer: A

Rationale

Choice A is correct. The slope, m, of a line in the xy-plane can be found using two points on the line, (x_1, y_1) and (x_2, y_2), and the slope formula $m = \frac{y_2 - y_1}{x_2 - x_1}$. Based on the given table, the line representing the relationship between x and y in the xy-plane passes through the points $(-6, n + 184)$, $(-3, n + 92)$, and $(0, n)$, where n is a constant. Substituting two of these points, $(-3, n + 92)$ and $(0, n)$, for (x_1, y_1) and (x_2, y_2), respectively, in the slope formula yields $m = \frac{n - (n+92)}{0 - (-3)}$, which is equivalent to $m = \frac{n - n - 92}{0 + 3}$, or $m = -\frac{92}{3}$. Therefore, the slope of the line that represents this relationship in the xy-plane is $-\frac{92}{3}$.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Medium

Question ID 9ed4c1a2

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■□

ID: 9ed4c1a2

2.10

What is the slope of the graph of $y = \frac{1}{4}(27x + 15) + 7x$ in the xy-plane?

ID: 9ed4c1a2 Answer

Correct Answer: 13.75, 55/4

Rationale

The correct answer is $\frac{55}{4}$. In the xy-plane, the graph of an equation in the form $y = mx + b$, where m and b are constants, has a slope of m and a y-intercept of $(0, b)$. Applying the distributive property to the right-hand side of the given equation yields $y = \frac{27}{4}x + \frac{15}{4} + 7x$. Combining like terms yields $y = \frac{55}{4}x + \frac{15}{4}$. This equation is in the form $y = mx + b$, where $m = \frac{55}{4}$ and $b = \frac{15}{4}$. It follows that the slope of the graph of $y = \frac{1}{4}(27x + 15) + 7x$ in the xy-plane is $\frac{55}{4}$. Note that 55/4 and 13.75 are examples of ways to enter a correct answer.

Question Difficulty: Medium

Question ID fb43b85f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■☐

2.11

A line passes through the points $(4, 6)$ and $(15, 24)$ in the xy-plane. What is the slope of the line?

Correct Answer: 1.636, 18/11

Rationale

The correct answer is $\frac{18}{11}$. For a line that passes through the points (x_1, y_1) and (x_2, y_2) in the xy-plane, the slope of the line can be calculated using the slope formula, $m = \frac{y_2 - y_1}{x_2 - x_1}$. It's given that a line passes through the points $(4, 6)$ and $(15, 24)$ in the xy-plane. Substituting $(4, 6)$ for (x_1, y_1) and $(15, 24)$ for (x_2, y_2) in the slope formula, $m = \frac{y_2 - y_1}{x_2 - x_1}$, yields $m = \frac{24 - 6}{15 - 4}$, or $m = \frac{18}{11}$. Therefore, the slope of the line is $\frac{18}{11}$. Note that 18/11 and 1.636 are examples of ways to enter a correct answer.

Question Difficulty: Medium

Question ID 400798d6

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■☐

2.12

$2x + y = 37$

In triangle QRS, sides QR and RS each have a length of x centimeters and side SQ has a length of y centimeters. The given equation represents this situation. Which of the following is the best interpretation of 37 in this context?

A. The difference, in centimeters, between the lengths of sides QR and SQ

B. The difference, in centimeters, between the lengths of sides QR and RS

C. The sum of the lengths, in centimeters, of the three sides of the triangle

D. The length, in centimeters, of one of the two sides of equal length

Correct Answer: C

Rationale

Choice C is correct. It's given that in triangle QRS, sides QR and RS each have a length of x centimeters. Therefore, the expression $2x$ represents the sum of the lengths, in centimeters, of sides QR and RS. It's also given that side SQ has a length of y centimeters. Therefore, the expression $2x + y$ represents the sum of the lengths, in centimeters, of sides QR, RS, and SQ. Since $2x + y$ is the sum of the lengths, in centimeters, of the three sides of the triangle and $2x + y = 37$, it follows that 37 is the sum of the lengths, in centimeters, of the three sides of the triangle.

Choice A is incorrect. The difference, in centimeters, between the lengths of sides QR and SQ is $x - y$, not 37.

Choice B is incorrect. The difference, in centimeters, between the lengths of sides QR and RS is $x - x$, or 0, not 37.

Choice D is incorrect. The length, in centimeters, of one of the two sides of equal length is x, not 37.

Question Difficulty: Medium

Question ID ca452900

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■□

2.13

What is the slope of the graph of $y = \frac{5x}{13} - 23$ in the xy-plane?

Correct Answer: .3846, 5/13

Rationale

The correct answer is $\frac{5}{13}$. The graph of a line in the xy-plane can be represented by the equation $y = mx + b$, where m is the slope of the line and b is the y-coordinate of the y-intercept. The given equation can be written as $y = \frac{5}{13}x - 23$. Therefore, the slope of the graph of this equation in the xy-plane is $\frac{5}{13}$. Note that 5/13, .3846, 0.385, and 0.384 are examples of ways to enter a correct answer.

Question Difficulty: Medium

Question ID 62ef6f73

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■☐

2.14

A total of 2 squares each have side length r. A total of 6 equilateral triangles each have side length t. None of these squares and triangles shares a side. The sum of the perimeters of all these squares and triangles is 210. Which equation represents this situation?

A. $6r + 24t = 210$

B. $2r + 6t = 210$

C. $8r + 18t = 210$

D. $6r + 2t = 210$

Correct Answer: C

Rationale

Choice C is correct. It's given that a total of 2 squares each have side length r. Therefore, each of the squares has perimeter $4r$. Since there are a total of 2 squares, the sum of the perimeters of these squares is $4r + 4r$, which is equivalent to $24r$, or $8r$. It's also given that a total of 6 equilateral triangles each have side length t. Therefore, each of the equilateral triangles has perimeter $3t$. Since there are a total of 6 equilateral triangles, the sum of the perimeters of these triangles is $3t + 3t + 3t + 3t + 3t + 3t$, which is equivalent to $63t$, or $18t$. Since the sum of the perimeters of the squares is $8r$ and the sum of the perimeters of the triangles is $18t$, the sum of the perimeters of all these squares and triangles is $8r + 18t$. It's given that the sum of the perimeters of all these squares and triangles is 210. Therefore, the equation $8r + 18t = 210$ represents this situation.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Medium

Question ID 92aa3a94

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	■■□

2.15

Line k is defined by $y = 7x + \frac{1}{8}$. Line j is perpendicular to line k in the xy-plane. What is the slope of line j?

A. -8

B. $-\frac{1}{7}$

C. $\frac{1}{8}$

D. 7

Correct Answer: B

Rationale

Choice B is correct. It's given that line k is defined by $y = 7x + \frac{1}{8}$. For an equation in slope-intercept form $y = mx + b$, m represents the slope of the line defined by this equation in the xy-plane and b represents the y-coordinate of the y-intercept of this line. Therefore, the slope of line k is 7. It's also given that line j is perpendicular to line k in the xy-plane. Therefore, the slope of line j is the opposite reciprocal of the slope of line k. The opposite reciprocal of 7 is $-\frac{1}{7}$. Therefore, the slope of line j is $-\frac{1}{7}$.

Choice A is incorrect. This is the opposite reciprocal of the y-coordinate of the y-intercept, not the slope, of line k.

Choice C is incorrect. This is the y-coordinate of the y-intercept of line k, not the slope of line j.

Choice D is incorrect. This is the slope of a line that is parallel, not perpendicular, to line k.

Question Difficulty: Medium