```
> restart;
  read("c:/appl/appl7.txt");
                                     PROCEDURES:
AllPermutations(n), AllCombinations(n, k), Benford(X), BootstrapRV(Data),
   CDF: CHF: HF: IDF: PDF: SF(X, [x])), CoefOfVar(X), Convolution(X, Y),
   Convolution IID(X, n), Critical Point(X, prob), Determinant(MATRIX), Difference(X, Y),
   Display(X), ExpectedValue(X, [g]), KSTest(X, Data, Parameters), Kurtosis(X),
   Maximum(X, Y), MaximumIID(X, n), Mean(X), MGF(X), Minimum(X, Y),
   MinimumIID(X, n), Mixture(MixParameters, MixRVs),
   MLE(X, Data, Parameters, [Rightcensor]), MLENHPP(X, Data, Parameters, obstime),
   MLEWeibull(Data, [Rightcensor]), MOM(X, Data, Parameters),
   NextCombination(Previous, size), NextPermutation(Previous), OrderStat(X, n, r, ["wo"]),
   PlotDist(X, [low], [high]), PlotEmpCDF(Data, [low], [high]),
   PlotEmpCIF(Data, [low], [high]), PlotEmpSF(Data, Censor),
   PlotEmpVsFittedCDF(X, Data, Parameters, [low], [high]),
   PlotEmpVsFittedCDF(X, Data, Parameters, [low], [high]),
   PlotEmpVsFittedSF(X, Data, Parameters, Censor, low, high),
   PPPlot(X, Data, Parameters), Product(X, Y), ProductIID(X, n),
   QQPlot(X, Data, Parameters), RangeStat(X, n, ["wo"]), Skewness(X), Transform(X, g),
   Truncate(X, low, high), Variance(X), VerifyPDF(X)
```

## Procedure Notation:

X and Y are random variables

Greek letters are numeric or symbolic parameters

x is numeric or symbolic

n and r are positive integers, n >= r

low and high are numeric

g is a function

Brackets [] denote optional parameters

"double quotes" denote character strings

MATRIX is a 2 x 2 array of random variables

A capitalized parameter indicates that it must be
entered as a list --> ex. Data := [1, 12.4, 34, 52.45, 63]

## Variate Generation:

ArcTanVariate(alpha, phi), BinomialVariate(n, p, m), ExponentialVariate(lambda), NormalVariate(mu, sigma), UniformVariate(), WeibullVariate(lambda, kappa, m)

## DATA SETS:

BallBearing, HorseKickFatalities, Hurricane, MP6, RatControl, RatTreatment, USSHalfBeak

ArcSinRV(), ArcTanRV(alpha, phi), BetaRV(alpha, beta), CauchyRV(a, alpha), ChiRV(n),

```
ChiSquareRV(n), ErlangRV(lambda, n), ErrorRV(mu, alpha, d), ExponentialRV(lambda), ExponentialPowerRV(lambda, kappa), ExtremeValueRV(alpha, beta), FRV(n1, n2), GammaRV(lambda, kappa), GeneralizedParetoRV(gamma, delta, kappa), GompertzRV(delta, kappa), HyperbolicSecantRV(), HyperExponentialRV(p, l), HypoExponentialRV(l), IDBRV(gamma, delta, kappa), InverseGaussianRV(lambda, mu), InvertedGammaRV(alpha, beta), KSRV(n), LaPlaceRV(omega, theta), LogGammaRV(alpha, beta), LogisticRV(kappa, lambda), LogLogisticRV(lambda, kappa), LogNormalRV(mu, sigma), LomaxRV(kappa, lambda), MakehamRV(gamma, delta, kappa), MuthRV(kappa), NormalRV(mu, sigma), ParetoRV(lambda, kappa), RayleighRV(lambda), StandardCauchyRV(), StandardNormalRV(), StandardTriangularRV(m), StandardUniformRV(), TRV(n), TriangularRV(a, m, b), UniformRV(a, b), WeibullRV(lambda, kappa)
```

Error, attempting to assign to `DataSets` which is protected.
Try declaring `local DataSets`; see ?protect for details.

```
> bf := FRV(3,4);

bfname := "FRV(3,4)";

bf := \left[ \left[ x \to \frac{45}{64} \, \frac{\sqrt{3} \, \sqrt{4} \, \sqrt{x}}{\left( \frac{3}{4} \, x + 1 \right)^{7/2}} \right], [0, \infty], ["Continuous", "PDF"] \right]
bfname := "FRV(3,4)"
> #plot(1/csch(t)+1, t = 0..0.0010);

#plot(diff(1/csch(t),t), t=0..0.0010);


#limit(1/csch(t), t=0);

> solve(exp(-t) = y, t);


-ln(y) (2)
```

```
| # discarded -ln(t + 1), t-> csch(t),t->arccsch(t),t -> tan(t),
| # name of the file for latex output
| filename := "C:/LatexOutput/Trash.tex";
| glist := [t -> t^2 , t -> sqrt(t), t -> 1/t, t -> arctan(t), t
| -> exp(t), t -> ln(t), t -> exp(-t), t -> -ln(t), t -> ln(t+1),
| t -> 1/(ln(t+2)), t -> tanh(t), t -> sinh(t), t -> arcsinh(t),
| t-> csch(t+1),t->arccsch(t+1), t-> 1/tanh(t+1), t-> 1/sinh(t+1),
| t-> 1/arcsinh(t+1), t-> 1/csch(t)+1, t-> tanh(1/t), t->csch(1/t), t-> arctanh(1/t) ]:
| base := t -> PDF(bf, t):
| print(base(x)):
| #begin loopint through transformations
| for i from 15 to 22 do
| #for i from 1 to 3 do
```

```
g := glist[i]:
       1 := bf[2][1];
       u := bf[2][2];
       Temp := Transform(bf, [[unapply(g(x), x)],[1,u]]);
      #terminal output
      PlotDist(PDF(Temp), 0, 40);
      PlotDist(HF(Temp), 0, 40);
   od;
                             filename := "C:/LatexOutput/Trash.tex"
                                        \frac{45}{64} \frac{\sqrt{3} \sqrt{4} \sqrt{x}}{\left(\frac{3}{4} x + 1\right)^{7/2}}
"i is", 15,
                                      g := t \rightarrow \operatorname{arccsch}(t+1)
                                              l := 0
                                               u := \infty
          \left[ y \sim \rightarrow \frac{180\sqrt{3}\sqrt{-\frac{\sinh(y\sim)-1}{\sinh(y\sim)}} \sinh(y\sim) \cosh(y\sim)}{(\sinh(y\sim)+3)^3\sqrt{\frac{\sinh(y\sim)+3}{\sinh(y\sim)}}} \right], [0, \ln(1+\sqrt{2})],
    ["Continuous", "PDF"]
                      WARNING(PlotDist): High value provided by user, 40
                      is greater than maximum support value of the random
                                       variable, \ln(1+\sqrt{2})
                          Resetting high to RV's maximum support value
```



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random variable,  $\ln\left(1+\sqrt{2}\right)$ 



"i is", 16,

$$g := t \to \frac{1}{\tanh(t+1)}$$

$$l := 0$$

$$u := \infty$$

$$Temp := \left[ \left[ y \to \frac{180\sqrt{3}\sqrt{-1 + \operatorname{arctanh}\left(\frac{1}{y \sim}\right)}}{\left(1 + 3\operatorname{arctanh}\left(\frac{1}{y \sim}\right)\right)^{7/2}\left(y \sim^2 - 1\right)} \right], \left[ 1, \frac{e + e^{-1}}{e - e^{-1}} \right], ["Continuous",$$


$$"PDF"]$$

WARNING(PlotDist): Low value provided by user, 0 is less than minimum support value of random variable

Resetting low to RV's minimum support value WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable, 
$$\frac{e+e^{-1}}{e-e^{-1}}$$


Resetting high to RV's maximum support value



WARNING(PlotDist): Low value provided by user, 0 is less than minimum support value of random variable

Resetting low to RV's minimum support value WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

*variable*, 
$$\frac{e+e^{-1}}{e-e^{-1}}$$



"i is", 17,

$$g := t \to \frac{1}{\sinh(t+1)}$$


$$l := 0$$


$$u := \infty$$

$$Temp := \left[ \left[ y \to \frac{180\sqrt{3}\sqrt{-1 + \arcsin\left(\frac{1}{y^{\sim}}\right)}}{\left(1 + 3\arcsin\left(\frac{1}{y^{\sim}}\right)\right)^{7/2}\sqrt{y^{\sim^2} + 1} |y^{\sim}|} \right], \left[ 0, \frac{2}{e - e^{-1}} \right], \left[ \text{"Continuous"}, \right]$$

$$\text{"PDF"}$$


WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random





WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

*variable*, 
$$\frac{2}{e-e^{-1}}$$



"i is", 18,

$$g := t \to \frac{1}{\operatorname{arcsinh}(t+1)}$$

$$l := 0$$


$$u := \infty$$

$$Temp := \left[ \left[ y \to \frac{180\sqrt{3}\sqrt{-1 + \sinh\left(\frac{1}{y \to}\right)}\cosh\left(\frac{1}{y \to}\right)}{y \sim^2 \left(1 + 3\sinh\left(\frac{1}{y \to}\right)\right)^{7/2}} \right], \left[ 0, \frac{1}{\ln(1 + \sqrt{2})} \right],$$

["Continuous", "PDF"]


WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable, 
$$\frac{1}{\ln(1+\sqrt{2})}$$



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable, 
$$\frac{1}{\ln(1+\sqrt{2})}$$




"i is", 19,

$$g \coloneqq t \to \frac{1}{\operatorname{csch}(t)} + 1$$
 
$$l \coloneqq 0$$
 
$$u \coloneqq \infty$$
 
$$Temp \coloneqq \left[ \left[ y \to \frac{180\sqrt{3}\sqrt{\operatorname{arccsch}\left(\frac{1}{y \sim -1}\right)}}{\left(3\operatorname{arccsch}\left(\frac{1}{y \sim -1}\right) + 4\right)^{7/2}\sqrt{y \sim^2 - 2\ y \sim + 2}} \right], [1, \infty], ["Continuous", "PDF"]$$


WARNING(PlotDist): Low value provided by user, 0 is less than minimum support value of random variable





WARNING(PlotDist): Low value provided by user, 0 is less than minimum support value of random variable

Resetting low to RV's minimum support value



"i is", 20,

$$g := t \to \tanh\left(\frac{1}{t}\right)$$

$$l := 0$$


$$u := \infty$$

$$Temp := \left[ \left[ y \to -\frac{180\sqrt{3}\sqrt{\frac{1}{\arctan(y\sim)}} \operatorname{arctanh}(y\sim)}}{(3+4\operatorname{arctanh}(y\sim))^3\sqrt{\frac{3+4\operatorname{arctanh}(y\sim)}{\operatorname{arctanh}(y\sim)}}} \right], [0, 1],$$


["Continuous", "PDF"]

WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable, 1
Resetting high to RV's maximum support value



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random variable, 1



$$g := t \rightarrow \operatorname{csch}\left(\frac{1}{t}\right)$$

$$l := 0$$

$$u := \infty$$

$$Temp := \left[ \left[ y \sim \rightarrow \frac{180\sqrt{3}\sqrt{\operatorname{arccsch}(y \sim)}}{\left(3 + 4\operatorname{arccsch}(y \sim)\right)^3\sqrt{\frac{3 + 4\operatorname{arccsch}(y \sim)}{\operatorname{arccsch}(y \sim)}}\sqrt{y \sim^2 + 1} \mid y \sim \right], [0, \infty],$$

["Continuous", "PDF"]

