

AAPR User Guide – English Version

[*Version française disponible ici*](#)

The purpose of this document is to guide and support users of the AAPR tool.

In this tool, you don't manage code bugs, you manage the organization of the team. Agility is not supposed to be a straitjacket: if a meeting or a method exhausts you, it means that the method must adapt to you, and not the other way around.


Outline

Getting Started	2
Account creation	2
Personality Questionnaire	3
Creating a new team	5
View « Team Dashboard »	7
Practice Management	7
What elements describe an agile practice?	7
The identity of the practice	7
Framework and Classification	8
Execution Information	8
Measurement, Resources and Links	8
Repository of Types, Methodologies and Tags	9
Edit a team practice	12
Add a referenced practice to the team	13
Directly from the "manage practices" page	14
Based on the description of a practice	15
Creating a new practice	16
From scratch	17
Based on an existing practice	19
Remove a practice from a team	20
View all available practices	22
Team Members	23
Add a team member	23
Remove a team member	24
Issues management	26
What are the issues?	26
Why use this concept?	26

From Friction to Adaptation	26
How do recommendations work?.....	27
Encoding a new problem	27
Visualize the issues	29
Consult and work on an Issue.....	29
Documenting a practice accommodation decision	32
Documenting a Practice Accommodation Decision Assessment	33
Agile Pillars	34
What are "agile pillars"	34
Why use this concept?	34
What are the Pillars and their meanings?.....	34
What is the use of the Pillars in the app?	35
View a team's Agile Pillar coverage	36

Getting Started

Account creation



Sign in to your account

Email address


Password

Sign in

Don't have an account? [Register here](#)

1. Enter the name of your choice
2. Use the same email address used in the preliminary questionnaire!

3. Prefer a unique password (not used on other apps/accounts)
4. Enter the Unique Code that you have used when completing the initial survey




The screenshot shows a 'Create your account' form with the following fields and elements:

- Name**: A text input field.
- Email address**: A text input field with a lock icon on the right.
- Password (8+ characters)**: A text input field.
- Personal Privacy Code**: A section header above a text input field labeled 'Enter your personal privacy code'.
- Sign up**: A large blue button at the bottom.
- Help text**: Below the privacy code field, it says 'Create a unique code you will use for research tracking. You cannot change this later.'

Personality Questionnaire

When creating an account, you are required to answer a **personality assessment**. This assessment is then used at several levels of the application and in my data analysis (all analyses are anonymised beforehand).



The screenshot shows the 'Big Five Personality Assessment' page with the following details:

- Header**: 'AAPR' on the left, 'Practice Catalog', 'test' (with a green circle icon), and 'Logout' on the right.
- Title**: 'Big Five Personality Assessment'.
- Subtitle**: 'Discover your personality profile to get personalized practice recommendations.'
- What you'll learn:** A list of five personality traits with checkmarks:
 - ✓ **Extraversion:** Your sociability and energy levels
 - ✓ **Agreeableness:** Your cooperation and empathy
 - ✓ **Conscientiousness:** Your organization and reliability
 - ✓ **Neuroticism:** Your emotional stability
 - ✓ **Openness:** Your creativity and curiosity
- Time required:** 5-10 minutes • **Questions:** 44 items
- Start Questionnaire**: A blue button highlighted with an orange border.

Fill out the personality assessment questions conscientiously.

AAPR

Practice Catalog

T test Logout

Big Five Personality Questionnaire

Please rate how accurately each statement describes you.

0 of 44 questions answered

Rating scale:

1 - Disagree strongly 2 - Disagree a little 3 - Neither agree nor disagree 4 - Agree a little 5 - Agree strongly

1. I see myself as someone who... Is talkative

1 2 3 4 5

2. I see myself as someone who... Tends to find fault with others

1 2 3 4 5

3. I see myself as someone who... Does a thorough job

1 2 3 4 5


At the end of the questionnaire, you will obtain the results and your personality profile on 5 axes.




Click on " Continue to Teams " to access the team selection.

Creating a new team

You have the option to create a new team by clicking on "Create Team"




Enter your team name. If a team already exists with the same name, you'll need to choose a different team name.



Select the practices already in use in your team. You can adapt (add/edit/delete) the practices later as well.

Once the practices have been selected, click on "Create Team" at the bottom of the page

View « Team Dashboard »

View all
referenced
practicesManage
team
membersManaging team
practicesDocumenting a
problemAgile Pillar
CoverageIssues raised
in the team

Nom d'équipe

Pratiques réalisées par l'équipe

Practice, Individual
and Team Affinity
Score

Practice Management

What elements describe an agile practice?

Each practice in the catalogue is presented in the form of a detailed sheet. This sheet is designed to give you all the information you need to understand the practice, to run it correctly and to measure its impact.

Here are the different sections that you will find on a practice sheet:

The identity of the practice

This section gives you an immediate overview of what the practice is and why it is useful.

1. **Name** : The common name of the practice (e.g., "Daily Stand-up" or "A3 Report").
2. **Type** : The main category of the practice, such as "Planning & Prioritization", "Engineering & Delivery", etc.
3. **Objective** : A clear summary, in a single sentence, of the purpose of this practice.

4. **Long Description** : A comprehensive explanation of the practice, its context, and how it generally operates.

Framework and Classification

These elements help you understand where the practice comes from, how it fits into your goals, and the experience it provides for participants.

1. **Methodology** : The framework from which the practice originates, such as Scrum, Kanban, Extreme Programming (XP), Lean, or Design Thinking.
2. **Tags** : These keywords describe the "feeling" or format of the practice. For example, you will immediately know if a practice is suitable for remote work ("Remote-Friendly"), if it requires strict time ("Time-Boxed"), if it is based on the visual ("Visual / Tactile"), or if it is oriented towards written or asynchronous communication ("Written / Async-Ready").
3. **Strategic Goals** : Indicates which major organizational pillars the practice contributes to. These goals are divided into four categories: technical excellence (e.g., technical debt management), team culture (e.g., psychological safety), execution (e.g., work transparency), and product value (e.g., customer involvement).

Execution Information

This is the step-by-step instruction manual for the practice.

1. **Activities** : The orderly sequence of actions to be carried out to carry out the practice.
2. **Roles and Responsibilities** : Who should participate and at what level of involvement. We use the RACI model to specify whether a person is "Responsible" (doing the work), "Accountable" (final decision-maker), "Consulted" (gives feedback) or simply "Informed".
3. **Work Products (Artifacts)**: Concrete elements, documents or deliverables that are used or created during the practice (e.g. a User Story Map or the Sprint Backlog).
4. **Completion Criteria** : Which indicates that the practice is completed and successful (the definition of "Fact").

Measurement, Resources and Links

To go further and make sure you get the most out of the practice.

1. **Success metrics** : Concrete indicators and how they are calculated to measure the effectiveness of the practice (e.g., duration of the meeting or number of blockers identified).

2. **Pitfalls and Benefits** : A list of common mistakes to avoid and the concrete benefits that the team will get from this practice.
3. **Helpful resources** : Links to articles, books, wikis, or videos to learn more about the topic.
4. **Associated practices** : Other practices in the catalog that are related to it, whether because they are complementary, dependent on each other, or on the contrary incompatible.

Repository of Types, Methodologies and Tags

To help you quickly filter and understand our catalog, each practice is rigorously classified. Here are the details of these classifications (except for the strategic pillars/objectives, which are detailed in the next section).

Types of Practices

The type categorizes the practice according to its main function:

1. **Product Discovery & Strategy** : Practices for understanding user needs, defining the vision, and designing the product.
2. **Planning & Prioritization** : Tools for organizing work, estimating effort, and prioritizing what is most valuable.
3. **Engineering & Delivery** : Technical practices related to software creation, architecture, code quality, testing, and deployment.
4. **Teamwork & Culture** : Practices focused on human dynamics, team cohesion and collaboration on a daily basis.
5. **Continuous Improvement & Problem Solving** : Methods for inspecting past work, finding root causes of problems, and adapting processes.
6. **Governance, Management & Risk** : Tools dedicated to monitoring workflows, reducing risk and aligning stakeholders.
7. **Meeting Facilitation & Workshops** : Agnostic meeting formats, ideation techniques or structured discussion frameworks.
8. **Analysis & Measurement** : Practices focused on data collection, metrics, and experimentation to validate hypotheses.

Methodologies (Frameworks)

Indicates the main framework or school of thought from which the practice originates:

1. **Agile & Lean team frameworks** : Scrum, Kanban, XP (Extreme Programming) and Lean.

2. **Scaled Agile** : Frameworks for large enterprises, including SAFe, LeSS, Nexus, or the Spotify model.
3. **Discovery and Design** : Product Management and Design Thinking & UX.
4. **Classic management** : Project management, for traditional governance practices.
5. **Agile (generic)**: A category encompassing widely used agile practices that do not belong to a strict framework (or from niche frameworks like DSDM, Crystal).
6. **Facilitation & Workshops** : Generic facilitation or voting techniques without a specific software origin.

Tags (Experience Labels)

Tags describe the behavioral and environmental characteristics of a practice. They are grouped into 6 categories:

Interaction & Style de Communication

1. **Written / Async-Ready** : Can be accomplished effectively in writing or offline, lowering the barrier of social anxiety.
2. **Visual / Tactile** : Uses physical/numerical boards, maps or diagrams to materialize the work.
3. **Verbal-Heavy** : Relies heavily on real-time speaking and debating.
4. **Remote-Friendly** : Perfectly suited for remote work.
5. **Co-located / On-Site** : Requires a physical presence to defuse slowness or facilitate communication.

Social Density & Energy

1. **Small Group / Pair** : Practiced in an intimate group (2-3 people), ideal for the transfer of skills and psychological safety.
2. **Whole Crowd** : Requires the presence of the whole team, useful for overall alignment but very energy-consuming.
3. **Solo-Able** : Can be done individually to maintain autonomy and concentration.

Structure & Charge Cognitive

1. **Structured / Facilitated** : Has a clear agenda, a facilitator and specific steps.
2. **Time-Boxed** : Has a strict and short duration to limit the loss of time.
3. **Gamified** : Uses game rules, rounds, or votes to depersonalize debates.
4. **Spontaneous / Improv** : Requires thinking fast and adapting in real time without preparation.

Emotional Exposure & Conflict

1. **High Visibility** : Involves presenting your work in front of a large group or hierarchy.
2. **Consensus-Driven** : The activity requires everyone to agree (or compromise) to complete.
3. **Critical** : Direct analysis and evaluation of past work or colleagues.
4. **Role-Fluid** : Involves rotating administrative or animation roles to avoid wear and tear.

Rhythm Technique & Feedback Loop

1. **Fast-Feedback** : Ultra-short feedback loop to limit stagnation.
2. **User-Feedback Oriented** : Direct, fast or frequent contact with the end user.

Knowledge & Technical Continuity

1. **Documented / Traceable** : Creates a long-term searchable memory for the project.
2. **Maintenance-Aware** : Explicitly considers technical debt and legacy.

Edit a team practice

Select a referenced practice in your team

AAPR

Practice Catalog Team Dashboard Members Issues T test Logout

< Back to Teams

Members Manage Practices New Issue

ny super team name ! ✎

Team Practices
Manage your team portfolio practices

1-2-4-All
Tap into the wisdom of crowds to generate ideas and build consensus by engaging every member of a group simultaneously.
Psychological Safety & Core Values Self-Organization & Autonomy Inspection & Adaptation Work Transparency & Synchronization
Edit Remove

5 Elements Canvas
Building empathy and collaboration between silos to solve complex problems.
Psychological Safety & Core Values Work Transparency & Synchronization Customer Involvement & Active Feedback
Edit Remove

5 Whys
Discover the root cause of a problem
Inspection & Adaptation Psychological Safety & Core Values
Edit Remove

Coverage
Overall 38.46%
View Details

Issues
Total Issues 0
Op (0) WIP (0) Dn (0)
View All Issues

Click "Edit" to edit the practice

AAPR Practice Catalog

< Back to Teams

ny super team name ! ✎

Team Practices
Manage your team portfolio practices

1-2-4-All
Tap into the wisdom of crowds to generate ideas and build consensus by engaging every member of a group simultaneously.
Psychological Safety & Core Values Self-Organization & Autonomy Inspection & Adaptation Work Transparency & Synchronization
Edit Remove

5 Elements Canvas
Building empathy and collaboration between silos to solve complex problems.
Psychological Safety & Core Values Work Transparency & Synchronization Customer Involvement & Active Feedback
Edit Remove

5 Whys
Discover the root cause of a problem
Inspection & Adaptation Psychological Safety & Core Values
Edit Remove

5 Elements Canvas X

Remove from Team Edit

5 Elements Canvas

GOAL
Building empathy and collaboration between silos to solve complex problems.

DESCRIPTION
It is a canvas that facilitates deeper understanding of the complexity of an issue. It helps identify where pains are, where they come from, who owns the problem, and ultimately derives use cases to design experiments. It aims to identify areas of mutual interest and benefit between teams or silos that are trying to solve similar problems independently.

CATEGORY
Team Culture & Psychology

METHOD
Facilitation & Workshops

VERSION
v1

UPDATED
09/03/2026

PILLARS
Psychological Safety & Core Values Work Transparency & Synchronization
Customer Involvement & Active Feedback

TAGS
Visual / Tactile Verbal-Heavy Remote-Friendly Whole Crowd
Structured / Facilitated Time-Boxed Consensus-Driven Critical / Introspective
User-Feedback Oriented Documented / Traceable Maintenance-Aware

Make your changes and then click on "Save Changes"

AAPR

75/500

Category
Team Culture & Psychology

Method / Framework
Facilitation & Workshops

Tags

INTERACTION & COMMUNICATION STYLE

- ☐ Written / Async-Ready
- ☒ Verbal-Heavy
- ☐ Co-located / On-Site
- ☒ Visual / Tactile
- ☒ Remote-Friendly

SOCIAL DENSITY & ENERGY

- ☐ Small Group / Pair
- ☒ Whole Crowd
- ☐ Solo-Capable

STRUCTURE & COGNITIVE LOAD

- ☒ Structured /
- ☒ Time-Boxed

3 pillars selected

Pillars Covered

- ☐ Automation & Continuous Integration
- ☐ Cross-Functionality & Shared Skills
- ☐ Flow & Delivery Cadence
- ☒ Psychological Safety & Core Values
- ☐ Sustainable Pace
- ☐ Technical Debt Management
- ☒ Work Transparency & Synchronization
- ☐ Code Quality & Simple Design
- ☒ Customer Involvement & Active Feedback
- ☐ Inspection & Adaptation
- ☐ Self-Organization & Autonomy
- ☐ Technical Collective Ownership
- ☐ Value-Driven Prioritization

Cancel

Save Changes

Add a referenced practice to the team

From the team dashboard, click on "Manage Practices"

AAPR

Practice Catalog Team Dashboard Members Issues T test Logout

Back to Teams

Manage Practices New Issue

my super team name !

Team Practices

Manage your team portfolio practices

1-2-4-All

Tap into the wisdom of crowds to generate ideas and build consensus by engaging every member of a group simultaneously.

Psychological Safety & Core Values Self-Organization & Autonomy Inspection & Adaptation Work Transparency & Synchronization

Edit Remove

AFFINITY

Individual -0.01

Team -0.01

5 Elements Canvas

Building empathy and collaboration between silos to solve complex problems.

Psychological Safety & Core Values Work Transparency & Synchronization Customer Involvement & Active Feedback

Edit Remove

AFFINITY

Individual 0.05

Team 0.05

5 Whys

Discover the root cause of a problem

Inspection & Adaptation Psychological Safety & Core Values

AFFINITY

Individual 0.12

Team 0.12

Coverage

Overall 38.46%

View Details

Issues

Total Issues 0

Op (0) WIP (0) Dn (0)

View All Issues

Directly from the "manage practices" page

Click on the "+" of the practice to add

AAPR Practice Catalog Team Dashboard Members Issues T test Logout

[Back to Team Dashboard](#)

Practices - my super team name !

Add practices from the catalog or remove practices from your team portfolio [Create New Practice](#)

[Available Practices](#) Selected Practices (3)

Search practices... [Filter by Pillar](#)

Showing 20 of 232 practices

\$100 Prioritisation [Product Value & Customer Alignment](#) [Edit](#)

To help groups prioritise anything through democratic relative budget allocation.

[Value-Driven Prioritization](#)

10-for-10 [Team Culture & Psychology](#) [Edit](#)

To help teams think quickly and objectively and be focused with their prioritization of ideas.

[Psychological Safety & Core Values](#) [Work Transparency & Synchronization](#) [Value-Driven Prioritization](#)


15/5 Reports [Team Culture & Psychology](#) [Edit](#)

To keep a regular pulse across teams and organizations by using an efficient reporting structure that informs leadership and 1-1 meetings.


[Psychological Safety & Core Values](#) [Work Transparency & Synchronization](#)

Based on the description of a practice

On the "Manage Practice" page, select a practice



Then click on "Add to Team"




Creating a new practice


The creation of a new practice is to be carried out when the practice you want to add does not exist in the existing catalog, or in a version that is too different from the one practiced by the team to modify it.

Another use case is when a team makes several slightly modified versions of the same practice, with a desire to keep the distinction (e.g. Face-to-face retrospective and Remote retrospective).

From the team dashboard, click on "Manage Practices"




Cliquez sur « Create New Practice »




AAPR User Guide

You then have the choice to create a new practice from scratch, or pre-populate the fields from a pre-existing practice



From scratch

Cliquez sur « Create from Scratch »



Fill in the form, paying attention to the required fields

Create New Practice

[← Back](#)

Title

Title is required

Goal / Objective

Goal is required

Detailed Description

Category

Select a category

Category is required

Pillars to cover

☐ Flow & Delivery Cadence

☐ Innovation & Adaptation

Cliquez sur « Create Practice »

☐ High Visibility

☒ Critical / Introspective

☐ Consensus-Driven

☐ Role-Fluid

TECHNICAL CADENCE & FEEDBACK LOOP

☐ Fast-Feedback

☐ User-Feedback Oriented

KNOWLEDGE & TECHNICAL CONTINUITY

☐ Documented / Traceable

☐ Maintenance-Aware

Benefits

List benefits separated by commas or new lines

Pitfalls

List pitfalls separated by commas or new lines

Work Products


List work products separated by commas or new lines

Cancel


Create Practice

Based on an existing practice

Cliquez sur « Use existing as template »




Select the practice to base your practice on




AAPR User Guide

Adapt the practice and click on "Create Practice"




Remove a practice from a team


Select a referenced practice in your team on the team dashboard



Click " Remove from Team " to remove her from the team's practice.



Take into account any notice of a decrease in coverage of agile pillars and confirm your intention to abolish them.



View all available practices

From the team dashboard, click on "Practice Catalog"

The screenshot shows the AAPR Team Dashboard. In the top navigation bar, the "Practice Catalog" link is highlighted with an orange box. Below the navigation bar, there are buttons for "Members", "Manage Practices", and "New Issue". The main content area displays "Team Practices" with a list of practices including "1-2-4-All", "5 Elements Canvas", and "5 Whys". Each practice card shows its description, associated pillars, and an affinity score. On the right side, there are two summary cards: "Coverage" showing an overall score of 38.46% and "Issues" showing a total of 0 issues.

Perform a detailed search of all referenced practices

The screenshot shows the AAPR Practice Catalog search interface. At the top, there is a search bar labeled "Search practices...". Below the search bar, there are three filter sections: "Filter by Pillar", "Categories", and "Method / Framework". The "Categories" section includes checkboxes for "Technical Quality & Engineering Excellence", "Team Culture & Psychology", "Process & Execution", and "Product Value & Customer Alignment". The "Method / Framework" section includes checkboxes for "Agile", "Design Thinking & UX", "Facilitation & Workshops", "Kanban", "Lean", "Product Management", "Project Management", "Scaled Agile", "Scrum", and "XP". The "Tags" section includes checkboxes for "INTERACTION & COMMUNICATION STYLE" (Written / Async-Ready, Visual / Tactile, Verbal-Heavy, Remote-Friendly, Co-located / On-Site) and "SOCIAL DENSITY & ENERGY" (Small Group / Pair, Whole Crowd, Solo-). Below the filters, there are three practice cards displayed. The first card is titled "\$100 Prioritisation" and is associated with the "Product Value & Customer Alignment" pillar. The second card is titled "1-2-4-All" and is associated with the "Team Culture & Psychology" pillar. The third card is titled "10-for-10" and is also associated with the "Team Culture & Psychology" pillar. Each card shows a brief description and an affinity score.

Team Members

Add a team member

On your team's dashboard, click on "Members"

The screenshot shows the AAPR Team Dashboard. The top navigation bar includes 'Practice Catalog', 'Team Dashboard', 'Members', 'Issues', and a user profile 'T test' with a 'Logout' link. The 'Members' tab is highlighted with an orange box. Below the navigation bar, there's a 'Back to Teams' link and a 'my super team name !' header. The main content area is divided into two sections: 'Team Practices' and 'Coverage/Issues'. The 'Team Practices' section lists three practices: '1-2-4-All', '5 Elements Canvas', and '5 Whys', each with an 'Edit' and 'Remove' button. The 'Coverage' section shows an 'Overall' progress bar at 38.46% and a 'Total Issues' count of 0. The 'Issues' section shows a breakdown of issues by status: 'Op (0)', 'WIP (0)', and 'On (0)'. The 'Members' tab is highlighted with an orange box.

Fill in the email of the member you want to add

The screenshot shows the AAPR Team Dashboard with the 'Members' tab selected. The page title is 'my super team name ! Members'. Below the title, there's a 'Team Members' section with a table listing members. The table has columns for 'NAME', 'EMAIL', 'JOINED', and 'ACTION'. One member is listed: 'test' with email 'test@test.com' and joined on 'Mar 11, 2026'. The 'ACTION' column has a 'Remove' button. To the right of the table is an 'Invite Member' form. The form has a text input field for 'Email Address' containing 'member2add@example.com' and a 'Send Invite' button. The 'Email Address' field and the 'Send Invite' button are highlighted with an orange box.

NAME	EMAIL	JOINED	ACTION
test	test@test.com	Mar 11, 2026	Remove

Users who have not yet created an account are put on "hold"

The screenshot shows the 'my super team name ! Members' page. It includes a 'Team Members' table with columns for NAME, EMAIL, JOINED, and ACTION. The 'Pending Invitations' section is highlighted with an orange border and contains a table with columns for EMAIL, STATUS, SENT, and ACTION. An 'Invite Member' form is also visible on the right.

NAME	EMAIL	JOINED	ACTION
test	test@test.com	Mar 11, 2026	Remove
nicolas	nicolas@locda.be	Mar 11, 2026	Remove
member2add@example.com	member2add@example.com	Mar 11, 2026	Remove

EMAIL	STATUS	SENT	ACTION
member2add@example.com	Failed	Mar 11, 2026	Retry

The status indicates whether the invitation email could be sent and is pending acceptance ("Pending") or whether an error has occurred ("Failed" e.g. invalid or non-existent email).

If the account already exists in the app, the member is directly added without notification.

Remove a team member

On your team's dashboard, click on "Members"

The screenshot shows the 'my super team name !' dashboard. The 'Members' button in the top navigation bar is highlighted with an orange box. The main content area displays 'Team Practices' and 'Coverage' information.

Team Practices

- 1-2-4-All**
Tap into the wisdom of crowds to generate ideas and build consensus by engaging every member of a group simultaneously.
Psychological Safety & Core Values | Self-Organization & Autonomy | Inspection & Adaptation | Work Transparency & Synchronization
[Edit](#) [Remove](#)
- 5 Elements Canvas**
Building empathy and collaboration between silos to solve complex problems.
Psychological Safety & Core Values | Work Transparency & Synchronization | Customer Involvement & Active Feedback
[Edit](#) [Remove](#)
- 5 Whys**
Discover the root cause of a problem
Inspection & Adaptation | Psychological Safety & Core Values
[Edit](#) [Remove](#)

Coverage

Overall: 38.46%

Issues

Total Issues: 0

Op (0) | WIP (0) | Dn (0)

Click on the "Remove" corresponding to the user you want to remove from the team.

This user keeps their account and can be reinvited to the team later

AAPR Practice Catalog Team Dashboard **Members** Issues T test Logout

[Back to Team Dashboard](#)

my super team name ! Members

Manage your team composition, invitations, and member access

Team Members

NAME	EMAIL	JOINED	ACTION
test	test@test.com	Mar 11, 2026	Remove
nicolas	nicolas@locia.be	Mar 11, 2026	Remove
member2add@example.com	member2add@example.com	Mar 11, 2026	Remove

Pending Invitations

EMAIL	STATUS	SENT	ACTION
member2add@example.com	Failed	Mar 11, 2026	Retry

Invite Member

Email Address

Send Invite

Confirm your choice

AAPR Practice Catalog Team Dashboard **Members** Issues T test Logout

[Back to Team Dashboard](#)

my super team name ! Members

Manage your team composition, invitations, and member access

Team Members

NAME	EMAIL	JOINED	ACTION
test	test@test.com		
nicolas	nicolas@locia.be		
member2add@example.com	member2add@example.com		

Pending Invitations

EMAIL	STATUS	SENT	ACTION
member2add@example.com	Failed	Mar 11, 2026	Retry

Remove Member?

Are you sure you want to remove **member2add@example.com** from the team? They'll lose access to all team practices and data.

Cancel Remove

Invite Member

Email Address

Send Invite

Issues management

What are the issues?

An issue (or "friction") is a **discomfort, a blockage or a difficulty** that you personally feel when faced with a specific Agile practice.

1. **What IT IS NOT:** "The server crashed" or "Paul didn't finish his Jira ticket".
2. **What IT IS:** "The Morning Daily cuts me off in my concentration", "I don't dare criticize other people's code live", or "Mob Programming drains me of my social energy".

The app allows you to report these frictions in a structured way so that the team can discuss them in a healthy way.

Why use this concept?

One-Size-Fits-All is based on the principle that everyone works in the same way. In reality, a team is made up of different personalities (introverts, extroverts, people who need structure, others flexibility, etc.).

Reporting a problem allows you to:

1. **Depersonalize the problem:** You're not attacking the method or your colleagues, you're just pointing out that the current format doesn't fit your optimal way of working.
2. **Making the invisible visible:** Often, frustrations build up silently. The tool acts as a radar to detect these weak signals before they create tension.

From Friction to Adaptation

The app doesn't just list your complaints. It's designed to find solutions. It's based on a very simple logic engine: **The "Friction → Adaptation" link.**

As soon as you submit an issue, the application engine analyzes the situation.

1. **Practice:** You report a problem on the *Daily Scrum*.
2. **Friction:** You indicate that the cause is social *overload* (too many synchronous meetings).
3. **Adaptation (The Solution):** The tool invites you to adapt the practice through retrospective and recommendations of similar practices that might be suitable.

How do recommendations work?

When faced with friction, one of the biggest challenges for a team is knowing what to replace the problematic practice with. This is where the **app's Recommendation Engine** comes in.

When you submit an issue, the system doesn't just record it. It supports you by offering intelligent alternatives based on two powerful concepts:

A. Goal Coverage (The Pillars of Agility)

If you remove the *Daily Standup*, the team loses communication. The system understands this. It goes through a "semantic catalog" to recommend only alternative practices that fulfill **the same initial objectives** (e.g., synchronization, transparency), but with different approaches (e.g., more visual, asynchronous, or less frequent). The solidity of your process remains guaranteed.


B. The "Affinity Score" and Personality (The Big Five)

When you arrived, you completed a personality questionnaire. The system uses your profile:

1. it will calculate a compatibility/affinity score between the dominant traits of your team and the intrinsic characteristics of existing practices;
2. Faced with friction over a noisy and unpredictable meeting, the recommendation engine will suggest alternative practices with a very strong **Affinity** with your "real you" (e.g. calm, highly structured methodologies or methodologies that allow deep and asynchronous work), because statistically, they are the ones that will reduce your mental load the most.

Encoding a new problem

On your team's dashboard, click on "Members". This button is also available on the issues dashboard (cf. Viewing issues)



Document the issue and click on "Submit Issue".

Description of the fields present:

1. Title: short title of the issue
2. Description: a more complete description of the problem to provide all the relevant elements
3. Priority (Low-Medium-High): level of intensity of the problem and urgency to solve it (user's feelings)
4. Linked Practices: Practices for which the problem is met (ideally 1 practice per problem, but it is possible to select several or none)
5. Check the "Practice Not listed" box if the practice is not listed. You will then be prompted to select one or more "friction categories" (if applicable)

The screenshot shows a 'Submit New Issue' modal form overlaid on the team dashboard. The form has the following fields and options:

- Title:** A text input field.
- Description:** A larger text input field.
- Priority:** A dropdown menu currently set to 'Medium'.
- Linked Practices:** A list of checkboxes with the following options:
 - ☐ 1-2-4-All
 - ☐ 5 Elements Canvas
 - ☐ 5 Whys

At the bottom of the modal are two buttons: 'Cancel' and 'Submit Issue'. The 'Submit Issue' button is highlighted with an orange rectangle.

Visualize the issues

On the team dashboard, click on "Issues" or "View All Issues" in the "Issues" box

The screenshot shows the team dashboard with the 'Issues' tab selected. The 'Issues' section is highlighted with an orange rectangle. It contains the following elements:

- Issues:** A section with a 'Total Issues' count of 0 and a progress bar. Below the bar are three status indicators: 'Op (0)' (blue), 'WIP (0)' (yellow), and 'Dn (0)' (green). A 'View All Issues' link is present, highlighted with an orange rectangle.
- Coverage:** A section showing 'Overall' coverage at 38.46% with a red progress bar and a 'View Details' link.
- Team Practices:** A section listing three practices: '1-2-4-All', '5 Elements Canvas', and '5 Whys'. Each practice has a description, a list of associated values, and an 'Affinity' table.

Consult and work on an Issue

On the team dashboard, click on "Issues" or "View All Issues" in the "Issues" box

AAPR User Guide

The screenshot shows the AAPR Team Dashboard. At the top, the navigation bar includes 'Practice Catalog', 'Team Dashboard', 'Members', and 'Issues' (highlighted with an orange box). Below the navigation bar, there are buttons for 'Members', 'Manage Practices', and 'New Issue'. The main content area is titled 'my super team name !' and features a 'Team Practices' section with three practices: '1-2-4-All', '5 Elements Canvas', and '5 Whys'. Each practice has a description, a list of associated values, and an 'Affinity' table. To the right, there is a 'Coverage' section showing an overall progress bar at 38.46% and an 'Issues' section showing 'Total Issues' at 0. A 'View All Issues' link is highlighted with an orange box.

Team Practices
Manage your team portfolio practices

1-2-4-All
Tap into the wisdom of crowds to generate ideas and build consensus by engaging every member of a group simultaneously.

Psychological Safety & Core Values Self-Organization & Autonomy Inspection & Adaptation Work Transparency & Synchronization

5 Elements Canvas
Building empathy and collaboration between silos to solve complex problems.

Psychological Safety & Core Values Work Transparency & Synchronization Customer Involvement & Active Feedback

5 Whys
Discover the root cause of a problem

Inspection & Adaptation Psychological Safety & Core Values

Coverage
Overall: 38.46%

Issues
Total Issues: 0

Op (0) WIP (0) On (0)

[View All Issues](#)

Select an issue

The screenshot shows the AAPR Issues Dashboard. At the top, the navigation bar includes 'Practice Catalog', 'Team Dashboard', 'Members', and 'Issues' (highlighted with an orange box). Below the navigation bar, there are buttons for 'New Issue' and 'Manage Practices'. The main content area is titled 'Issues Dashboard' and features a list of issues. The first issue is 'don't want to speak publicly' with a status of 'LOW' and 'OPEN'. The second issue, 'daily are too long', is highlighted with an orange box and has a status of 'MEDIUM' and 'OPEN'. Each issue includes a description, a list of associated values, and a 'test' button.

Issues Dashboard
Manage impediments and track adaptation progress for your team.

All Statuses All Practices All Authors Newest First

don't want to speak publicly LOW OPEN

at the global sharing of ideas, I always get the guy that present to all, this is uncomfortable for me and want some share of this task

1-2-4-All

test • 11 mars 2026

daily are too long MEDIUM OPEN

last Daily lasts for 45 min. this is waaay too long and we are loosing time with all team gathered

Daily Scrum

test • 11 mars 2026

You can view issue details, add comments, and change status and priority.

You can also view some recommendations for alternative practices to inspire the team in adapting the practice or replacing it.

The section "How do recommendations work?" gives more details on its origins. Note that only practices that are equal or superior in terms of affinity are indicated (+x% in the

alternative practice insert).

AAPR

[Practice Catalog](#)
[Team Dashboard](#)
[Members](#)
[Issues](#)

T

test

Logout

[← Back to Issues](#)

daily are too long

Record Decision

Medium

Open

Created by test • 3 minutes ago

last Daily lasts for 45 min. this is waaay too long and we are loosing time with all team gathered

Linked Practices

Daily Scrum

History

test

created

the issue

3

minutes

ago

For: Daily Scrum

Alternative Practices

Autoscaling

+17%

Same category, covers required pillars, higher team affinity

The Theory of Constrai...

+13%

Same category, covers required pillars, higher team affinity

No comments yet. Start the discussion!

Add a comment

Share your perspective...


Markdown supported. Draft saved automatically.

Post Comment


Documenting a practice accommodation decision

Following a problem, the suggested approach is to adapt the way in which a practice is carried out or to modify it completely by another. This information must be recorded within the problem concerned.

On an issue page (cf. View and work on an Issue), click on " Save decision ".




Document the conclusion of the adaptation of the practice that will be implemented and click on "Save Decision"




Documenting a Practice Accommodation Decision Assessment

Once a practice adaptation decision has been proposed and implemented during at least one sprint, the adaptation can be evaluated.

On a problem page (cf. Consult and work on a Problem), click on "Evaluate"



Evaluate and comment on the evaluation of the adaptation of the practice, then click on "Submit evaluation"



Agile Pillars

What are "agile pillars"

Agility isn't just a list of meetings to check off or a one-size-fits-all tool to install. It's a multi-dimensional ecosystem.

An **Agile Pillar** (or macro-dimension) is a broad category of goals that includes many of your daily practices. Agile Pillars support your team's overall performance and describe the rationale for using an agile approach to project delivery. Rather than evaluating each practice in isolation, we look at how your daily actions (such as doing a *Daily Standup* or writing automated tests) feed into these great foundations.

Why use this concept?

Using the pillar concept makes it possible to:

1. **Avoid imbalances:** A team may have perfect project management processes, but if the technical quality of the code is poor, the project will still be slowed down. The pillars allow you to see if your agility is "complete" or "fragile".
2. **Respect your team's identity:** There is no one way to be agile. Two teams can use entirely different practices to successfully complete the same pillar (a concept called equifinality). Pillars measure the *outcome* (the "what"), leaving you free to choose the *practice* (the "how").

What are the Pillars and their meanings?

The AAPR application is based on 4 fundamental pillars, derived from the most recent academic research on software engineering. Each pillar is also broken down into sub-elements for accuracy.

Pillar 1: Technical Quality & Engineering Excellence

1. **Meaning:** This pillar represents the robustness of your code and infrastructure. It evaluates your ability to build, test, and deploy changes quickly without accumulating "technical debt" or creating new bugs.
2. **Sub-elements assessed:** Code Quality and Design, Automation & Integration, Technical Debt Management, Collective Ownership.
1. **Examples of associated practices:** Continuous Integration (CI), Refactoring, Code Reviews, TDD (Test-Driven Development).

Pillar 2: Team Culture & Psychology

1. *Meaning:* Agility is based on people. This pillar assesses the climate of trust, autonomy, management of mental load and motivation of the team. A healthy work rhythm is essential to last.
2. *Sub-elements assessed:* Psychological Safety & Values, Self-Organization & Autonomy, Cross-functionality, Sustainable Pace.
3. *Examples of associated practices:* Sustainable Pace, Self-organization, Pair Programming.

Pillar 3: Process & Execution

1. *Meaning:* This pillar is about the mechanics of your day-to-day work. It measures the efficiency of your workflows, the visibility of tasks, and the team's ability to inspect and adapt regularly.
2. *Sub-elements evaluated:* Delivery Flow & Rate, Inspection & Adaptation (Process), Work Transparency.
3. *Examples of associated practices:* Retrospectives, Short Sprints, Visual Management (Kanban/Daily Standup).

Pillar 4: Product Value & Customer Alignment

1. *Meaning:* Delivering fast is useless if you deliver the wrong product. This pillar ensures that the team's daily work is strategically aligned with the real needs of the market and user feedback.
2. *Sub-elements evaluated:* Customer Engagement & Feedback, Prioritization by Value.
3. *Examples of related practices:* Continuous customer engagement, **Prioritization of the backlog by value, Demos/Sprint reviews.**

What is the use of the Pillars in the app?

In the AAPR app, pillars are the heart of your team diagnosis. Here's how they are used in practice:

1. **Mapping:** When you declare a practice to be "active" in your team, the app automatically knows which pillars it contributes to.
2. **Coverage Calculation:** The app calculates a "coverage score" for each pillar. This helps to check if your team is "covering" all aspects of agility well with its current practices.
1. **Anti-friction recommendations:** If a pillar is too weak (for example, a lack of Technical Quality), the application will not impose a random method on you. By

cross-referencing this need with the personality profiles (Big Five) of your team, it will suggest the most suitable and least friction-generating practices to fill this specific gap.

View a team's Agile Pillar coverage

In the team dashboard, click on "View Details" in the "Coverage" box

The screenshot displays the AAPR Team Dashboard. At the top, there's a navigation bar with 'Practice Catalog', 'Team Dashboard' (active), 'Members', 'Issues', and a user profile 'T test' with a 'Logout' link. Below the navigation bar, there's a header area with a 'Back to Teams' link and three buttons: 'Members', 'Manage Practices', and 'New Issue'. The main content area is titled 'my super team name !' and contains a 'Team Practices' section. This section lists three practices: '1-2-4-All', '5 Elements Canvas', and '5 Whys'. Each practice has a description, a list of associated Agile Pillars, and an 'AFFINITY' table showing scores for 'Individual' and 'Team'. For '1-2-4-All', the pillars are 'Psychological Safety & Core Values', 'Self-Organization & Autonomy', 'Inspection & Adaptation', and 'Work Transparency & Synchronization'. For '5 Elements Canvas', the pillars are 'Psychological Safety & Core Values', 'Work Transparency & Synchronization', and 'Customer Involvement & Active Feedback'. For '5 Whys', the pillars are 'Inspection & Adaptation' and 'Psychological Safety & Core Values'. To the right of the practices, there's a 'Coverage' section showing an 'Overall' coverage of 46.15% and a 'View Details' link. Below this is an 'Issues' section showing 'Total Issues' of 2, with a breakdown by status: 'Op' (1), 'WIP' (0), and 'On' (0). A 'View All Issues' link is also present.

Practice	Pillars	Individual Affinity	Team Affinity
1-2-4-All	Psychological Safety & Core Values, Self-Organization & Autonomy, Inspection & Adaptation, Work Transparency & Synchronization	-0.01	-0.05
5 Elements Canvas	Psychological Safety & Core Values, Work Transparency & Synchronization, Customer Involvement & Active Feedback	0.05	0.05
5 Whys	Inspection & Adaptation, Psychological Safety & Core Values	0.12	0.14

You can view the details (sub-items) of a pillar to analyze which ones are "filled" by clicking on one of the pillars

