

duet-tools: A Python package for interacting with the DUET program

Niko J. Tutland ¹

¹ New Mexico Consortium, Center for Applied Fire and Ecosystem Sciences, Los Alamos, NM, USA

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#))

Summary

Fuel modeling is a key avenue for understanding dynamics of fire-vegetation interactions across landscapes. Three-dimensional (3D) fuel models are used as inputs for fire behavior models to develop strategies for prescribed fire application and wildfire risk assessment and mitigation. Distribution of Understory using Elliptical Transport (DUET) is a recently developed program for creating surface fuel inputs for 3D fuel models (McDanold et al., 2023). DUET was developed at the Los Alamos National Laboratory for creating inputs to physics-based 3D fire behavior models like FIRETEC (Linn et al., 2002) and QUIC-Fire (?). It simulates litter fall from 3D tree canopy inputs and grass growth, producing spatially heterogeneous estimates of fine fuel distribution and characteristics in forested domains.

Users of DUET may wish to parameterize simulations or modify outputs, but to date there are no programmatic tools for interacting with DUET inputs or outputs. Here we introduce duet-tools, a Python package that streamlines the process for creating DUET simulation input files and calibrating the values in DUET output files. The package handles two primary aspects of the DUET workflow: (1) programmatic creation and management of the DUET input file with validation and documentation, and (2) calibration of fine fuel outputs towards values provided by online data sources or directly from the user. By simplifying these tasks, duet-tools allows modelers and managers to more easily interact with the DUET program while incorporating locally-accurate fuels data.

Statement of need

Physics-based fire behavior models, such as FIRETEC or QUIC-Fire, take in relatively fine-scale ($< 4 \text{ m}^3$) inputs describing fine fuel density, size, moisture, and height. In forested landscapes, modeling the distribution of fine fuels on the surface (e.g., leaf litter, herbaceous fuels) is challenging because of their heterogeneity and the difficulty of observing them with survey tools such as airborne LiDAR. DUET presents a solution by simulating the spatial arrangement of leaf or needle drop based on tree crown dimensions and prevailing wind direction, placing grass where litter levels would not limit its growth. However, these simulations may not capture some essential elements of understory dynamics that vary geographically, such as decay rates, herbaceous fuel loading, or fuel moisture content. Thus, users of DUET may wish to modify outputs of the simulations, differentially shifting the magnitudes loading, height, and/or moisture values based on field-measured values, expert opinions, or broad-scale datasets, without altering the spatial distributions predicted by DUET. However, accomplishing this requires specialized knowledge of DUET outputs and tedious coding workflows. To date, no standardized tool exists for managing the inputs and outputs of DUET simulations to parameterize realistic, place-based 3D fire behavior simulations.

duet-tools addresses these needs by providing:

- 41 1. A simple, validated interface for creating, reading, and modifying DUET input files
- 42 2. Intuitive programmatic management of idiosyncratic DUET output arrays
- 43 3. Built-in functions for differentially calibrating fuel elements within DUET outputs based
- 44 on targets supplied by the user or queried from online data sources.
- 45 4. Comprehensive documentation with step-by-step how-to guides and example scripts

46 By providing a convenient and intuitive DUET interface, duet-tools enables fire modelers
47 to more easily and accurately represent the surface fuels in their simulations. The package
48 eases the coding burden for new DUET users, improves reproducibility, and broadens DUET's
49 application space.

50 Key Features

51 Input Management

52 The inputs module provides an interface for creating, reading, and managing the DUET input
53 file. This approach solves two critical problems:

- 54 1. **Input file validation:** Each parameter in the input file is checked for valid types and
55 ranges, preventing simulation errors downstream.
- 56 2. **Easy programmatic integration:** Instead of manually maintaining input files, duet-tools
57 provides a single InputFile object that represents all simulation parameters, which can
58 be serialized to JSON or written to an individual input file to run the simulation. Existing
59 input files may also be seamlessly imported and modified to facilitate programmatic
60 construction of DUET runs. The package repository contains a detailed example of
61 DUET input file management in the [how-to-guides](#) documentation page.

62 DUET Output Calibration

63 The outputs of the DUET program are saved as 3D or 4D data arrays that are idiosyncratic both
64 in their formatting and content. The calibration module provides a simplified interface for
65 loading and organizing the DUET outputs into named Python data structures. Once outputs
66 are loaded into a DuetRun object, users can 'calibrate', or modify, the values corresponding to
67 available fuel parameters, such as loading or moisture, of available fuel types, such as grass
68 or litter. The goal of calibration is to shift, stretch, and/or squeeze the magnitudes of fuel
69 parameter values without altering the relative spatial distribution of fuels predicted by DUET
70 ([Figure 1](#)). The target values for calibration can be provided as data ranges or as the center
71 and spread of a distribution. These calibration methods can be 'mixed and matched' across
72 fuel types and parameters, enhancing the flexibility of surface fuel modeling ([Figure 1](#)).

73 Implementation

74 duet-tools is implemented in Python using a semi-modular design. Functions are applied to
75 two classes representing the two main functionalities of the package:

- 76 1. The InputFile class manages the DUET input file. There are three key functionalities
77 governed by the this class:
 - 78 ■ Loading a DUET input file from a directory
 - 79 ■ Creating a DUET input file from user inputs
 - 80 ■ Writing a DUET input file to a directory

81 All input file parameters are validated upon writing. Validation includes type checking and
82 verifying values are within acceptable ranges.

- 83 2. The DuetRun class stores and organizes the outputs of a DUET simulation. It includes
84 the following functionality:

- 85 ▪ Loading DUET output arrays stored in the specialized .dat format, automatically
- 86 parsing them into fuel parameters and fuel types.
- 87 ▪ Converting outputs to standard python formats such as NumPy arrays
- 88 ▪ Facilitating flexible calibration through a suite of functions described below.
- 89 ▪ Writing data arrays to the expected format for the 3D fire models QUIC-Fire and
- 90 FIRETEC

91 Inputs Module

92 The inputs module facilitates loading, modifying, and writing a DUET input file for either
93 parameterizing a new DUET simulation or importing a finished DUET run. This module
94 includes validation of all attributes.

95 Calibration Module

96 The primary use case for duet-tools involves calibrating the magnitudes of values of DUET
97 outputs without altering the spatial distributions and relative values. The calibration module
98 provides two methods for accomplishing this. - Target value ranges, to which values are
99 proportionally shifted and scaled - Target value distributions, where the data are shifted to a
100 supplied center (mean) and scaled to a supplied spread (standard deviation).

101 DUET's outputs include separate files for bulk density (loading), fuel moisture content, and
102 fuel height (depth). For these fuel parameters, duet-tools isolates grass, deciduous litter, and
103 coniferous litter into separate fuel types. Calibration targets may be applied to any combination
104 of fuel type and fuel parameter. Targets are either supplied by the user as function arguments,
105 or obtained from online data sources (see Landfire Module below).

106 Figure 1 provides an example of DUET calibration for different fuel types. Each fuel type was
107 assigned a fuel loading target using either a range or a distribution.

```
108   # Import DUET outputs
109   duet_run = import_duet(directory=duet_path)
110
111   # Assign targets for each fuel type and fuel parameter
112   coniferous_loading = assign_targets(method="maxmin", max=5.0, min=0)
113   deciduous_loading = assign_targets(method="meansd", mean=0.5, sd=0.1)
114   grass_loading = assign_targets(method="meansd", mean=0.5, sd=0.25)
115
116   # Bring together fuel types for each parameter
117   loading_targets = set_fuel_parameter(
118       parameter="loading",
119       grass=grass_loading,
120       deciduous=deciduous_loading,
121       coniferous=coniferous_loading,
122   )
123
124   # Calibrate the DUET run
125   calibrated_duet = calibrate(duet_run=duet_run, fuel_parameter_targets=loading_targets)
```

126 Landfire Module

127 The landfire module facilitates a data query of from the LANDFIRE database (La Puma,
128 2023) to be used to calibrate DUET outputs. The module leverages the *landfire* python
129 package (Clark, 2023) to download fuels data, then converts those data to calibration targets.
130 Fuels data are derived from the Scott and Burgan 40 Fire Behavior Fuel Models (Scott &
131 Burgan, 2005).

Conclusion

duet-tools enables the programmatic management and modification of DUET simulation inputs and outputs. By allowing for the calibration of fuel values while retaining DUET's spatial predictions, the package provides a path for realistic and locally-accurate surface fuel representations for next-generation fire behavior modeling. The package streamlines interactions with idiosyncratic data structures, facilitating integration of DUET with fuel modeling platforms like FastFuels (Marcozzi et al., 2025) and aiding with data visualization, analysis, and communication of results.

Figures




Figure 1: Example of DUET calibration. The top row shows the original fuel loading outputs from DUET for each fuel type. The bottom row shows the results of calibration, performed using targets shown in the Calibration Module section above.

Acknowledgements

Many thanks to Jenna McDanold for the introduction and continued development of the DUET program. I am also grateful for the guidance and mentorship from Anthony Marcozzi, as well as the support from Scott Pokswinski and the rest of the NMC CAFES team. Special thanks to Rachel Loehman for encouraging and supporting the development of this tool. The development of this package was funded by the U.S. Geological Survey grant XXXXXXXXXX.

References

- Clark, J. (2023). *Landfire-python* (Version v0.5.0). <https://landfire-python.firesci.io/en/latest/index.html#>
- La Puma, I. P. (2023). *LANDFIRE technical documentation* (No. 2023-1045; pp. 120–120). <https://doi.org/10.3133/ofr20231045>

- 152 Linn, R., Reisner, J., Colman, J. J., & Winterkamp, J. (2002). Studying wildfire behavior
153 using FIRETEC. *International Journal of Wildland Fire*, 11(4), 233–246. [https://doi.org/](https://doi.org/10.1071/wf02007)
154 [10.1071/wf02007](https://doi.org/10.1071/wf02007)
- 155 Marcozzi, A., Wells, L., Parsons, R., Mueller, E., Linn, R., & Hiers, J. K. (2025). FastFuels:
156 Advancing wildland fire modeling with high-resolution 3D fuel data and data assimilation.
157 *Environmental Modelling & Software*, 183, 106214. [https://doi.org/10.1016/j.envsoft.](https://doi.org/10.1016/j.envsoft.2024.106214)
158 [2024.106214](https://doi.org/10.1016/j.envsoft.2024.106214)
- 159 McDanold, J. S., Linn, R. R., Jonko, A. K., Atchley, A. L., Goodrick, S. L., Hiers, J. K.,
160 Hoffman, C. M., Loudermilk, E. L., O'Brien, J. J., Parsons, R. A., Sieg, C. H., & Oliveto,
161 J. A. (2023). DUET - Distribution of Understory using Elliptical Transport: A mechanistic
162 model of leaf litter and herbaceous spatial distribution based on tree canopy structure.
163 *Ecological Modelling*, 483, 110425. <https://doi.org/10.1016/j.ecolmodel.2023.110425>
- 164 Scott, J. H., & Burgan, R. E. (2005). *Standard Fire Behavior Fuel Models: A Comprehensive*
165 *Set for Use with Rothermel's Surface Fire Spread Model*. <http://www.fs.fed.us/rm>

DRAFT