

Name :A.Purusothaman

Reg.no:192421405

Subject:Ethical Hacking

Sub.Code:ITA1407

CO5 - ASSESSMENT TOOL – 3

1. How would you evaluate the security posture of a Windows system after identifying multiple open services?

Answer:

- Check all open ports and services.
 - Find which services are necessary.
 - Check service versions for vulnerabilities.
 - Disable unnecessary services.
 - Check authentication and permissions.
 - More open services mean a **larger attack surface**.
-

2. Which factors would you consider when choosing a hacking tool for Windows vulnerability assessment, and why?

Answer:

- Purpose of the tool.
- Accuracy of results.
- Compatibility with Windows.
- Safety of the tool.
- Ease of use.
- Reporting features.

A good tool should be **accurate, safe, and suitable** for the security test.

3. How would you evaluate the security risk associated with an exposed RPC service?

Answer:

- Check whether RPC is necessary.
- Check whether it is accessible from outside.
- Check for known vulnerabilities.
- Check authentication settings.
- Check what an attacker could access.

An exposed and vulnerable RPC service can create a **high security risk**.

4. Why are Windows Null Sessions considered a security weakness, and how would you assess their impact?

Answer:

- Null sessions may allow information to be obtained without normal login.
- They may reveal usernames, shares, or system information.
- Attackers can use this information for further attacks.
- Check what information is exposed.

Therefore, Null Sessions are mainly an **information disclosure weakness**.

5. A Windows shared folder allows unauthorized users to access sensitive files. How would you evaluate the severity of this vulnerability?

Answer:

- Check what files are exposed.
- Check whether the files contain sensitive information.
- Check whether users can modify or delete files.
- Check how many unauthorized users have access.
- Check the possible business impact.

Unauthorized access to sensitive files is usually a **high-risk vulnerability**.