

//SpinCycle Windows Application
//Author: nmessa
//Date: 6/6/2022

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;
using Microsoft.VisualBasic;
```

```
namespace SpinCycle
{
   public partial class Form1 : Form
   {
      //Global variables
      int crankSprockets, wheelSprockets;
      double diameter;
      int rotations, gear;
      double distance = 0;

      public Form1()
      {
         InitializeComponent();
      }

      private void cboRG_SelectedIndexChanged(object sender, EventArgs e)
      {
         //Get the number number of sprockets on the wheel
         wheelSprockets = Convert.ToInt32(cboRG.Text);

         //If all combo boxes populated enable the Add Gear Info Button
         if (cboDiameter.Text != "" && cboFG.Text != "" && cboRG.Text != "")
            btnAdd.Enabled = true;
      }

      private void btnAdd_Click(object sender, EventArgs e)
      {
         string temp;
         if (radFront.Checked)   //Add gears (Tooth count) on crank
         {
            for (int i = 0; i < crankSprockets; i++)
            {
               temp = Interaction.InputBox("Enter number of gear teeth", "Gear Teeth",
               "", 10, 10);
               lstFront.Items.Add(temp);
            }
         }

         if (radRear.Checked)  //Add gears (Tooth count) on wheel
         {
            for (int i = 0; i < wheelSprockets; i++)
            {
               temp = Interaction.InputBox("Enter number of gear teeth", "Gear Teeth",
               "", 10, 10);
               lstRear.Items.Add(temp);
            }
         }
```

```
    //If lstFront and lstRear populated disable the Add Gear Info button
    //and enable the Add cycle instruction button
    if (lstFront.Items.Count == crankSprockets &&
        lstRear.Items.Count == wheelSprockets)
    {
        btnAdd.Enabled = false;
        btnProgram.Enabled = true;
    }
}

private void cboDiameter_SelectedIndexChanged(object sender, EventArgs e)
{
    //Get wheel diameter from combobox
    diameter = Convert.ToDouble(cboDiameter.Text);
}

private void cboFG_SelectedIndexChanged(object sender, EventArgs e)
{
    //Get the numfer of sprockets on crank from combobox
    crankSprockets = Convert.ToInt32(cboFG.Text);
}

private void btnProgram_Click(object sender, EventArgs e)
{
    //Get cycle instructions and place in lstProgram
    string temp;
    temp = Interaction.InputBox("Enter the gear number and number of turns",
        "Cycle Program", "", 10, 10);
    lstProgram.Items.Add(temp);
    btnCalculate.Enabled = true;
}

private void btnExit_Click(object sender, EventArgs e)
{
    MessageBox.Show("Thank you for using SpinCycle");
    this.Close();
}
```

```
private void btnReset_Click(object sender, EventArgs e)
{
   //Reset the program
   cboDiameter.Text = "";
   cboFG.Text = "";
   cboRG.Text = "";
   lstFront.Items.Clear();
   lstRear.Items.Clear();
   lstProgram.Items.Clear();
   radFront.Checked = true;
   radRear.Checked = false;
   btnAdd.Enabled = false;
   btnCalculate.Enabled = false;
   btnProgram.Enabled = false;

}

private void btnCalculate_Click(object sender, EventArgs e)
{
   //Create three Lsts for store crank and wheel gear data as gear ratios
   List<double> ratios = new List<double>();
   List<int> crankGears = new List<int>();
   List<int> wheelGears = new List<int>();

   //Store crankGears
   for (int i = 0; i < crankSprockets; i++)
   {
      lstFront.SelectedIndex = i;
      crankGears.Add(Convert.ToInt32(lstFront.SelectedItem));
   }

   //Store wheelGears
   for (int i = 0; i < wheelSprockets; i++)
   {
      lstRear.SelectedIndex = i;
      wheelGears.Add(Convert.ToInt32(lstRear.SelectedItem));
   }

   //Calculate gear ratios
   for (int i = 0; i < crankGears.Count; i++)
   {
      for (int j = 0; j < wheelGears.Count; j++)
      {
         ratios.Add(1.0 * crankGears[i] / wheelGears[j]);
      }
   }
```

```
        //Sorts gear ratios
        ratios.Sort();

        //Print Gear Table
        string newline = Environment.NewLine;
        string message = "Gear" + "\t" + "Ratio" + newline;
        for (int i = 0; i <  crankSprockets * wheelSprockets; i++)
        {
           message += (i+1) + "\t" + Math.Round(ratios[i], 5) + newline;
        }
        MessageBox.Show(message);

        //Read in gear and rotation data
        string[] temp;
        for (int i = 0; i < lstProgram.Items.Count; i++)
        {
           lstProgram.SelectedIndex = i;
           temp = lstProgram.SelectedItem.ToString().Split(' ');
           gear = Convert.ToInt32(temp[0]);
           rotations = Convert.ToInt32(temp[1]);

           //Calculate distance traveled
           distance += diameter * ratios[gear - 1] * rotations * Math.PI;
        }

        //Convert inches to feet
        distance /= 12.0;

        //Output result to a label
        lblOutput.Text = "Distance traveled: " + Math.Round(distance, 2) + " feet";
     }
   }
}
```



//Morse Code Generator Windows Application
//Author: nmessa
//Date: 6/6/2022

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;

namespace MorseCode
{
   public partial class Form1 : Form
   {
      //Create an array with all of the Morse codes for the letters A to Z
      string[] codes = {".-", "-...", "-.-.", "-..", ".", "..-.", "--.", "....", "..", ".---",
                        "-.-", ".-..", "--", "-.", "---", ".--.", "--.-", ".-.", "...",
                        "-", "..-", "...-", ".--", "-..-", "-.--", "--.."};
      string phrase;
      string morse = "";

      public Form1()
      {
         InitializeComponent();
      }
```

```
        private void btnGenerate_Click(object sender, EventArgs e)
        {
            phrase = txtInput.Text.ToUpper();
            for (int i = 0; i < phrase.Length; i++)
            {
                if (Char.IsLetter(phrase[i]))  //Encode all of the letters
                {
                    morse += codes[phrase[i] - 65];
                }
                else //encode punctuations
                {
                    switch (phrase[i])
                    {
                        case '_':
                            morse += "..--";
                            break;
                        case '.':
                            morse += "---.";
                            break;
                        case ',':
                            morse += ".-.-";
                            break;
                        case '?':
                            morse += "----";
                            break;
                        case ' ':
                            morse += " ";
                            break;
                    }
                }
                morse += " ";
            }
            lblMorse.Text = morse;
        }

        private void btnReset_Click(object sender, EventArgs e)
        {
            lblMorse.Text = "";
            txtInput.Text = "";
            txtInput.Focus();
        }

        private void btnExit_Click(object sender, EventArgs e)
        {
            this.Close();
        }
    }
}
```



//Braille Printer Windows Application
//Author: nmessa
//Date: 6/6/2022

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;

namespace BraillePrint
{
   public partial class Form1 : Form
   {
      List<string> braille = new List<string>();

      public Form1()
      {
         InitializeComponent();
      }
```

```
private void btnConvert_Click(object sender, EventArgs e)
{
   //Define Braille characters
   //Note the " character must be defined as \"
   string b = " a1b'k2l@cif/msp\"e3h9o6r^djg>ntq'*5<-u8v.%[$+x!&;:4\0z7(_?w]#y)=";
   string phrase;
   string braillePhrase = "";
   int index;

   phrase = txtInput.Text.ToLower(); ;

   //Generate the Braille Phrase
   for (int i = 0; i < phrase.Length; i++)
   {
      index = b.IndexOf(phrase[i]);
      braillePhrase += (braille[index] + " ");
   }

   //Display the Braille phrase
   lblOutput.Text = braillePhrase;
}

private void Form1_Load(object sender, EventArgs e)
{
   //Store Braille Character set
   braille.Add("\u2800");
   braille.Add("\u2801");
   braille.Add("\u2802");
   braille.Add("\u2803");
   braille.Add("\u2804");
   braille.Add("\u2805");
   braille.Add("\u2806");
   braille.Add("\u2807");
   braille.Add("\u2808");
   braille.Add("\u2809");
   braille.Add("\u280A");
   braille.Add("\u280B");
   braille.Add("\u280C");
   braille.Add("\u280D");
   braille.Add("\u280E");
   braille.Add("\u280F");
   braille.Add("\u2810");
   braille.Add("\u2811");
   braille.Add("\u2812");
   braille.Add("\u2813");
   braille.Add("\u2814");
   braille.Add("\u2815");
   braille.Add("\u2816");
```

```
    braille.Add("\u2817");
    braille.Add("\u2818");
    braille.Add("\u2819");
    braille.Add("\u281A");
    braille.Add("\u281B");
    braille.Add("\u281C");
    braille.Add("\u281D");
    braille.Add("\u281E");
    braille.Add("\u281F");
    braille.Add("\u2820");
    braille.Add("\u2821");
    braille.Add("\u2822");
    braille.Add("\u2823");
    braille.Add("\u2824");
    braille.Add("\u2825");
    braille.Add("\u2826");
    braille.Add("\u2827");
    braille.Add("\u2828");
    braille.Add("\u2829");
    braille.Add("\u282A");
    braille.Add("\u282B");
    braille.Add("\u282C");
    braille.Add("\u282D");
    braille.Add("\u282E");
    braille.Add("\u282F");
    braille.Add("\u2830");
    braille.Add("\u2831");
    braille.Add("\u2832");
    braille.Add("\u2833");
    braille.Add("\u2834");
    braille.Add("\u2835");
    braille.Add("\u2836");
    braille.Add("\u2837");
    braille.Add("\u2838");
    braille.Add("\u2839");
    braille.Add("\u283A");
    braille.Add("\u283B");
    braille.Add("\u283C");
    braille.Add("\u283D");
    braille.Add("\u283E");
    braille.Add("\u283F");
}
```

```
        private void btnReset_Click(object sender, EventArgs e)
        {
            lblOutput.Text = "";
            txtInput.Text = "";
            txtInput.Focus();
        }

        private void btnExit_Click(object sender, EventArgs e)
        {
            MessageBox.Show("Thank you for usint the Braille translator");
            this.Close();
        }
    }
}
```







//Airline Security System
//Author: nmessa
//Date: 6.6.2022

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;
using System.IO;
```

```
namespace Security
{
   public partial class frmMain : Form
   {
      public static string first;
      public static string middle;
      public static string last;

      public frmMain()
      {
         InitializeComponent();
      }

      private void btnAddPass_Click(object sender, EventArgs e)
      {
         FileStream fs = new FileStream("passengers.txt", FileMode.Append, FileAccess.Write);
         StreamWriter writer = new StreamWriter(fs);
         string name;
         frmPass pass = new frmPass();
         pass.ShowDialog();
         name = first + " " + middle + " " + last;
         lstPassengers.Items.Add(name);
         writer.WriteLine(name);
         writer.Close();
         fs.Close();
      }

      private void btnAddLuggage_Click(object sender, EventArgs e)
      {
         FileStream fs = new FileStream("luggage.txt", FileMode.Append, FileAccess.Write);
         StreamWriter writer = new StreamWriter(fs);
         string name;
         frmLugg lugg = new frmLugg();
         lugg.ShowDialog();
         name = first + " " + middle + " " + last;
         lstLuggage.Items.Add(name);
         writer.WriteLine(name);
         writer.Close();
         fs.Close();
      }
```

```
private void btnSecurity_Click(object sender, EventArgs e)
{
   //Create a list of passengers
   List<string> passengers = new List<string>();
   string line;
   string message;

   //Create FileStream and StreamReader to read passengers.txt
   FileStream fs = new FileStream("passengers.txt", FileMode.Open, FileAccess.Read);
   StreamReader reader = new StreamReader(fs);

   //Prime the loop
   line = reader.ReadLine();

   //Read in passengers and add to list
   while (line != null)
   {
      passengers.Add(line);
      line = reader.ReadLine();
   }

   //Close StreamReader and FileStream
   reader.Close();
   fs.Close();

   //Create FileStream and StreamReader for luggage file
   fs = new FileStream("luggage.txt", FileMode.Open, FileAccess.Read);
   reader = new StreamReader(fs);

   //Prime the loop
   line = reader.ReadLine();

   //Check luggage has a passenger
   int count = 0;
   while (line != null)
   {
      if (passengers.Contains(line))
      {
         count++;
      }
      else
      {
         lstLuggage.SelectedIndex = count;
         count++;
         message = "Security Violation - Arrest Warrant Issued or " +
            lstLuggage.SelectedItem;
         MessageBox.Show(message);
      }
```

```
            line = reader.ReadLine();
        }
        //Close StreamReader and FileStream
        reader.Close();
        fs.Close();
    }

    private void frmMain_Load(object sender, EventArgs e)
    {
        string line;
        //Create FileStream and StreamReader to read passengers.txt
        FileStream fs = new FileStream("passengers.txt", FileMode.Open, FileAccess.Read);
        StreamReader reader = new StreamReader(fs);

        //Prime the loop
        line = reader.ReadLine();

        //Read in passengers and add to list
        while (line != null)
        {
            lstPassengers.Items.Add(line);
            line = reader.ReadLine();
        }

        //Close StreamReader and FileStream
        reader.Close();
        fs.Close();

        //Create FileStream and StreamReader for luggage file
        fs = new FileStream("luggage.txt", FileMode.Open, FileAccess.Read);
        reader = new StreamReader(fs);

        //Prime the loop
        line = reader.ReadLine();

        //Check luggage has a passenger
        while (line != null)
        {
            lstLuggage.Items.Add(line);
            line = reader.ReadLine();
        }

        //Close StreamReader and FileStream
        reader.Close();
        fs.Close();
    }
  }
}
```

//Passenger entry form
//Author: nmessa
//Date: 6.6.2022

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;

namespace Security
{
   public partial class frmPass : Form
   {
      public frmPass()
      {
         InitializeComponent();
      }

      private void btnAddPass_Click(object sender, EventArgs e)
      {
         frmMain.first = txtFirst.Text;
         frmMain.middle = txtMiddle.Text;
         frmMain.last = txtLast.Text;
         this.Close();
      }

      private void frmPass_Load(object sender, EventArgs e)
      {
         txtFirst.Focus();
      }
   }
}
```

```
//Luggage entry form
//Author: nmessa
//Date: 6.6.2022

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;

namespace Security
{
   public partial class frmLugg : Form
   {
      public frmLugg()
      {
         InitializeComponent();
      }

      private void btnAddPass_Click(object sender, EventArgs e)
      {
         frmMain.first = txtFirst.Text;
         frmMain.middle = txtMiddle.Text;
         frmMain.last = txtLast.Text;
         this.Close();
      }

      private void frmLugg_Load(object sender, EventArgs e)
      {
         txtFirst.Focus();
      }
   }
}
```