

Status of Petrale sole stock off the U.S. West Coast in 2025



Ann Chovy¹

1. NOAA Fisheries Northwest Fisheries Science Center, 2725 Montlake Boulevard East, Seattle, WA, 98112-2097



U.S. Department of Commerce
National Oceanic and Atmospheric Administration
National Marine Fisheries Service
Northwest Fisheries Science Center

Table of contents

1	Executive Summary	5
1.1	Assessment Model	5
1.2	Reference Points, Stock Status, and Projections	5
2	Introduction	6
2.1	Stock ID	6
2.2	Management History	6
2.3	Fishery Descriptions	6
2.4	Ecosystem Considerations	6
3	Data	7
3.1	Life History	7
3.2	Catch	7
3.3	Indices and Standardization	7
3.4	Composition Data	7
3.5	Absolute Abundance	7
3.6	Environmental/Ecosystem Indicator Data	7
4	Assessment	8
4.1	Current Modeling Approach	8
4.2	Configuration of the Base Model	8
4.3	Bridging	8
4.4	Modeling Results	9
4.4.1	Parameter Estimates	9
4.4.2	Time Series	9
4.4.3	Model Fits	9
4.4.4	Model Diagnostics	9
4.5	Sensitivity Analyses	10
4.6	Management Benchmarks	11
4.7	Projections	12
5	Discussion	13
6	Acknowledgements	14
7	References	15
8	Tables	16
9	Figures	23
A	Appendices	24

List of Figures

1	Fishing mortality (F) over time. The horizontal dashed line represents the target reference point (msy).	23
---	--	----

List of Tables

1	Landed catch by fleet and year in (mt). (1 of 6)	17
2	Landed catch by fleet and year in (mt). (2 of 6)	18

3 Landed catch by fleet and year in (mt). (3 of 6) 19

4 Landed catch by fleet and year in (mt). (4 of 6) 20

5 Landed catch by fleet and year in (mt). (5 of 6) 21

6 Landed catch by fleet and year in (mt). (6 of 6) 22

Acronyms

NWFSC Northwest Fisheries Science Center. 5

Disclaimer

These materials do not constitute a formal publication and are for information only. They are in a pre-review, pre-decisional state and should not be formally cited or reproduced. They are to be considered provisional and do not represent any determination or policy of NOAA or the Department of Commerce.

Please cite this publication as:

Chovy, A. 2025. Status of Petrale sole stock off the U.S. West Coast in 2025. Prepared by [COMMITTEE].
24 pp.

1 Executive Summary

1.1 Assessment Model

1.2 Reference Points, Stock Status, and Projections

The stock assessment for Petrale sole was conducted by the Northwest Fisheries Science Center (NWFSC) in U.S. West Coast. The terminal spawning biomass for the current assessment year (2022) was 8.41671. You can find more information on the results of this assessment in [Section 4.4](#). The guidelines for this report follow those outlined in [Abrams \(2014\)](#).

2 Introduction

Testing adding in an introduction for Petrale sole. There is currently no read of parameters for child documents.

2.1 Stock ID

2.2 Management History

2.3 Fishery Descriptions

2.4 Ecosystem Considerations

Ecosystem considerations and/or climate indicators were not included in this assessment.

3 Data

3.1 Life History

3.2 Catch

3.3 Indices and Standardization

3.4 Composition Data

3.5 Absolute Abundance

3.6 Environmental/Ecosystem Indicator Data

4 Assessment

4.1 Current Modeling Approach

4.2 Configuration of the Base Model

4.3 Bridging

4.4 Modeling Results

4.4.1 Parameter Estimates

4.4.2 Time Series

4.4.3 Model Fits

4.4.4 Model Diagnostics

4.5 Sensitivity Analyses

4.6 Management Benchmarks

4.7 Projections

5 Discussion

6 Acknowledgements

This document was produced using the R package asar (Schiano et al. 2026), which is free to use and publicly available on [GitHub](#).

7 References

- Abrams, J.L. 2014. The effect of local fishing pressure on the size and age structure of fishes associated with rocky habitats along California's north coast. PhD thesis, Humboldt State University.
- Schiano, S., Breitbart, S., and Saul, S. 2026. Asar: Build NOAA stock assessment report. Available from <https://github.com/nmfs-ost/asar>.

8 Tables

Table 1: Landed catch by fleet and year in (mt). (1 of 6)

Year	Landings Observed Weight North (mt) (se)	Landings Predicted Weight North (mt) (se)	Landings Observed Weight South (mt) (se)	Landings Predicted Weight South (mt) (se)
1876	0.00 (0.01)	0.00 (0.01)	1.00 (0.01)	1.00 (0.01)
1877	0.00 (0.01)	0.00 (0.01)	1.00 (0.01)	1.00 (0.01)
1878	0.00 (0.01)	0.00 (0.01)	1.00 (0.01)	1.00 (0.01)
1879	0.00 (0.01)	0.00 (0.01)	1.00 (0.01)	1.00 (0.01)
1880	0.00 (0.01)	0.00 (0.01)	11.55 (0.01)	11.55 (0.01)
1881	0.00 (0.01)	0.00 (0.01)	22.10 (0.01)	22.10 (0.01)
1882	0.00 (0.01)	0.00 (0.01)	32.65 (0.01)	32.65 (0.01)
1883	0.00 (0.01)	0.00 (0.01)	43.20 (0.01)	43.20 (0.01)
1884	0.00 (0.01)	0.00 (0.01)	53.75 (0.01)	53.75 (0.01)
1885	0.00 (0.01)	0.00 (0.01)	64.30 (0.01)	64.30 (0.01)
1886	0.00 (0.01)	0.00 (0.01)	74.85 (0.01)	74.85 (0.01)
1887	0.00 (0.01)	0.00 (0.01)	85.40 (0.01)	85.40 (0.01)
1888	0.00 (0.01)	0.00 (0.01)	95.95 (0.01)	95.95 (0.01)
1889	0.00 (0.01)	0.00 (0.01)	106.50 (0.01)	106.50 (0.01)
1890	0.00 (0.01)	0.00 (0.01)	117.05 (0.01)	117.05 (0.01)
1891	0.00 (0.01)	0.00 (0.01)	127.60 (0.01)	127.60 (0.01)
1892	0.00 (0.01)	0.00 (0.01)	138.15 (0.01)	138.15 (0.01)
1893	0.00 (0.01)	0.00 (0.01)	148.71 (0.01)	148.71 (0.01)
1894	0.00 (0.01)	0.00 (0.01)	159.26 (0.01)	159.26 (0.01)
1895	0.00 (0.01)	0.00 (0.01)	169.81 (0.01)	169.81 (0.01)
1896	0.24 (0.01)	0.24 (0.01)	180.36 (0.01)	180.36 (0.01)
1897	0.20 (0.01)	0.20 (0.01)	190.91 (0.01)	190.91 (0.01)
1898	0.15 (0.01)	0.15 (0.01)	201.46 (0.01)	201.46 (0.01)
1899	0.15 (0.01)	0.15 (0.01)	212.01 (0.01)	212.01 (0.01)
1900	0.15 (0.01)	0.15 (0.01)	222.56 (0.01)	222.56 (0.01)
1901	0.14 (0.01)	0.14 (0.01)	233.11 (0.01)	233.11 (0.01)
1902	0.14 (0.01)	0.14 (0.01)	243.66 (0.01)	243.66 (0.01)
1903	0.13 (0.01)	0.13 (0.01)	254.21 (0.01)	254.21 (0.01)

Table 2: Landed catch by fleet and year in (mt). (2 of 6)

Year	Landings Observed Weight North (mt) (se)	Landings Predicted Weight North (mt) (se)	Landings Observed Weight South (mt) (se)	Landings Predicted Weight South (mt) (se)
1904	0.13 (0.01)	0.13 (0.01)	264.76 (0.01)	264.76 (0.01)
1905	0.13 (0.01)	0.13 (0.01)	275.31 (0.01)	275.31 (0.01)
1906	0.12 (0.01)	0.12 (0.01)	285.86 (0.01)	285.86 (0.01)
1907	0.12 (0.01)	0.12 (0.01)	296.41 (0.01)	296.41 (0.01)
1908	0.11 (0.01)	0.11 (0.01)	306.96 (0.01)	306.96 (0.01)
1909	0.11 (0.01)	0.11 (0.01)	317.51 (0.01)	317.51 (0.01)
1910	0.10 (0.01)	0.10 (0.01)	328.06 (0.01)	328.06 (0.01)
1911	0.10 (0.01)	0.10 (0.01)	338.61 (0.01)	338.61 (0.01)
1912	0.10 (0.01)	0.10 (0.01)	349.16 (0.01)	349.16 (0.01)
1913	0.09 (0.01)	0.09 (0.01)	359.71 (0.01)	359.71 (0.01)
1914	0.09 (0.01)	0.09 (0.01)	370.26 (0.01)	370.26 (0.01)
1915	0.08 (0.01)	0.08 (0.01)	380.81 (0.01)	380.81 (0.01)
1916	0.08 (0.01)	0.08 (0.01)	386.42 (0.01)	386.42 (0.01)
1917	0.08 (0.01)	0.08 (0.01)	526.41 (0.01)	526.41 (0.01)
1918	0.07 (0.01)	0.07 (0.01)	423.85 (0.01)	423.85 (0.01)
1919	0.07 (0.01)	0.07 (0.01)	333.44 (0.01)	333.44 (0.01)
1920	0.06 (0.01)	0.06 (0.01)	230.49 (0.01)	230.49 (0.01)
1921	0.06 (0.01)	0.06 (0.01)	293.76 (0.01)	293.76 (0.01)
1922	0.05 (0.01)	0.05 (0.01)	424.78 (0.01)	424.78 (0.01)
1923	0.05 (0.01)	0.05 (0.01)	427.36 (0.01)	427.36 (0.01)
1924	0.05 (0.01)	0.05 (0.01)	532.86 (0.01)	532.86 (0.01)
1925	0.04 (0.01)	0.04 (0.01)	528.47 (0.01)	528.47 (0.01)
1926	0.04 (0.01)	0.04 (0.01)	521.67 (0.01)	521.67 (0.01)
1927	0.04 (0.01)	0.04 (0.01)	632.04 (0.01)	632.04 (0.01)
1928	0.00 (0.01)	0.00 (0.01)	620.09 (0.01)	620.09 (0.01)
1929	1.54 (0.01)	1.54 (0.01)	706.04 (0.01)	706.04 (0.01)
1930	1.22 (0.01)	1.22 (0.01)	658.83 (0.01)	658.83 (0.01)
1931	17.17 (0.01)	17.17 (0.01)	623.93 (0.01)	623.93 (0.01)

Table 3: Landed catch by fleet and year in (mt). (3 of 6)

Year	Landings Observed Weight North (mt) (se)	Landings Predicted Weight North (mt) (se)	Landings Observed Weight South (mt) (se)	Landings Predicted Weight South (mt) (se)
1932	41.73 (0.01)	41.73 (0.01)	556.66 (0.01)	556.66 (0.01)
1933	54.42 (0.01)	54.42 (0.01)	424.32 (0.01)	424.32 (0.01)
1934	68.97 (0.01)	68.97 (0.01)	1,110.98 (0.01)	1,110.98 (0.01)
1935	86.80 (0.01)	86.80 (0.01)	895.44 (0.01)	895.44 (0.01)
1936	115.33 (0.01)	115.33 (0.01)	510.98 (0.01)	510.98 (0.01)
1937	198.06 (0.01)	198.06 (0.01)	817.70 (0.01)	817.70 (0.01)
1938	134.64 (0.01)	134.64 (0.01)	989.10 (0.01)	989.10 (0.01)
1939	374.27 (0.01)	374.27 (0.01)	1,160.51 (0.01)	1,160.51 (0.01)
1940	602.24 (0.01)	602.24 (0.01)	714.63 (0.01)	714.63 (0.01)
1941	771.51 (0.01)	771.51 (0.01)	405.25 (0.01)	405.25 (0.01)
1942	1,928.65 (0.01)	1,928.65 (0.01)	277.41 (0.01)	277.41 (0.01)
1943	1,959.02 (0.01)	1,959.02 (0.01)	416.86 (0.01)	416.86 (0.01)
1944	1,111.90 (0.01)	1,111.90 (0.01)	509.50 (0.01)	509.50 (0.01)
1945	973.80 (0.01)	973.80 (0.01)	534.46 (0.01)	534.46 (0.01)
1946	1,596.12 (0.01)	1,596.12 (0.01)	1,209.41 (0.01)	1,209.41 (0.01)
1947	885.76 (0.01)	885.76 (0.01)	1,336.82 (0.01)	1,336.82 (0.01)
1948	1,971.81 (0.01)	1,971.81 (0.01)	2,308.64 (0.01)	2,308.64 (0.01)
1949	822.94 (0.01)	822.94 (0.01)	2,246.26 (0.01)	2,246.26 (0.01)
1950	1,480.79 (0.01)	1,480.79 (0.01)	1,980.46 (0.01)	1,980.46 (0.01)
1951	1,084.95 (0.01)	1,084.95 (0.01)	1,238.49 (0.01)	1,238.49 (0.01)
1952	864.21 (0.01)	864.21 (0.01)	1,312.51 (0.01)	1,312.51 (0.01)
1953	414.09 (0.01)	414.09 (0.01)	1,514.08 (0.01)	1,514.08 (0.01)
1954	634.02 (0.01)	634.02 (0.01)	1,891.97 (0.01)	1,891.97 (0.01)
1955	652.60 (0.01)	652.60 (0.01)	1,641.72 (0.01)	1,641.72 (0.01)
1956	571.36 (0.01)	571.36 (0.01)	1,277.89 (0.01)	1,277.89 (0.01)
1957	1,051.75 (0.01)	1,051.75 (0.01)	1,587.99 (0.01)	1,587.99 (0.01)
1958	890.87 (0.01)	890.87 (0.01)	1,427.80 (0.01)	1,427.80 (0.01)
1959	686.92 (0.01)	686.92 (0.01)	1,194.06 (0.01)	1,194.06 (0.01)

Table 4: Landed catch by fleet and year in (mt). (4 of 6)

Year	Landings Observed Weight North (mt) (se)	Landings Predicted Weight North (mt) (se)	Landings Observed Weight South (mt) (se)	Landings Predicted Weight South (mt) (se)
1960	1,034.52 (0.01)	1,034.52 (0.01)	1,122.94 (0.01)	1,122.94 (0.01)
1961	1,010.41 (0.01)	1,010.41 (0.01)	1,538.01 (0.01)	1,538.01 (0.01)
1962	1,311.39 (0.01)	1,311.39 (0.01)	1,379.45 (0.01)	1,379.45 (0.01)
1963	1,205.57 (0.01)	1,205.57 (0.01)	1,504.99 (0.01)	1,504.99 (0.01)
1964	927.02 (0.01)	927.02 (0.01)	1,223.64 (0.01)	1,223.64 (0.01)
1965	901.65 (0.01)	901.65 (0.01)	1,207.58 (0.01)	1,207.58 (0.01)
1966	961.76 (0.01)	961.76 (0.01)	1,327.75 (0.01)	1,327.75 (0.01)
1967	925.63 (0.01)	925.63 (0.01)	1,255.79 (0.01)	1,255.79 (0.01)
1968	817.32 (0.01)	817.32 (0.01)	1,303.81 (0.01)	1,303.81 (0.01)
1969	948.66 (0.01)	948.66 (0.01)	1,300.34 (0.01)	1,300.34 (0.01)
1970	1,164.62 (0.01)	1,164.62 (0.01)	1,549.34 (0.01)	1,549.34 (0.01)
1971	1,314.18 (0.01)	1,314.18 (0.01)	1,573.50 (0.01)	1,573.50 (0.01)
1972	1,331.65 (0.01)	1,331.65 (0.01)	1,621.70 (0.01)	1,621.70 (0.01)
1973	1,645.58 (0.01)	1,645.58 (0.01)	1,304.98 (0.01)	1,304.98 (0.01)
1974	2,068.70 (0.01)	2,068.70 (0.01)	1,556.13 (0.01)	1,556.13 (0.01)
1975	2,006.61 (0.01)	2,006.61 (0.01)	1,483.24 (0.01)	1,483.24 (0.01)
1976	1,413.47 (0.01)	1,413.47 (0.01)	1,350.59 (0.01)	1,350.59 (0.01)
1977	1,269.72 (0.01)	1,269.72 (0.01)	998.22 (0.01)	998.22 (0.01)
1978	1,864.01 (0.01)	1,864.01 (0.01)	1,194.78 (0.01)	1,194.78 (0.01)
1979	1,666.00 (0.01)	1,666.00 (0.01)	1,388.97 (0.01)	1,388.97 (0.01)
1980	1,401.60 (0.01)	1,401.60 (0.01)	1,066.00 (0.01)	1,066.00 (0.01)
1981	1,236.04 (0.01)	1,236.05 (0.01)	805.15 (0.01)	805.15 (0.01)
1982	1,838.53 (0.01)	1,838.53 (0.01)	791.80 (0.01)	791.80 (0.01)
1983	1,630.29 (0.01)	1,630.30 (0.01)	583.90 (0.01)	583.90 (0.01)
1984	1,148.63 (0.01)	1,148.63 (0.01)	590.54 (0.01)	590.54 (0.01)
1985	982.89 (0.01)	982.89 (0.01)	856.56 (0.01)	856.56 (0.01)
1986	1,024.00 (0.01)	1,024.00 (0.01)	726.43 (0.01)	726.43 (0.01)
1987	1,381.18 (0.01)	1,381.20 (0.01)	823.66 (0.01)	823.67 (0.01)

Table 5: Landed catch by fleet and year in (mt). (5 of 6)

Year	Landings Observed Weight North (mt) (se)	Landings Predicted Weight North (mt) (se)	Landings Observed Weight South (mt) (se)	Landings Predicted Weight South (mt) (se)
1988	1,354.06 (0.01)	1,354.07 (0.01)	795.12 (0.01)	795.12 (0.01)
1989	1,312.07 (0.01)	1,312.08 (0.01)	840.63 (0.01)	840.63 (0.01)
1990	1,086.22 (0.01)	1,086.22 (0.01)	678.42 (0.01)	678.42 (0.01)
1991	1,192.57 (0.01)	1,192.58 (0.01)	734.80 (0.01)	734.80 (0.01)
1992	1,021.46 (0.01)	1,021.46 (0.01)	532.04 (0.01)	532.04 (0.01)
1993	1,039.69 (0.01)	1,039.69 (0.01)	463.52 (0.01)	463.52 (0.01)
1994	825.58 (0.01)	825.58 (0.01)	549.56 (0.01)	549.56 (0.01)
1995	1,066.33 (0.01)	1,066.33 (0.01)	592.72 (0.01)	592.72 (0.01)
1996	1,010.33 (0.01)	1,010.33 (0.01)	818.27 (0.01)	818.27 (0.01)
1997	1,113.93 (0.01)	1,113.93 (0.01)	833.79 (0.01)	833.79 (0.01)
1998	989.95 (0.01)	989.95 (0.01)	472.82 (0.01)	472.82 (0.01)
1999	931.30 (0.01)	931.30 (0.01)	565.81 (0.01)	565.81 (0.01)
2000	1,253.23 (0.01)	1,253.23 (0.01)	640.04 (0.01)	640.04 (0.01)
2001	1,270.22 (0.01)	1,270.22 (0.01)	575.00 (0.01)	575.00 (0.01)
2002	1,317.36 (0.01)	1,317.36 (0.01)	479.73 (0.01)	479.73 (0.01)
2003	1,661.17 (0.01)	1,661.17 (0.01)	408.41 (0.01)	408.41 (0.01)
2004	1,471.05 (0.01)	1,471.05 (0.01)	492.92 (0.01)	492.92 (0.01)
2005	1,970.53 (0.01)	1,970.53 (0.01)	763.83 (0.01)	763.83 (0.01)
2006	1,858.41 (0.01)	1,858.41 (0.01)	751.79 (0.01)	751.79 (0.01)
2007	1,333.54 (0.01)	1,333.54 (0.01)	919.30 (0.01)	919.30 (0.01)
2008	1,294.91 (0.01)	1,294.91 (0.01)	924.80 (0.01)	924.80 (0.01)
2009	1,236.74 (0.01)	1,236.74 (0.01)	530.70 (0.01)	530.70 (0.01)
2010	589.72 (0.01)	589.72 (0.01)	213.38 (0.01)	213.38 (0.01)
2011	757.01 (0.01)	757.01 (0.01)	177.50 (0.01)	177.50 (0.01)
2012	896.27 (0.01)	896.27 (0.01)	221.45 (0.01)	221.45 (0.01)
2013	1,776.22 (0.01)	1,776.22 (0.01)	477.14 (0.01)	477.14 (0.01)
2014	1,783.41 (0.01)	1,783.41 (0.01)	625.33 (0.01)	625.33 (0.01)
2015	2,085.62 (0.01)	2,085.62 (0.01)	579.55 (0.01)	579.55 (0.01)

Table 6: Landed catch by fleet and year in (mt). (6 of 6)

Year	Landings Observed Weight North (mt) (se)	Landings Predicted Weight North (mt) (se)	Landings Observed Weight South (mt) (se)	Landings Predicted Weight South (mt) (se)
2016	2,254.21 (0.01)	2,254.21 (0.01)	473.42 (0.01)	473.42 (0.01)
2017	2,313.91 (0.01)	2,313.91 (0.01)	616.71 (0.01)	616.71 (0.01)
2018	2,284.80 (0.01)	2,284.80 (0.01)	609.64 (0.01)	609.64 (0.01)
2019	2,079.95 (0.01)	2,079.95 (0.01)	536.96 (0.01)	536.96 (0.01)
2020	1,548.72 (0.01)	1,548.72 (0.01)	543.41 (0.01)	543.41 (0.01)
2021	2,103.03 (0.01)	2,103.03 (0.01)	776.08 (0.01)	776.08 (0.01)
2022	2,093.58 (0.01)	2,093.58 (0.01)	966.36 (0.01)	966.36 (0.01)

9 Figures




Figure 1: Fishing mortality (F) over time. The horizontal dashed line represents the target reference point (msy).

A Appendices