

Операционные системы

Редактор Vi

Майоров Никита Максимович

2026-04-04

Цели и задачи работы

Процесс выполнения лабораторной работы


Выводы по проделанной работе

1. Цели и задачи работы

Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах.

1 Изучить возможности редактора Vi

2. Процесс выполнения лабораторной работы



```
nmmayorov@nmmayorov:~  
nmmayorov@nmmayorov:~$ cd  
nmmayorov@nmmayorov:~$ touch hello.sh  
nmmayorov@nmmayorov:~$
```

Рисунок 1: Создание каталога



The image shows a terminal window with a dark background. The title bar at the top reads "nmmayorov@nmmayorov:~ — v". The terminal content shows a shell script being edited in the Vi editor. The script defines a function named "hello" that sets a local variable "HELLO" to "World" and prints the value of "HELLO". The word "hello" is currently being typed on the line following the function definition. The cursor is positioned at the end of the word "hello". Below the script, there are several tilde (~) characters representing empty lines in the buffer.

```
#!/bin/bash
HELL=Hello
function hello
{
  LOCAL HELLO=World
  echo $HELLO
}
echo $HELLO
hello
~
~
~
~
~
~
~
```


Рисунок 2: Работа в редакторе Vi


```
nmmayorov@nmmayorov:~$ cd
nmmayorov@nmmayorov:~$ touch hello.sh
nmmayorov@nmmayorov:~$ vi hello.sh
nmmayorov@nmmayorov:~$ chmod +x hello.sh
nmmayorov@nmmayorov:~$ ./hello.sh

./hello.sh: line 5: LOCAL: command not found

nmmayorov@nmmayorov:~$
```


Рисунок 3: Запуск файла



The image shows a terminal window with a dark background. The title bar at the top reads "nmmayorov@nmmayorov:~ — v". The terminal content shows a shell script being edited in the Vi editor. The script defines a function named "hello" that sets a local variable "HELLO" to "World" and then echoes the value of "HELLO". The current line being edited is "echo \$HELLO", and the cursor is positioned at the start of the word "hello" on the line below. The terminal output shows several tilde characters (~) representing previous lines of the script.

```
#!/bin/bash
HELLO=Hello
function hello
{
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello
~
~
~
~
~
~
```

Рисунок 4: Работа в редакторе Vi



```
nmmayorov@nmmayorov:~$ cd
nmmayorov@nmmayorov:~$ touch hello.sh
nmmayorov@nmmayorov:~$ vi hello.sh
nmmayorov@nmmayorov:~$ chmod +x hello.sh
nmmayorov@nmmayorov:~$ ./hello.sh

./hello.sh: line 5: LOCAL: command not found

nmmayorov@nmmayorov:~$ vi hello.sh
nmmayorov@nmmayorov:~$ ./hello.sh
Hello
World
nmmayorov@nmmayorov:~$
```

Рисунок 5: Повторный запуск файла

3. Выводы по проделанной работе

В ходе работы мы получили практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах UNIX. А также освоили основные режимы и команды