$\mathbf{1}^{\underline{\mathbf{1}}} \quad \mathbf{H}_{2}\mathbf{0} \quad \mathbf{F}^{2} \quad \mathbf{N}_{2} \quad \mathbf{0}\mathbf{0}$

Jjj ko gg 🕸 🥸 🕸 🕸 🕸 🕿 ŞŞ

w ę ŋ

FONTFONT INFO GUIDE FOR

FF Ernestine Regular

OT | Pro

SECTIONS

- A | Introduction to OpenType®
- Font and Designer Information
- c | Supported Layout Features
- Language Support
- Type Specimens



SECTION A INTRODUCTION TO OPENTYPE®

WHAT IS OPENTYPE?

OpenType® is a cross-platform font file format developed jointly by Adobe and Microsoft. The two main benefits of the OpenType format are its cross-platform compatibility (the same font file works on Macintosh and Windows computers), and its ability to support widely expanded character sets and layout features, which provide rich linguistic support and advanced typographic control.

OpenType fonts can be installed and used alongside PostScript® Type 1 and TrueType fonts.

The range of supported layout features may differ in the various FontFont OpenType packages, therefore each OpenType package will be accompanied by this FF Info Guide listing the layout features supported by this specific font package.

You'll find a glossary of all available OpenType layout features in Section B of the general FF OpenType User Guide.

Please see the FontFont OpenType® User Guide at http://www.fontfont.com/opentype

©FSI, 2005 All rights reserved.
All information in this document is provided "AS IS" without warranty of any kind, either expressed or implied, and is subject to charge without position.

All trademarks mentioned in this document are the trademarks or registered trademarks of their respective holders.

You may reproduce and distribute this document as long as you do not remove FSI's copyright information and do not make any changes in the document.

SECTION B FONT & DESIGNER INFORMATION

Handgloves

ABOUT FF ERNESTINE REGULAR

typeface that would feel warm yet serious, feminine yet rigid, charming yet sturdy. Its rather large x-height and wide, open shapes enable it to work well down to small sizes; ligatures, stylistic and contextual alternates, a selection of arrows, and two sizes of small caps enrich its typographic palette. Nina Stössinger first drew the Roman as a study project at the postgraduate Type Design programme in Zurich, and the Italic in dialogue with Hrant Papazian's Armenian design. Both the Roman and the Italic (which doubles as a harmonious companion to the Armenian component) are available in four individually drawn weights. The four corresponding Armenian weights, nicknamed "Vem" and — in the Pro version — identically included in the Roman and Italic fonts, share the specific personable character of the family while optimizing the proportions for the Armenian script.

ABOUT NINA STÖSSINGER

Nina Stössinger was born near Basel, Switzerland, in 1978. After some initial experience with web design, Nina soon quit her studies of English and some of her nights designing type. FF Ernestine is her first commercially released typeface design.

ABOUT HRANT PAPAZIAN

Hrant Papazian is an Armenian native of Lebanon; his perspective on written communication was formed at the crossroads of three competing visual cultures. He now lives in Los Angeles, relishing the unique ethnic salad. A multimedia designer by trade, Hrant's true love remains the black-and-white, but colorful world of non-Latin typeface design. A recipient of type design awards from Critique Magazine, Granshan and Creative Review, Hrant has delivered numerous presentations at international typographic conferences from San Francisco to Thessaloniki. He has received commissions from Agfa, Unitype, IKEA, the Narod Cultural Institute, Disney, UCLA, the Israel Postal Authority, Microsoft, TeX Users Group and Liverpool University.

SUPPORTED LAYOUT FEATURES

FONTFONT OPENTYPE®

	EXAMPLES	
ffi	ffifl	
tyv	w ► tyww	V
his	hift	
Sn	l ► SMALL	
CA	► CAP5	
P3	ΓE ► P3TIT	Ε
Ca	► CAPS	

(H-o) ► (H-O)

CASE-SENSITIVE FORMS

EXAMPLES

I≠I	CAPITAL SPACING	НОН►НОН
13	LINING FIGURES	167 ► 167 167 ► 167
1131	PROPORTIONAL FIGURES	167 ► 167 167 ► 167
[1 3	TABULAR FIGURES	167 ► 167 167 ► 167
1/4	FRACTIONS	2 5/16 ► 2 ⁵ / ₁₆
7/	NUMERATORS	123/ ▶ ¹23/
/7	DENOMINATORS	/123 ►/123
<u>1ª</u>	ORDINALS	1a2o ► 1ª2º

c | 5

EXAMPLES

H ₂ 0	SCIENTIFIC INFERIORS	CO2 ► CO ₂
F ²	SUPERSCRIPT	m3 ► m³
N_2	SUBSCRIPT	N2 ► N ₂
00	SLASHED ZERO	○ ► ∅
Jjj	ACCESS ALL ALTERNATES	1 ► 111 ₁₁ ¹
ko	CONTEXTUAL ALTERNATES	fäqj ► fäqj
gg	STYLISTIC ALTERNATES	gBC ► gßA
	STYLISTIC SET 1	g►g

c | 6

EXAMPLES

	STYLISTIC SET 2	ß ► ß
	STYLISTIC SET 4	८ ՄՋ ► ५ ՄՋ
(05)	STYLISTIC SET 5	(34 ▶ (34
	STYLISTIC SET 7	PCaps ► PCaps
	STYLISTIC SET 8	P3tite ► P3TITE
	STYLISTIC SET 9	s►f
盘	ORNAMENTS	• ▶ 💆
ŞŞ	LOCALIZED FORMS	ţ(34 > ţ(34

SECTION D LANGUAGE SUPPORT

SUPPORTED CODE PAGES STANDARD



 ${\tt MACOS}$

MACOS ICELANDIC
MACOS ROMAN

IBM

IBM-37 UNITED STATES - EBCDIC (IBM-28709)
IBM-273 GERMANY - EBCDIC
IBM-277 DENMARK, NORWAY - EBCDIC

IBM-278 FINLAND, SWEDEN - EBCDIC
IBM-280 ITALY - EBCDIC

IBM-282

IBM-284 SPAIN, LATIN AMERICA - EBCDIC

IBM-285 UNITED KINGDOM - EBCDIC IBM-297 FRANCE - EBCDIC

IBM-500 INTERNATIONAL - EBCDIC
IBM-871 ICELAND - EBCDIC

IBM-1047 OPEN SYSTEMS - EBCDIC

WINDOWS

MS WINDOWS 1252 LATIN 1

TSO

ISO 8859-1 W EU LATIN 1

ISO 8859-15 WEST EUROPE LATIN 9

ADDITIONAL SUPPORTED CODE PAGES PRO



MACOS

MACOS CENTRAL EUROPE MACOS CROATIAN MACOS ROMANIAN MACOS TURKISH IBM

IBM-921 BALTIC
IBM-1112 BALTIC - EBCDIC
WINDOWS

MS WINDOWS 1250 EASTERN EUROPEAN
MS WINDOWS 1254 TURKISH

MS WINDOWS 1257 BALTIC

MS WINDOWS ARMENIAN (DE-FACTO)

ISO

ISO 8859-2 C EU LATIN 2

ISO 8859-3 TU, MALT, GAL, ESP LATIN 3

ISO 8859- 4 BALTIC LATIN 6

ISO 8859-9 W EU+TURKISH LATIN 5

ISO 8859-10 SCANDINAVIAN LATIN 6 ISO 8859-13 BALTIC LATIN 7

ISO 8859-16 SOUTHEAST EUROPE LATIN 10

SUPPORTED LANGUAGES STANDARD



AFRIKAANS KURDISH (LATIN)

ALBANIAN KYRGYZ (CYRILLIC) [ROMANIZATION;

AMHARIC (ETHIOPIC) [ROMANIZATION BGN/PCGN 1979]

SYSTEM BGN/PCGN 1967] LADIN

ARVANITIKA (LATIN) LAOTIAN (LAOTIAN) [ROMANIZATION;

ASTURIAN NATIONAL] LOW GERMAN BARABA TATAR BATS (LATIN) LUXEMBOURGIAN BISLAMA MALAGASY BRETON MALAY (LATIN) BURMESE (BURMESE) [ROMANIZATION; MANX GAELIC BGN/PCGN 1970] Norwegian, Bokmål CATALAN NORWEGIAN, NYNORSK

CHAMORRO OCCITAN

DANISH PILIPINO (TAGALOG)
DUTCH PORTUGUESE
ENGLISH RHAETO-ROMANCE

ESTONIAN ROMANSCH

FAEROESE RUSSIAN (CYRILLIC) [ROMANIZATION;

FINNISH BGN/PCGN 1947]
FRANCO-PROVENCAL SAMI, SOUTHERN
FRENCH SAMI, UME
FRISIAN SCOTTISH GAELIC

FRISIAN, EAST SOMALI

FRISIAN, NORTH
FRISIAN, WEST

FRIULIAN

GALICIAN

GERMAN

GREEK (GREEK) [ROMANIZATION; BGN/

TSAKHUR (LATIN)

PCGN 1962] TSONGA GREENLANDIC TSWANA

ICELANDIC TURKMEN (CYRILLIC) [ROMANIZATION;

INDONESIAN BGN/PCGN 1979]

INTERLINGUA UKRAINIAN (CYRILLIC) [ROMANIZATION;

IRISH NATIONAL, 1993]
ITALIAN WALLOON
JAPANESE (SINO-JAPANESE) XHOSA
[ROMANIZATION; KUNREI] YAPESE

KARAIM (LATIN) YIDDISH [ROMANIZATION]

KAZAN TATAR (LATIN) ZULU

ADDITIONAL SUPPORTED LANGUAGES PRO



ÄLVDALSKA MALTESE
AMHARIC (ETHIOPIC) [ROMANIZATION; MAORI
UN 1967] MARSHALLESE
ARAGONESE MOLDAVIAN (LATIN)
ARMENIAN MONGOLIAN (CYRILLIC)

ARUMANIAN [ROMANIZATION; BGN/PCGN 1964]

AZERBAIJANI (LATIN) POLISH
BASQUE PORTUNHOL
BELARUSIAN (LATIN) ROMANI (LATIN)
BOSNIAN (LATIN) ROMANIAN

BULGARIAN (CYRILLIC) [ROMANIZATION; RUSSIAN (CYRILLIC) [ROMANIZATION; BGN/PCGN 1952] RUSSIAN ACADEMY OF SCIENCES

CHICHEWA SYSTEM]

COOK ISLANDS MAORI RUSSIAN (CYRILLIC) [ROMANIZATION;

CRIMEAN TATAR (LATIN)

CROATIAN

CZECH

ESPERANTO

GAGAUZ (LATIN)

GREENLANDIC (PRE-1973)

HAWAIIAN

SARDINIAN

SLOVAK

SLOVENIAN

HUNGARIAN SLOVAK
ISTRO-ROMANIAN SLOVENIAN
JAPANESE (SINO-JAPANESE) SORBIAN, LOWER
[ROMANIZATION; MODIFIED HEPBURN] SORBIAN, UPPER

KASHUBIAN TAJIK (CYRILLIC) [ROMANIZATION; BGN/

KAZAKH (CYRILLIC) [ROMANIZATION; PCGN 1994]
BGN/PCGN 1979] TONGAN
KHMER (KHMER) [ROMANIZATION; UN TURKISH
1972] UBYKH

KOREAN (HANGUL) [ROMANIZATION; UZBEK (CYRILLIC) [ROMANIZATION;

1939 & 1984] BGN/PCGN 1979]
KURMANJI VÅMHUSMÅL
LADINO (LATIN) VEPSIAN
LATIN WALLISIAN
LATVIAN WELSH
LITHUANIAN WOLOF

MACEDONIAN (CYRILLIC)
[ROMANIZATION; UN 1977]

SUPPORTED UNICODE RANGES

NUMBER OF CHARAC STD	TERS PRO	Examples
97	97	! " # } ~
96	96	;¢£…ýþÿ
13	128	ĀāĂ…Žžf
1	13	ӘƒѦ҆…Ţţĵ
	1	ə
10	10	· , ^ ~ //
16	16	·
4	4	ΔΩμπ
1	89	ሁ
1	9	ŴŵŴ…ßŶỳ
25	25	·> \% /
17	17	0 4 5 7 8 9
1	1	€
3	3	№™Ω
	97 96 13 1 10 16 4 1 1 25 17	OF CHARACTERS STD PRO 97 97 96 96 13 128 1 13 10 10 16 16 4 4 1 89 1 9 25 25 17 17 1 1

TITLE	NUMBER OF CHARAC STD	TERS PRO	Examples
Arrows	22	22	\leftarrow \uparrow \rightarrow \downarrow \vdash \rightarrow
MATHEMATICAL OPERATORS	14	14	∂ Δ ∏ ≤ ≥ ·
GEOMETRIC SHAPES	1	1	♦
ALPHABETIC PRESENTATION FORMS	5 5	10	ff fi fl մի վն մխ
ARABIC PRESENTATION FORMS-B	1	1	

SECTION E
TYPE SPECIMENS

FF Ernestine Regular

Shag pile i13

AaBbCcDdEeFfGgHhIiJjKk

abcdefghijklmnopqrstuvwxyz 0123456789

ABCDEFGHIJKLMNOPQRSTUVWXYZ

FF Ernestine Regular 14/16 pt

SEMPRE DOMENICA PRENDERÀ VITA una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika

FF Ernestine Regular 12/14 pt

SEMPRE DOMENICA PRENDERÀ VITA una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on

FF Ernestine Regular 10/12 pt

SEMPRE DOMENICA PRENDERÀ VITA una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire là-dessus. Several tenors sing in culturally void display.

FF Ernestine Regular 8/10 pt

SEMPRE DOMENICA PRENDERÀ VITA una giornata Gut getarnt im Neptungras steht ein Kuckuckslipp. Serán, a juicio de los científicos, tres épocas Onks tää vika kysymys. Hän on työskennellyt Il y aurait bien de choses à dire làdessus. Several tenors sing in culturally void display. Eigentlich wollen die Leute nur die Sonne genießen.