

```
user@DESKTOP-5P6ENC6 MINGW64 ~/study (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   world.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        a.html
        b.html

user@DESKTOP-5P6ENC6 MINGW64 ~/study (main)
$ nano c.html

user@DESKTOP-5P6ENC6 MINGW64 ~/study (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   world.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        a.html
        b.html
        c.html

user@DESKTOP-5P6ENC6 MINGW64 ~/study (main)
$ git add a.html
warning: in the working copy of 'a.html', LF will be replaced by CRLF the next time Git touches it

user@DESKTOP-5P6ENC6 MINGW64 ~/study (main)
$ git add b.html
warning: in the working copy of 'b.html', LF will be replaced by CRLF the next time Git touches it

user@DESKTOP-5P6ENC6 MINGW64 ~/study (main)
$ git commit -m "Changes for a and b"
[main 0ec6859] Changes for a and b
 3 files changed, 19 insertions(+), 6 deletions(-)
 create mode 100644 a.html
 create mode 100644 b.html

user@DESKTOP-5P6ENC6 MINGW64 ~/study (main)
$ git add c.html
warning: in the working copy of 'c.html', LF will be replaced by CRLF the next time Git touches it

user@DESKTOP-5P6ENC6 MINGW64 ~/study (main)
$ git commit -m "Unrelated change to c"
[main ccc8bec] Unrelated change to c
 1 file changed, 10 insertions(+)
 create mode 100644 c.html

user@DESKTOP-5P6ENC6 MINGW64 ~/study (main)
$ |
```

Активация Windows

Чтобы активировать Windows, перейдите в раздел "Параметры".

```
<!DOCTYPE html>
<html>
<head>
<title>C</title>
</head>
<body>
Hello C
</body>
</html>
```

Активация Windows

Чтобы активировать Windows, перейдите в раздел
"Параметры".

AG Help
AX ExitAO Write Out
AR Read FileAF Where Is
AL ReplaceAK Cut
AU PasteAT Execute
AJ JustifyAC Location
AJ Go To LineM-U Undo
M-E RedoM-A Set Mark
M-6 CopyM-] To Bracket
AB Where WasM-B Previous
M-F Next• Back
• ForwardA• Prev Word
A• Next Word

```
<!DOCTYPE html>
<html>
<head>
<title>B</title>
</head>
<body>
Hello B
</body>
</html>
```

Активация Windows

Чтобы активировать Windows, перейдите в раздел
"Параметры".

AG Help
AX ExitAO Write Out
AR Read FileAF Where Is
AL ReplaceAK Cut
AU PasteAT Execute
AJ JustifyAC Location
AJ Go To LineM-U Undo
M-E RedoM-A Set Mark
M-6 CopyM-] To Bracket
AB Where WasM-B Previous
M-F Next• Back
• ForwardA• Prev Word
A• Next Word