

```
user@DESKTOP-5P6ENC6 MINGW64 ~/Documents/MyProject/second-repo/f_repo (main)
```

```
$ nano world.html
```

```
user@DESKTOP-5P6ENC6 MINGW64 ~/Documents/MyProject/second-repo/f_repo (main)
```

```
$ git add world.html
```

```
warning: in the working copy of 'world.html', LF will be replaced by CRLF the next time Git touches it
```

```
user@DESKTOP-5P6ENC6 MINGW64 ~/Documents/MyProject/second-repo/f_repo (main)
```

```
$ |
```

```
user@DESKTOP-5P6ENC6 MINGW64 ~/Documents/MyProject/second-repo/f_repo (main)
$ git add world.html
warning: in the working copy of 'world.html', LF will be replaced by CRLF the next time Git touches it

user@DESKTOP-5P6ENC6 MINGW64 ~/Documents/MyProject/second-repo/f_repo (main)
$ nano world.html

user@DESKTOP-5P6ENC6 MINGW64 ~/Documents/MyProject/second-repo/f_repo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   world.html

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   world.html

user@DESKTOP-5P6ENC6 MINGW64 ~/Documents/MyProject/second-repo/f_repo (main)
$ git commit -m "Added standsrd HTML page tags"
[main 6adc86c] Added standsrd HTML page tags
1 file changed, 5 insertions(+), 1 deletion(-)

user@DESKTOP-5P6ENC6 MINGW64 ~/Documents/MyProject/second-repo/f_repo (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   world.html

no changes added to commit (use "git add" and/or "git commit -a")

user@DESKTOP-5P6ENC6 MINGW64 ~/Documents/MyProject/second-repo/f_repo (main)
$ git add .
warning: in the working copy of 'world.html', LF will be replaced by CRLF the next time Git touches it

user@DESKTOP-5P6ENC6 MINGW64 ~/Documents/MyProject/second-repo/f_repo (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   world.html

user@DESKTOP-5P6ENC6 MINGW64 ~/Documents/MyProject/second-repo/f_repo (main)
$
```

Активация Windows

Чтобы активировать Windows, перейдите в раздел "Параметры".



```
user@DESKTOP-5P6ENC6 MINGW64 ~/Documents/MyProject/second-repo/f_repo (main)
$ git commit -m "Added HTML header"
[main 72efbfd] Added HTML header
1 file changed, 2 insertions(+)

user@DESKTOP-5P6ENC6 MINGW64 ~/Documents/MyProject/second-repo/f_repo (main)
$
```

```
<html>
<body>
<h1>Hello, world!</h1>
</body>
</html>
```

Активация Windows

Чтобы активировать Windows, перейдите в раздел
"Параметры".

AG Help
AX ExitAO Write Out
AR Read FileAF Where Is
AL ReplaceAK Cut
AU PasteAT Execute
AJ JustifyAC Location
AL Go To LineM-U Undo
M-E RedoM-A Set Mark
M-6 CopyM-] To Bracket
AB Where WasM-B Previous
M-F Next• Back
• ForwardA• Prev Word
A• Next Word