

Bibliography Summary

Ngan Nguyen

January 2022

Summary

In the research paper Evaluation of mobile app paradigms [Hv12], the authors main purpose is to help the audiences understand the four main mobile application paradigms which is mobile native applications, mobile widgets, mobile web applications, and HTML5 mobile applications. "A mobile native application or native app is an application specifically developed to execute on a specific device platform" [Hv12]. Mobile widget is a quicker way to access new, podcast, or weather content. Mobile web application is used to deliver information and services. The World Wide Web Consortium (W3C) has defined HTML5 as a set of capabilities that can do all of the jobs that existing technologies can handle in mobile Web apps. The authors evaluation: for developer, the easiest application to develop is widget; for user, the easiest application to use is native apps; for the service provider, HTML5 have the advantage of distribution. In conclusion, the authors believe that "HTML5 mobile apps keep their first places in the race of mobile paradigms" [Hv12]. The authors also predict that mobile web app will soon become history and replaced by HTML5 mobile app.

The paper "Software engineering issues for mobile application development" [Was10] presents an overview of key software engineering research challenges relating to the development of mobile app development. The authors pointed out some additional requirement that mobile applications need such as potentially interact with other apps, sensing handling, native and hybrid, security, complexity of testing, and power consumption. The paper suggests the best practice for mobile application is agile approach. The authors think that there are a lot of space for researching in mobile development area namely user-experience, non-functional requirements, as well as process, tool, and architecture. "While the large number of mobile applications makes it appear that software development processes for them are well understood, there remain a large number of complex issues where further work is needed." [Was10], the author concluded.

In the paper "What can Android mobile app developers do about the energy consumption of machine learning?", the author introduce some API and library that used to implement machine learning algorithm with mobile app. One example of the framework that can use machine learning algorithm with mobile

app is Neural Networks API. Apple has released CoreML (Inc. 2017) for iOS [MHH19]. The author also introduce apps that employ machine learning like Google Play Crawler and App Brain. One of the main concern of using such an enormous amount of data is the energy that would cost for the mobile device. The author concluded that Naïve Bayes and J48 are the best algorithm implementations tested to use for applications trying to reduce energy use [MHH19]. If we're focus more on accuracy, the author suggested MLP had the highest average accuracy overall, with an average classification accuracy of over 95% and an average kappa of over 0.92. [MHH19]. The researcher concluded that different learning algorithm do different thing, it is up to developers choose how to use it.

In the article "The mobile apps industry: A case study", the author discussed about the evolution, the basic, the impact of the mobile app industry. The different between Android app and iPhone app [REK13]. They also discussed the market place of big tech like Facebook, Amazon, Niche and the consumer reference. Revenue that these app generated. Network provider play an important role in order for these big tech to be successful. The author also brought up security and privacy, the primary user concerned. They also did some research about trends and predict the future. Based on the research, mobile app consumption has beaten web application consumption by 8%.

Many smartphone apps collect potentially sensitive personal data and send it to cloud servers. However, most mobile users have a poor understanding of why their data is being collected. We present MobiPurpose, a novel technique that can take a network request made by an Android app and then classify the data collection purposes, as one step towards making it possible to explain to non-experts the data disclosure contexts. Our purpose inference works by leveraging two observations: 1) developer naming conventions (e.g., URL paths) of ten offer hints as to data collection purposes, and 2) external knowledge, such as app metadata and information about the domain name, are meaningful cues that can be used to infer the behavior of different traffic requests. MobiPurpose parses each traffic request body into key-value pairs, and infers the data type and data collection purpose of each key-value pair using a combination of supervised learning and text pattern bootstrapping. We evaluated MobiPurpose's effectiveness using a dataset cross-labeled by ten human experts. Our results show that MobiPurpose can predict the data collection purpose with an average precision of 84% (among 19 unique categories).[Jin+18]

—It is a new world that we are living in: The "App Generation" has come. The term "app" is a shortening of the term "mobile application." It refers to software applications designed to run on smartphones, tablet computers and other mobile devices. Most mobile apps are free, yet the increasing growth of apps has yielded a number of different revenue models to reap huge profits, such as the instant messaging app WhatsApp Messenger and the gaming app Puzzle & Dragons. Studies of these app business models (ABMs) have not been extensive in the literature. Abundant research has examined apps as a promotional

tool in mobile advertising or mobile marketing, but not as a business model to generate revenue. The app business is an evolving market and research on ABMs is essential to reveal the contemporary situation and critical success factors in implementing and monetizing an ABM. This study aims to investigate whether there exist different ABMs and what factors app users consider important when they use and pay for an app. In-depth interviews and focus groups with apps users and app enterprises were carried out. We found app users have different attitudes about and evaluations of various types of apps. Users look more for utilitarian benefits such as aesthetic appeal and perceived ease of use in apps such as maps, news and fitness; while they focus more on hedonic benefits such as personal emotional attachment and achievement component in gaming and social media apps. The findings of this study will provide insight to practitioners in developing features and benefits to meet app users' increasing expectations and requirements. [Tan16]

In the current age of the Fourth Industrial Revolution (4IR or Industry 4.0), the digital world has a wealth of data, such as Internet of Things (IoT) data, cybersecurity data, mobile data, business data, social media data, health data, etc. To intelligently analyze these data and develop the corresponding smart and automated applications, the knowledge of artificial intelligence (AI), particularly, machine learning (ML) is the key. Various types of machine learning algorithms such as supervised, unsupervised, semi-supervised, and reinforcement learning exist in the area. Besides, the deep learning, which is part of a broader family of machine learning methods, can intelligently analyze the data on a large scale. In this paper, we present a comprehensive view on these machine learning algorithms that can be applied to enhance the intelligence and the capabilities of an application. Thus, this study's key contribution is explaining the principles of different machine learning techniques and their applicability in various real-world application domains, such as cybersecurity systems, smart cities, healthcare, e-commerce, agriculture, and many more. We also highlight the challenges and potential research directions based on our study. Overall, this paper aims to serve as a reference point for both academia and industry professionals as well as for decision-makers in various real-world situations and application areas, particularly from the technical point of view. [Sar21]

This paper presents the uses and effect of mobile application in individuals, business and social area. In modern information and communication age mobile application is one of the most concerned and rapidly developing areas. This paper demonstrates that how individual mobile user facilitate using mobile application and the popularity of the mobile application. Here we are presenting the consequence of mobile application in business sector. Different statistical data of the past and present situation of mobile application from different parts of the world has been presented here to express the impact. This paper also presents some effect of mobile application on society from the ethical perspective. [IIM10]

Software organizations are nowadays facing increased demand for modernizing their legacy software systems using up-to-date technologies. The combination of Model-Driven Development and delivery models like Cloud and Software as a Service have become a very promising approach for software modernization that possesses a lot of advantages, including great deal of automation and reuse of system functionality. However, the use of such new and immature technologies is very challenging and requires a comprehensive methodology for their seamless application within the software modernization projects. When developing such methodology, questions on whether agile methods and techniques should be incorporated and what could be the benefits and implications from that become of particular interest. To help answering these questions, the paper evaluates the potential of agile methods and techniques to address the challenges of Model-Driven Modernization. The challenges are extracted through a systematic review of the existing body of literature on Model-Driven Development and Software Modernization, and the evaluation is conducted through the Delphi technique. As a result, a ranked list of applicable agile techniques is proposed and suggestions for their use in Model-Driven Modernization are made.[SKI13]

Umple is an open-source software modeling tool and compiler. It incorporates textual language constructs for UML modeling, including associations and state machines. It includes traits, aspects, and mixins for separation of concerns. It supports embedding methods written in many object-oriented languages, enabling it to generate complete multilingual systems. It provides comprehensive analysis of models and generates many kinds of diagrams, some of which can be edited to update the Umple code. Umple runs on the command line, in a web browser or in integrated development environments. It is designed to help developers reduce code volume, while they develop in an agile, model-driven manner. Umple is also targeted at educational users where students are motivated by its ability to generate real systems from their software models. [Let+21]

In a world where the industry of mobile applications is continuously expanding and new health care apps and devices are created every day, it is important to take special care of the collection and treatment of users' personal health information. However, the appropriate methods to do this are not usually taken into account by apps designers and insecure applications are released. This paper presents a study of security and privacy in mHealth, focusing on three parts: a study of the existing laws regulating these aspects in the European Union and the United States, a review of the academic literature related to this topic, and a proposal of some recommendations for designers in order to create mobile health applications that satisfy the current security and privacy legislation. This paper will complement other standards and certifications about security and privacy and will suppose a quick guide for apps designers, developers and researchers. [MDL15]

The mobile application (app) industry has grown tremendously over the past ten years, primarily fueled by small app development businesses. Lacking advertising budgets, these small and relatively unknown businesses often offer free versions of their paid apps to be noticed in the crowded app industry

and to reduce customer uncertainty about app quality and fit. The authors build on the existing marketing and information systems literature on sampling and versioning to investigate the implications of offering free versions for the adoption speed of paid apps. Using a unique data set of 7.7 million observations from 12,315 paid apps, and accounting for endogeneity, the authors find that although the practice of offering free versions of paid apps is popular, it is negatively associated with paid app adoption speed. They also find that this negative association between free version presence and paid app adoption speed is stronger both for hedonic apps and in the later life stages of paid apps. The authors hope that the study’s results will encourage app developers to reevaluate their current strategy of offering free versions of paid apps and prompt academics to produce more work focusing on this industry.[ATM17]

Explorations into today’s labour context reveal a wide schism between those workers who live under conditions of precarity and contingency and those who seem to be living the dream – and not only in terms of wages. The standardized work day and Taylorized division of labour that characterized most of the industrial era has transitioned, at least in large part, into a regime of flexibility and insecurity that reconstitutes not only working but lifestyle conditions. This paper is intended as an initial conceptual investigation of a dual trend in the conditions of labour under digital capitalism: the rise of contractual contingency and insecurity and the introduction of fun and hipness into the office environment as a means of work intensification. [And16]

This paper provides a multi-disciplinary overview of the research issues and achievements in the field of Big Data and its visualization techniques and tools. The main aim is to summarize challenges in visualization methods for existing Big Data, as well as to offer novel solutions for issues related to the current state of Big Data Visualization. This paper provides a classification of existing data types, analytical methods, visualization techniques and tools, with a particular emphasis placed on surveying the evolution of visualization methodology over the past years. Based on the results, we reveal disadvantages of existing visualization methods. Despite the technological development of the modern world, human involvement (interaction), judgment and logical thinking are necessary while working with Big Data. Therefore, the role of human perceptual limitations involving large amounts of information is evaluated. Based on the results, a non-traditional approach is proposed: we discuss how the capabilities of Augmented Reality and Virtual Reality could be applied to the field of Big Data Visualization. We discuss the promising utility of Mixed Reality technology integration with applications in Big Data Visualization. Placing the most essential data in the central area of the human visual field in Mixed Reality would allow one to obtain the presented information in a short period of time without significant data losses due to human perceptual issues. Furthermore, we discuss the impacts of new technologies, such as Virtual Reality displays and Augmented Reality helmets on the Big Data visualization as well as to the classification of the main challenges of integrating the technology.

References

- [IIM10] Rashedul Islam, Rofiqul Islam, and Tohidul Mazumder. “Mobile application and its global impact”. In: *International Journal of Engineering & Technology (IJEST)* 10.6 (2010), pp. 72–78.
- [Was10] Anthony I. Wasserman. “Software Engineering Issues for Mobile Application Development”. In: *Proceedings of the FSE/SDP Workshop on Future of Software Engineering Research*. FoSER ’10. Santa Fe, New Mexico, USA: Association for Computing Machinery, 2010, pp. 397–400. ISBN: 9781450304276. DOI: 10.1145/1882362.1882443. URL: <https://doi.org/10.1145/1882362.1882443>.
- [Hv12] Ngu Phuc Huy and Do vanThanh. “Evaluation of Mobile App Paradigms”. In: *Proceedings of the 10th International Conference on Advances in Mobile Computing & Multimedia*. MoMM ’12. Bali, Indonesia: Association for Computing Machinery, 2012, pp. 25–30. ISBN: 9781450313070. DOI: 10.1145/2428955.2428968. URL: <https://doi.org/10.1145/2428955.2428968>.
- [REK13] Thomas L Rakestraw, Rangamohan V Eunni, and Rammohan R Kasuganti. “The mobile apps industry: A case study”. In: *Journal of Business Cases and Applications* 9 (2013), p. 1.
- [SKI13] Stavros Stavru, Iva Krasteva, and Sylvia Ilieva. “Challenges of Model-driven Modernization-An Agile Perspective.” In: *MODELSWARD*. 2013, pp. 219–230.
- [MDL15] Borja Martinez-Pérez, Isabel De La Torre-Díez, and Miguel López-Coronado. “Privacy and security in mobile health apps: a review and recommendations”. In: *Journal of medical systems* 39.1 (2015), pp. 1–8.
- [And16] Benjamin Anderson. “Contingency and Satisfaction under Digital Capitalism”. In: (2016).
- [Tan16] Ailie KY Tang. “Mobile app monetization: app business models in the digital era”. In: *International Journal of Innovation, Management and Technology* 7.5 (2016), p. 224.
- [ATM17] Sandeep Arora, Frenkel Ter Hofstede, and Vijay Mahajan. “The implications of offering free versions for the performance of paid mobile apps”. In: *Journal of Marketing* 81.6 (2017), pp. 62–78.
- [Jin+18] Haojian Jin et al. “Why are they collecting my data? inferring the purposes of network traffic in mobile apps”. In: *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies* 2.4 (2018), pp. 1–27.
- [MHH19] Andrea McIntosh, Safwat Hassan, and Abram Hindle. “What can Android mobile app developers do about the energy consumption of machine learning?” In: *Empirical Software Engineering* 24.2 (2019), pp. 562–601.

- [Let+21] Timothy C Lethbridge et al. “Umple: Model-driven development for open source and education”. In: *Science of Computer Programming* 208 (2021), p. 102665.
- [Sar21] Iqbal H Sarker. “Machine learning: Algorithms, real-world applications and research directions”. In: *SN Computer Science* 2.3 (2021), pp. 1–21.