

NOTES:

1. MATERIAL: ALUMINUM, PLATE, 6061-T651, IN ACCORDANCE WITH ASTM B205.
2. FINISH: CHROMATE CONVERSION COATING IN ACCORDANCE WITH MIL-DTL-5541, CLASS 1A, TYPE II.
3. IDENTIFICATION MARKING SHALL BE LOCATED APPROXIMATELY WHERE SHOWN IN ACCORDANCE WITH MIL-STD-130.
4. UNLESS OTHERWISE SPECIFIED, ALL BASIC DIMENSION SURFACES SHALL COMPLY WITH: ⌓ | .016 | A | B | C |.
5. WHEN THE FLATNESS OF DATUM FEATURE A EXCEEDS THE STATED PROFILE TOLERANCE IN THE FREE STATE, THE FEATURE MAY BE RESTRAINED TO DATUM PLANE A WITHIN THE SPECIFIED PROFILE TOLERANCE VALUE. THE ITEM SHALL BE DEEMED ACCEPTABLE WHEN FEATURES RELATED TO DATUM A MEET TOLERANCE REQUIREMENTS IN THIS RESTRAINED STATE.
6. UNLESS OTHERWISE SPECIFIED, DIMENSIONS AND TOLERANCES ARE EXPRESSED IN INCHES AND SHALL BE INTERPRETED IN ACCORDANCE WITH ASME Y14.5-2009.
7. INFORMATION ENCLOSED IN PARENTHESES IS FOR REFERENCE ONLY.






REFERENCE VIEWS


MECHANICAL
REFERENCE DATASET


SEE PDM FOR DEFINING DATA


DESC ATTRIBUTE: HEATSINK, TOP		
PREP 2014-12-11 T.A.MATUSKA	DWG NO 827-9999-904	REV A
ENG ON FILE J.M.PISARIK		SHEET 1 OF 3


Scale=3.000000
827-9999-904.dft
UNIGRAPHICS NX V8.5
PDM OBJ REV 2
2015.0310.1524 [NX8] File: u:\ug\827-9999-904.prt
tamatusk












BREAK SHARP EDGES .005-.015

MECHANICAL
REFERENCE DATASET

SEE PDM FOR DEFINING DATA

PART NO.	REV
827-9999-904	B
	SHEET 2

Scale 330.500000
827-9999-904.prt
UNIGRAPHICS NX V8.5
PDM OBJ REV 2
20150310.1524 [NX8] File: u:\ug\827-9999-904.prt
tamatusk



MECHANICAL
REFERENCE DATASET

SEE PDM FOR DEFINING DATA

PART NO.	REV
827-9999-904	A
	SHEET 3