

Principle of Being Professional

Build Awesome Website with HTML/CSS/JavaScript/Netlify


Setup

- VS Code
- Settings
 - Enable: Format on save
 - Extension: Prettier
 - Extension: Auto Rename Tag



3 Layers in Web Technology

- **HTML** : markup language
 - Defining structure
- **CSS** : stylesheet language
 - Apply styling to HTML content
- **JavaScript** : scripting language
 - Add dynamics to content




HTML

HTML

- HyperText Markup Language
- Standard markup language for documents designed to be displayed in a web browser.
- Can be assisted by technologies such as Cascading Style Sheets (CSS) and scripting languages such as JavaScript.

HTML element

- Encloses parts of the content to make it appear a certain way.
- Consists of
 - Opening tag
 - Closing tag
 - Content



Attribute

- Contain extra information about the element.

Attribute

```
<p class="editor-note">My cat is very grumpy</p>
```

Empty element

```

```

- Two attributes
- No content
- Does not require `/` at the end.
- However, in React JS, this is required. Therefore you should write

```

```


HTML document

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```

<!DOCTYPE html>

- A required preamble (คำนำ).

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```

<html></html>

- Wraps all the content on the entire page
- *Root element*

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```

<head></head>

- Container for all the stuff to include on the HTML page that isn't the content you are showing to your page's viewers.

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```

<meta charset="utf-8">

- Set the *character set* of the document to *UTF-8*.
 - Includes most characters from the vast majority of written languages.
- No reason not to set this.

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```

<title></title>

- Sets the title of the page
 - Browser tab the page
 - Bookmark/favorite

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```

<body></body>

- Contains all the content shown to web users
 - Text, images, videos, games, playable audio tracks, ...

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```

CSS

CSS

- Cascading Style Sheets (CSS)
- Stylesheet language used to describe the presentation of a document written in HTML.
- Not a programming language nor a markup language.

External stylesheet

index.html

```
<head>
  ...
  <link rel="stylesheet" href="style.css" />
  ...
</head>
```

style.css

```
h1 {
  color: blue;
}
```

Anatomy

- Selector
 - Defines the element(s) to be styled
- Properties
- Property values



The diagram illustrates the components of a CSS rule. It shows the selector 'p' in green, followed by an opening curly brace '{'. The property 'color:' is in orange, and the value 'red;' is in white. A bracket labeled 'Selector' points to the 'p'. Another bracket labeled 'Property' points to 'color:', and a third bracket labeled 'Property value' points to 'red;'. A large bracket at the bottom labeled 'Declaration' spans from the opening brace to the semicolon.

```
Selector  
p {  
  color: red;  
}
```

Property Property value
Declaration

Selectors

- Element selector
 - Also called a tag or type selector
- ID selector
- Class selector
- Attribute selector (*Skip today*)
- Pseudo-class selector (*Skip today*)
- Pseudo-element selector (*Skip today*)

Element selector

- Select all `<h1>` elements

```
h1 {  
  color: blue;  
}
```

ID Selector

- Select the element on the page with the specified ID

```
<p id="my-id">Text</p>
```

```
#my-id {  
  color: blue;  
}
```

Class selector

- Select the element(s) on the page with the specified class.
 - Multiple instances of the same class can appear on a page.

```
<p class="my-class">Text</p>
```

```
.my-class {  
  color: blue;  
}
```

Font

- [Google Font](#)
- Add `@import` statement
- Add `font-family` attribute.

JavaScript

JavaScript

- JavaScript is a scripting or programming language
- Allows implementation of complex features on web pages.
 - Content updates
 - Animation
 - Interactive maps
 - Audio/video contents

Setup

- Add `<script src="script.js" defer></script>` in `header` tag.
- Create `script.js`

Example 1

```
alert("Hello World");
```

Example 2

```
<button id="btn">Click me</button>
```

```
function createParagraph() {  
  let para = document.createElement("p");  
  para.textContent = "You clicked the button!";  
  document.body.appendChild(para);  
}  
  
const button = document.getElementById("btn");  
button.addEventListener("click", createParagraph);
```

Example 3

```
<button id="btn">Click me</button>
```

```
const button = document.getElementById("btn");  
button.addEventListener("mouseover", () => {  
  alert("พี่ชายอย่าทักหนู");  
});
```

Sending Line Notify

```
<input id="input" type="text" /> <button id="btn">Message Me</button>
```

- Get your Line Notify token [here](#)
- [JavaScript code](#)
- Proxy server <https://cors.iecmu.com>
 - Make sure there is no `/` at the end.

Deploy

<https://www.netlify.com/>