

Thứ.....Ngày.....Tháng.....Năm.....

- Bài 2:

```
public class Rectangle {
```

```
    private int length;
```

```
    private width int width;
```

```
    public Rectangle() {
```

```
        this.length = 1;
```

```
        this.width = 1;
```

```
    }
```

```
    public Rectangle(int length, int width) {
```

```
        this.length = length;
```

```
        this.width = width;
```

```
    }
```

```
    public void setLength(int length) {
```

```
    }
```



this.length = length;

}

public ~~void~~ ^{int} getLength ()

{

return

~~return~~ this.length;

}

public ~~void~~ ^{void} setWidth (int width)

{

this.width = width;

}

public ~~void~~ ^{int} getWidth ()

{

return this.width;

}

public ~~void~~ ^{int} getArea ()

{

return length * width;

}



Thứ.....Ngày.....Tháng.....Năm.....

```
public String () to String ()
```

```
{
```

```
    return "length" + this.length + "width"  
    + this.width ;
```

```
}
```

```
}
```

```
Package com. company ;
```

```
public class main
```

```
{
```

```
public static void main (String [] args )
```


Bài 3 :

```
public class Employee
{
    private int id;
    private String firstName;
    private lastString lastName;
    private salaryint salary;
    public Employee ( int id, String firstName,
        String lastName, int salary )
    {
        this.id = id;
        this.firstName = firstName;
        this.lastName = lastName;
        this.salary = salary;
    }
    int
    public id getId ()
    {
        return id return this.id;
    }
}
```




```
Public String get FirstName()
```

```
{
```

```
    return this.FirstName this.FirstName
```

```
}
```

```
Public String get last Name()
```

```
{
```

```
    return this.last Name this.last Name
```

```
}
```

```
Public String get Full Name()
```

```
{
```

```
    return this last Name + First Name;
```

```
}
```

```
Public int Salary()
```

```
{
```

```
    return this.Salary this.Salary
```

```
}
```

```
Public void setSalary (int salary)
```



{

this.Salary = Salary;

}

public int getAnnual(Salary C)

{

return Salary * 12

}

public void upToSalary (int ~~percent~~ Percent)

{

~~this.Salary > Sta Salary + Salary~~this.Salary = ~~Sta~~ Salary + (Salary * ^{Percent} ~~Percent~~) / 100;

}

public String toString()

{

return "id" + this.id + "firstName" + this.firstName

+ "lastName" + this.lastName + "Salary" + this.Salary;

~~this~~

}

}



Bài 4

```
public class Account {  
    private String id;  
    private String name;  
    private int balance;  
    public Account (String id, String name, int  
        int balance)  
    {  
        this.id = id;  
        this.name = name;  
        this.balance = balance;  
    }  
    public String getId ()  
    {  
        return id;  
    }  
    public String getName ()
```



Thứ.....Ngày.....Tháng.....Năm.....

```
{  
    return name ;  
}  
    int  
public String ban get balance ()  
{  
    return balance ;  
}  
public void credit (int amount)  
{  
    if ( amount balance > 0 )  
        balance amount = amount + the balance ;  
}  
public void debit ( int amount )  
{  
    if ( balance amount + the balance )  
        amount balance - = an amount ;  
}
```



TIÊN HỌC LỄ - HẬU HỌC VĂN

Thứ.....Ngày.....Tháng.....Năm.....

public void transferTo (Acc Account
account, int amount)

{

if (amount <= 0)

return ~~false~~ false;

else if (amount > this.balance)

return false;

else

{ this.balance -= amount;

account.balance += amount;

}

}