

Bài tập 1:

```
class Animal {
    void makeSound() {
        System.out.println("tieng kieu");
    }
}
```

```
class Pig extends Animal {
    @Override
    void makeSound() {
        System.out.println("u u");
    }
}
```

```
class cat extends Animal {
    @Override
    void makeSound() {
        System.out.println("meow");
    }
}
```

```
class dog extends Animal {
    @Override
    void makeSound() {
        System.out.println("gâu gâu");
    }
}
```

```
class Bird extends Animal {
    @Override
    void makeSound() {
        System.out.println("chíp chíp");
    }
}
```

```
class main {
    public static void main (String[] args) {
    }
```

```
Animal h1 = new Pig();  
Animal h2 = new Bat();  
Animal h3 = new Dog();  
Animal h4 = new Bird();  
h1.makeSound();  
h2.makeSound();  
h3.makeSound();  
h4.makeSound();
```

{
}

```

Animal h3 = new Dog();
Animal h4 = new Bird();
h1. makeSound();
h2. makeSound();
h3. makeSound();
h4. makeSound();

```

3

Bài 2

```

class XeClapDien {
    void run() {
        System.out.println("chi cần lên ga");
    }
}

```

```

class XeClap extends XeClapDien { @Override
    void run() {
        System.out.println("phải đạp");
    }
}

```

```

class main {
    public static void main (String[] args) {
        XeClapDien xe = new XeClap();
        xe.run();
    }
}

```

Bài 3

```
class Bank {
```

```
    void ty le tyLeLaiSuat () {
```

```
        System.out.println("tỷ lệ lãi suất là ");
```

```
    }
```

```
class Sbi extends Bank {
```

```
    @Override
```

```
    void tyLeLaiSuat () {
```

```
        System.out.println("tỷ lệ lãi suất là 8%");
```

```
    }
```

```
}
```

```
class icici extends Bank {
```

```
    @Override
```

```
    void tyLeLaiSuat () {
```

```
        System.out.println("tỷ lệ lãi suất là 7%");
```

```
    }
```

```
}
```

```
class AXIS extends Bank {
```

```
    @Override
```

```
    void tyLeLaiSuat () {
```

```
        System.out.println("tỷ lệ lãi suất là 5%");
```

```
    }
```

```
}
```

```
}  
class HinhTron extends HinhHoc {  
    private double bankinh;  
    public HinhTron (double bankinh) {
```

```
class Main {  
    public static void main (String [] args) {  
        Bank nganhang1 = new Bank ();  
        Bank nganhang2 = new Bank ();  
        Bank nganhang3 = new Bank ();  
        nganhang1. huyet (1000000);  
        nganhang2. huyet (2000000);  
        nganhang3. huyet (3000000);  
    }  
}
```

```

car car2 = new Honda (Honda);
car car3 = new Honda (Honda);
car1.move();
car2.move();
car3.move();
}

```

Bài tập 4

```

class Person {
    private name String name;
    private birthday date date birthday;
    public setName String setName;
    public void date Set Birthday (date Birthday)
    {
        return this.birthday = birthday;
    }
}

```

Một trang ở một tương lai

in (Chân tích);

```
public String getDetails() {  
    return Details; }  
}
```

```
class Employee extends Person {  
    private double salary;  
    public void setSalary (double salary) {  
        this.salary = salary; }  
}
```

@ override

```
public String getDetails() {  
    return Details; }  
}
```

```
class Manager extends Employee {  
private String assistant;  
    private Employee assistant;  
    public void setAssistant (Employee assistant)  
    { this.assistant = assistant; }  
}
```

@ override

```
public String getDetails() {  
    return Details; }  
}
```

Class main {

```
    public void static void main (String[] args) {
```

```
        person A = new Employee();
```

```
        Employee B = new Manager();
```

```
        A. setSalary (5, 2);
```

```
        A. getDetails();
```

```
        B. setAssistant (N);
```

```
        B. getAssistant getDetails();  
    }
```