Create new collection					
	Flowchart	Endpoint	Methods	Rule	
Client-side	start End  make POST request {disease_term, title}  Return appropriate response	create_collection	POST	/collection/create	
Server-side	Validate fields: {disease_term, title}  no Is valid?  Ves  Post data to database {collection_id, disease _term, title, date}	collectionscrud	POST	/api/v1/collection	
Database	MongoDB Database			CollectionsDB	

Display list of all collection				
	Flowchart	Endpoint	Methods	Rule
Client-side	make GET request to endpoint: collectionscrud  Return appropriate response	homepage OR show_all_collections	GET	/ OR /collection
Server-side	Fetch data from database [{collection_id, diseaseterm, title, date}]	collectionscrud	GET	/api/v1/collection
Database	MongoDB Database			CollectionsDB

Add new sample to an existing collection					
	Flowchart	Endpoint	Methods	Rule	
Client-side	start End  make POST request {collection_id, donor_count, material_type}  Return appropriate response	add_sample1 OR add_sample2	POST	/sample/add/ <collection_id> OR /sample/add</collection_id>	
Server-side	Validate fields: {collection_id, donor_count,	samplescrud	POST	/api/v1/sample/ <collection_id></collection_id>	
Database	MongoDB Database			SamplesDB	

Display list of all sample				
	Flowchart	Endpoint	Methods	Rule
Client-side	start End  make GET request to endpoint: allsamples  Return appropriate response	show_all_samples	GET	/sample
Server-side	Fetch data from database [{collection_id, donor_count, material_type, date}]	allsamples	GET	/api/v1/sample/all
Database	MongoDB Database			SamplesDB

Display samples of an existing collection					
	Flowchart	Endpoint	Methods	Rule	
Client-side	start End  make GET request to endpoint: samplescrud  Return appropriate response	view_samples	GET	/sample/ <collection_id></collection_id>	
Server-side	Fetch data from database [{collection_id, donor_count, material_type, date}]	samplescrud	GET	/api/v1/sample/ <collection_id></collection_id>	
Database	MongoDB Database			SamplesDB	

Validate collection_id					
	Flowchart	Endpoint	Methods	Rule	
Client-side	start End  Make GET request to  End  Peture appropriate	add_sample1	GET	/sample/add/ <collection_id></collection_id>	
Clie	endpoint: validatecollectionid  Return appropriate response	view_samples		/sample/ <collection_id></collection_id>	
Server-side	Fetch data from database {collection_id, disease_term, title}	validatecollectionid	GET /	api/v1/collection/ <collection_id></collection_id>	
Database	MongoDB Database			CollectionsDB	