## DxramFs - File System

1x

6000

offset: 100 (position in file) length: 42 (<= blocksize)

79001

Blockinfo

corrupt: false

host, addr, port

\_data[blocksize]: bytes

**Block** 

if type is FOLDER: size are entries **FsNode FsNode FsNode** only root has backld ti ID / as name 4711 4712 4713 ID: ID: name: name: name: 203 size: size: size: **FOLDER EXT EXT** type: type: type: backId: 4711 backId: 4711 backId: 4712 forwardId: 4712 forwardId: 4713 forwardld: 4713 refSize: 100 refSize: 100 refSize: 601,321,... reflds[]: reflds[,] reflds[] 100x Зх 100x if type is FILE: Echado Echado EcNo size are bytes Felloda **FsNode** FsNode FsNode 7809 name: "system.log" name: "ext" size: 419430442 **FILE** size: type: **FOLDER** type: backld: 4711 backId: 4711 forwardId: 11899 forwardId: 601 refSize: 100 refSize: 5 reflds[.]: 500,501,... reflds[i] blocksize: 4194304 **FsNode** 100x ID: 11899 name: size: 42 EXT type: **Blockinfo** backId: 7809 500 ID: forwardId: 11899 offset: 0 refSize: 1 4194304 length: reflds[,]

corrupt:

Block

data[blocksize]: bytes

false

BlockLocation (no replication):

storageld: 282211

host, addr, port

282211

(in more detail)