

```
<route lang="json5">
```

```
{
```

```
  style: {
```

```
    navigationBarTitleText: '设备管理',
```

```
    navigationStyle: 'custom',
```

```
  },
```

```
}
```

```
</route>
```

```
<template>
```

```
  <view class="page-container">
```

```
    <!-- <view class="font-size-3.5 flex ml-3" @click="toSetting()"
style="padding-top: 6.5vh">
```

```
      <view><i class="iconfont icon-shezhi icon-size-20"></i></view>
```

```
      <view class="ml-1">设置</view>
```

```
</view> -->
```

```
<wd-navbar
```

```
  safeAreaInsetTop
```

```
  fixed
```

```
  placeholder
```

```
  custom-style="background-color: transparent"
```

```
  :bordered="false"
```

```
>
```

```

<template #left>

  <view @click="toHome()" v-if="!settingShow">

    <i class="iconfont icon-a-ze-arrow-leftCopy2 icon-size-22"></i>

  </view>

</template>

</wd-navbar>

<view class="page-content">

  <view class="flex flex-col items-center justify-center mb-6">

    <wd-img :width="279" :height="253" :src="homeImg" />

    <!-- <view class="page-content-
title">{{ bluetoothStore.connectedDevice.productInfo.machineName }}</view> -
->

    <view class="page-content-title">

      {{

        bluetoothStore.connectedDevice

          ? bluetoothStore.connectedDevice.productInfo.deviceName

          : '全自动咖啡机'

      }}

    </view>

    <view

      class="state-box flex items-center justify-center"

      :style="{ color: runStateObj.color }"

      @click="toState()"

    >

    <view calss="state-img">

```

```

        <i class="iconfont icon-size" :class="runStateObj.icon"></i>

    </view>

    <view class="state-tips">

        <text>{{ runStateObj.text }}</text>

        <text v-if="runStateObj.isJump" class="jump-text">查看详情
    </text>

    </view>

</view>

<view class="swiper-card">

    <view

        class="flex justify-between items-center font-size-4"

        @click="toFormula('/pages-coffeeb/myFormula/myFormula')"

    >

        <view>配方管理</view>

        <i class="iconfont icon-a-ze-arrow-leftCopy2-copy-copy ml-1"></i>

    </view>

    <view

        class="swiper-card-content"

        :style="{ marginBottom: dataList.length > 0 ? '0' : '30rpx' }"

    >

        <swiper

            v-if="dataList.length > 0"

            class="swiper"

```

```

:next-margin="dataList.length > 1 ? '80rpx' : ""

circular

:indicator-dots="false"

:autoplay="false"

>

<swiper-item v-for="(item, index) in dataList" :key="index">

  <view class="swiper-item flex" @click.stop="itemClick(item,
index)">

    <view class="flex justify-center items-center">

      <view class="img-box">

        <wd-
img :width="78" :height="78" :src="item.configJson.bgUrl" />

        <view class="img-num" :style="{ color:
item.configJson.textColor }">

          {{
            item.configJson.accordionItems ?
item.configJson.accordionItems.length : "

          }}

        </view>

      </view>

    </view>

    <view class="flex flex-col justify-center pl-3 pr-3 font-size-3
content-box">

      <view class="name ellipsis">{{ item.name }}</view>

      <view class="digital-numbers">

```

粉水比：

```
{{
```

```
    item.configJson.proportion
```

```
    ? `1:${item.configJson.proportion.toFixed(1) / 2}`
```

```
    : '-'
```

```
}}
```

```
{{
```

```
    item.configJson.proportion
```

```
    ? (item.configJson.proportion / 2) *
```

```
    item.configJson.legumes + 'ml'
```

```
    : '-'
```

```
}}
```

```
</view>
```

```
<view class="digital-numbers">
```

```
    咖啡粉：{{ item.configJson.legumes ?
```

```
    `${item.configJson.legumes}g` : '-' }}
```

```
</view>
```

```
</view>
```

```
</view>
```

```
</swiper-item>
```

```
</swiper>
```

```
<view v-else class="title-color h-20 flex items-center font-size-3  
justify-center">
```

```
<bc-status-tip icon="/static/images/common/no-
```

data.png" :width="65" :height="53">

<template #message>

<p class="desc-color -mt-3 flex items-center justify-center
icon-size-14">

<view>暂无配方,</view>

<view

@click="addFormula"

class="primary-color flex items-center justify-center ml-
1"

>

<i class="iconfont icon-a-lujing180"></i>

<view class="ml-1">点击创建</view>

</view>

</p>

</template>

</bc-status-tip>

</view>

</view>

</view>

<view class="hot-formula" @click="toFormula('/pages-
coffeeb/cloudFormula/cloudFormula')">

<view class="desc">更多推荐</view>

</view>

<wd-row :gutter="16">

<wd-col :span="8">

```
<view class="operate" @click="toGrind()">

  <view>

    <wd-
img :width="49" :height="49" :src="` ${aliyunBaseUrl}quickBoiling.png` " />

    </view>

    <view class="operate-name">快速冲煮</view>

  </view>
</wd-col>

<wd-col :span="8">

  <view class="operate" @click="smashClick()">

    <view>

      <wd-
img :width="49" :height="49" :src="` ${aliyunBaseUrl}grinding.png` " />

      </view>

      <view class="operate-name">研磨</view>

    </view>
  </wd-col>

  <wd-col :span="8">

    <view class="operate" @click="toWaterInjection()">

      <view>

        <wd-
img :width="49" :height="49" :src="` ${aliyunBaseUrl}waterInjection.png` " />

        </view>

        <view class="operate-name">注水</view>

      </view>
    </wd-col>
  </view>
```

```

        </wd-col>

    </wd-row>

    <view @click="toSetting()" class="setting-card" v-if="getDeviceBrand()
=== 'redmi'">

        <view class="setting">

            <view class="flex">

                <i class="iconfont icon-shezhi icon-size-20"></i>

                <text class="ml-1">设置</text>

            </view>

            <view class="flex items-center justify-center">

                <view v-if="hasAlarm" class="badge">1</view>

                <i class="iconfont icon-a-ze-arrow-leftCopy2-copy-copy ml-
1"></i>

            </view>

        </view>

    </view>

</view>

<view

    v-else

    @click="toSetting()"

    class="setting-card1 flex justify-between items-center font-size-3.5"

>

    <view class="flex">

        <i class="iconfont icon-shezhi icon-size-20"></i>

        <text class="ml-1">设置</text>

    </view>

```



```

    <view class="flex items-center justify-center">

        <view v-if="hasAlarm" class="badge">1</view>

        <i class="iconfont icon-a-ze-arrow-leftCopy2-copy-copy ml-1"></i>

    </view>

</view>

</view>

<!-- 设置 -->

<SettingPopup

    :settingShow="settingShow"

    @closeShow="settingShow = false"

    :hasAlarm="hasAlarm"

/>

<!-- 设备颜色选择-->

<bc-confirm

    :show="isColorTips"

    :objData="objColorData"

    :isCancel="false"

    @close="isColorTips = false"

    @success="colorConfirm"

>

    <template #header>

        <view>请选择设备的颜色</view>

    </template>

    <template #main>

```

```
<wd-radio-group shape="dot" checked-color="#004097" inline v-  
model="colorValue">
```

```
<wd-radio :value="1">黑色</wd-radio>
```

```
<wd-radio :value="2">白色</wd-radio>
```

```
</wd-radio-group>
```

```
</template>
```

```
</bc-confirm>
```

```
<!--固件升级-->
```

```
<!-- <new-version
```

```
  v-if="cloudVersion"
```

```
  ref="newVersionPage"
```

```
  :is-tips="versionPopup"
```

```
  @close="versionPopup = false"
```

```
  @openUpdate="versionPopup = true"
```

```
</view>
```

```
</template>
```

```
<script lang="ts" setup>
```

```
import { ref, onMounted, onBeforeUnmount } from 'vue'
```

```
import {
```

```
  useBluetoothStore,
```

```
  useMachineBStatusStore,
```

```
  useDevicVersionStore,
```

```
    useUserStore,

    } from '@store' // 设备状态

import { useMessage, useToast } from 'wot-design-uni'

import { t } from '@/locale/index'

import SettingPopup from './setting-popup.vue'

import newVersion from './info/new-version.vue'

import { httpGet, httpPut } from '@/utils/http'

import { getDomain, convertIntStrToNumber } from '@/utils'

import { CoffeeMachineProtocol } from '@/utils/coffeeBlueTool'

import { useRunStatusWatcher } from '@/hooks/useRunStatusWatcher'

const coffeeMachineProtocol = CoffeeMachineProtocol.getInstance()

const bluetoothStore = useBluetoothStore()

const machineStatusStore = useMachineBStatusStore()

const deviceVersionStore = useDeviceVersionStore()

const toast = useToast()

const message = useMessage()

const versionPopup = ref(false)

// xr-frame 暂时关闭 3D 模型

const xrFrameStatus = ref(false)

const width = ref(300)

const height = ref(300)

const renderWidth = ref(300)

const renderHeight = ref(300)

const loaded = ref(false) // 加载状态
```

```
// 定义响应式数据状态
```

```
const machineStatus = ref(machineStatusStore.modeString) // 机器状态
```

```
const hasAlarm = ref(machineStatusStore.hasAlarm)
```

```
const runStatus = ref<number>(machineStatusStore.runStatus)
```

```
const injectionStop = ref(machineStatusStore.injectionData.startStop)
```

```
const grindStop = ref(machineStatusStore.grindData.startStop)
```

```
const brewStop = ref(machineStatusStore.brewData.startStop)
```

```
const cdnBaseUrl = import.meta.env.VITE_CDN_BASE_URL
```

```
const aliyunBaseUrl = import.meta.env.VITE_COFFEE_BASE_URL
```

```
console.log(import.meta.env.VITE_COFFEE_BASE_URL, '环境变量')
```

```
const formulaBgList = [
```

```
  {
```

```
    url:
```

```
    `${cdnBaseUrl}/a4fe367f3bf4c0ab36b4b932689d57bb3456610c1daa287e66aa  
44268a528373.png`,
```

```
    color: '#F5ABBD',
```

```
  },
```

```
  {
```

```
    url:
```

```
    `${cdnBaseUrl}/753a976ec38d2c7c62784cfb711880923b4b2bd9a926c8a92f7e  
f539e946db3b.png`,
```

```
    color: '#A1B9D9',
```

```
  },
```

```
  {
```

```
        url:
`${cdnBaseUrl}/7af32880c9244e35fa97b89de490fbd2beb6c6221ae1f58e07c2e
d79ed1a71b1.png`,

        color: '#99CEB3',

    },

    {

        url:
`${cdnBaseUrl}/ce2564f7e0e213f415624a2a8001d4d3a8b9a85743e23b7db308
b73a37a8e16f.png`,

        color: '#D9C1A1',

    },

]
```

// 服务器版本号

```
const cloudVersion = ref(
```

```
    bluetoothStore.connectedDevice.productInfo.productInformation.productVersion.trim(),

)
```

```
const version = ref(deviceVersionStore.version)
```

// 自动跳转

```
const autoJump = ref(deviceVersionStore.autoJump)
```

// 定义 runType 对应的页面路径映射

```
const RUN_TYPE_TO_PAGE = {
```

```
    1: 'pages-coffeeb/smash/smash',
```

```
    2: 'pages-coffeeb/waterInjection/waterInjection',
```

```

        3: 'pages-coffeeb/pulverizing/pulverizing',
    }

    const { toPage } = useRunStatusWatcher(
        () => machineStatusStore.runStatus,
        autoJump,
        RUN_TYPE_TO_PAGE,
    )

    // 是否检查版本更新状态

    const checkVersion = ref(deviceVersionStore.checkVersion)

    const homeImg = computed(() => {
        // productImage 中有二种图片类型，1：黑色，2：白色，每种类型有两张图片
        // 一张设备图片，一张设备主页展示图片

        // const domain = getDomain()

        const domain = " // 改为绝对路径了

        if (!bluetoothStore.connectedDevice) {
            return ""
        }

        const { productInformation, configJson } =
            bluetoothStore.connectedDevice.productInfo

        if (!productInformation?.productImage) {
            return ""
        }

        let imgs = []

        try {
            imgs = productInformation.productImage.split(',')

```

```
    if (imgs.length === 0) {

        return ""

    }

} catch (error) {

    console.log(error, productInformation.productImage)

    return ""

}

// 默认返回第一张图

let result = domain + imgs[1]

if (configJson && typeof configJson === 'string') {

    try{

        const config = JSON.parse(configJson)

        if (config.colorType === 1) {

            result = domain + imgs[1]

        } else if (config.colorType === 2 && imgs.length > 2) {

            result = domain + imgs[3]

        }

    } catch (error) {

        console.log(error, configJson)

    }

}

return result

})

// 根据 runStatus 的值计算 runStateObj
```

```
// const runStateObj = computed(() => {  
  
  //  // 节能模式下机器不能运行  
  
  //  if (machineStatus.value === '节能模式'){  
  
    //    return {  
  
      //      text: '节能模式',  
  
      //      color: '#25AE69',  
  
      //      icon: 'icon-jienengmoshi',  
  
      //      isJump: false,  
  
    //    }  
  
    //  } else if (machineStatus.value === '维修模式'){  
  
      //    return {  
  
        //      text: '机器维护',  
  
        //      color: '#E51F4D',  
  
        //      icon: 'icon-a-qietu206',  
  
        //      isJump: false,  
  
      //    }  
  
      //  } else if (injectionStop.value === 2) {  
  
        //    return {  
  
          //      text: '注水暂停',  
  
          //      color: '#E51F4D',  
  
          //      icon: 'icon-zhushuizhong',  
  
          //      isJump: true,  
  
        //    }  
  
        //  } else if (grindStop.value === 2) {
```



```
//      return {  
  
//          text: '研磨暂停',  
  
//          color: '#E51F4D',  
  
//          icon: 'icon-a-qietu204',  
  
//          isJump: true,  
  
//      }  
  
//  } else if (brewStop.value === 2) {  
  
//      return {  
  
//          text: '冲煮暂停',  
  
//          color: '#E51F4D',  
  
//          icon: 'icon-a-qietu206-2',  
  
//          isJump: true,  
  
//      }  
  
//  } else {  
  
//      switch (runStatus.value) {  
  
//          case 1:  
  
//              return {  
  
//                  text: '研磨中',  
  
//                  color: '#004097',  
  
//                  icon: 'icon-a-qietu204',  
  
//                  isJump: true,  
  
//              }  
  
//          case 2:  
  
//              return {
```

```
//      text: '注水中',

//      color: '#004097',

//      icon: 'icon-zhushuizhong',

//      isJump: true,

//    }

//    case 3:

//      return {

//        text: '冲煮中',

//        color: '#004097',

//        icon: 'icon-a-qietu206-2',

//        isJump: true,

//      }

//    default:

//      return {

//        text: '空闲中',

//        color: '#666666',

//        icon: 'icon-kongxianzhong',

//        isJump: false,

//      } // 默认状态，当没有匹配的 case 时返回

//    }

//  }

// })

const colorValue = ref(1)

const objColorData = ref({
```

```

        icon: ",
        content: ",
        tips: ",
    })

const isColorTips = ref<boolean>(false)

const colorConfirm = () => {
    if (colorValue.value) {
        const device = bluetoothStore.connectedDevice

        if (device.productInfo.configJson) {
            const config = JSON.parse(device.productInfo.configJson)

            config.colorType = colorValue.value

            device.productInfo.configJson = JSON.stringify(config)
        } else {
            device.productInfo.configJson = JSON.stringify({
                colorType: colorValue.value,
            })
        }
    }

    const { run } = useRequest<IresponseData>(() =>
        httpPut('/deviceManage/deviceManage', { ...device.productInfo }),
    )

    run().then((res) => {
        if (res.code === 200) {
            bluetoothStore.setConnectedDevice(device)

            toast.success('设置成功')
        }
    })
}

```

```
        isColorTips.value = false

    } else {

        totast.error(res.msg)

        // 此处 totast 好像会关闭 confirm，所以需要重新打开，原因待确定

        isColorTips.value = true

    }

})

} else {

    totast.error('请选择设备颜色')

    isColorTips.value = true

}

}

// 初始化设备颜色

const showInitColor = computed(() => {

    const { configJson } = bluetoothStore.connectedDevice.productInfo

    if (!configJson) {

        return true

    }

    try {

        const config = JSON.parse(configJson)

        return !Object.prototype.hasOwnProperty.call(config, 'colorType')

    } catch (error) {

        return false

    }

})
```

```
  })

  const runStateObj = computed(() => {

    // 状态配置映射表

    const statusConfig = {

      energySavingMode: {

        text: '节能模式',

        color: '#25AE69',

        icon: 'icon-jienengmoshi',

        isJump: false,

      },

      maintenanceMode: { text: '机器维护', color: '#E51F4D', icon: 'icon-a-qietu206', isJump: false },

      injectionStop: { text: '注水暂停', color: '#E51F4D', icon: 'icon-zhushuizhong', isJump: true },

      grindStop: { text: '研磨暂停', color: '#E51F4D', icon: 'icon-a-qietu204', isJump: true },

      brewStop: { text: '冲煮暂停', color: '#E51F4D', icon: 'icon-a-qietu206-2', isJump: true },

      runStatus: {

        1: { text: '研磨中', color: '#004097', icon: 'icon-a-qietu204', isJump: true },

        2: { text: '注水中', color: '#004097', icon: 'icon-zhushuizhong', isJump: true },

        3: { text: '冲煮中', color: '#004097', icon: 'icon-a-qietu206-2', isJump: true },

      },

      default: { text: '空闲中', color: '#666666', icon: 'icon-kongxianzhong', isJump:
```

```

false },

    }

    // 按优先级顺序检查状态

    if (machineStatus.value === '节能模式') return
    statusConfig.energySavingMode

    if (machineStatus.value === '维修模式') return
    statusConfig.maintenanceMode

    if (injectionStop.value === 2) return statusConfig.injectionStop

    if (grindStop.value === 2) return statusConfig.grindStop

    if (brewStop.value === 2) return statusConfig.brewStop

    return statusConfig.runStatus[runStatus.value] || statusConfig.default
  })

```

```

// 组件挂载时的逻辑

const newVersionPage = ref()

const upgradePopupfunction = async () => {

  await coffeeMachineProtocol.queryVersion()

  const version = await new Promise((resolve) => {

    setTimeout(async () => {

      const version = deviceVersionStore.$state.version.split('-')[2] // 直接获取版本号

      resolve(version) // 返回版本号

    }, 1000) // 延时 1 秒

  })

```

```
const trimmedVersion = (version as string).slice(1, -1)

// 检查版本更新

nextTick(() => {

    if (checkVersion.value && trimmedVersion !== cloudVersion.value) {

        versionPopup.value = true

        if (newVersionPage.value) {

            newVersionPage.value.openPopupFunction()

        }

    }

})

}

onMounted(async () => {

    coffeeMachineProtocol.listenForResponses()

    xrShow()

    // 初始化设备颜色

    isColorTips.value = showInitColor.value

    getMyFormula(1, 5)

    upgradePopupfunction()

})

// 组件卸载时注销监听器

onBeforeUnmount(() => {

    coffeeMachineProtocol.stopListeningForResponses()

    // bluetoothStore.offDataReceived()

})
```

```
onShow(() => {  
    // 获取我的配方前 5 条  
    getMyFormula(1, 5)  
})  
  
const xrShow = () => {  
    // 获取设备窗口信息  
  
    width.value = uni.getWindowInfo().windowWidth  
  
    console.log('width', width.value)  
  
    height.value = uni.getWindowInfo().windowHeight  
  
    const dpi = uni.getWindowInfo().pixelRatio  
  
    console.log('dpi', dpi)  
  
    // 计算渲染尺寸  
  
    renderWidth.value = width.value * dpi  
  
    renderHeight.value = 300 * dpi  
  
    // 判断是否开启模型显示  
  
    if (width.value <= 375) {  
        xrFrameStatus.value = false  
    }  
}  
  
// 监听 machineStatusStore 中 runStatus 的变化  
  
watch(  
    () => machineStatusStore.runStatus,
```



```

(newRunStatus) => {

    console.log('watch machineStatusStore.runStatus ----状态变化' +
newRunStatus)

    runStatus.value = newRunStatus

    },

    { immediate: true },

)

// 监听 machineStatusStore 中 mode 的变化

watch(

    () => machineStatusStore.modeString,

    (newMode) => {

        console.log('watch machineStatusStore.modeString ----状态变化' +
newMode)

        machineStatus.value = newMode

        // 判断状态 进入相关页面 萃取中 反冲洗 除垢 手动萃取

    },

    { immediate: true },

)

// 监听 machineStatusStore 中 hasAlarm 的变化

watch(

    () => machineStatusStore.hasAlarm,

    (newAlarmStatus) => {

        console.log('watch machineStatusStore.hasAlarm ---是否有警报：',
newAlarmStatus)

```

```

        hasAlarm.value = newAlarmStatus

    },

    { immediate: true },

)

// 监听蓝牙状态变化

watch(

    () => bluetoothStore.connectionStatus,

    (newStatus) => {

        if (newStatus === 'disconnected') {

            console.log('蓝牙断开连接 返回首页')

            uni.switchTab({

                url: '/pages/index/index',

            })

        }

    },

    { immediate: true },

) // immediate: true 确保在挂载时立即检查状态

watch(

    () => machineStatusStore.injectionData,

    (newVal) => {

        console.log('注入数据变化', newVal)

        injectionStop.value = newVal.startStop

    },

    { deep: true, immediate: true },

```

```
)  
  
watch(  
  () => machineStatusStore.grindData,  
  (newVal) => {  
    grindStop.value = newVal.startStop  
  },  
  { deep: true, immediate: true },  
)
```

```
watch(  
  () => machineStatusStore.brewData,  
  (newVal) => {  
    brewStop.value = newVal.startStop  
  },  
  { deep: true, immediate: true },  
)
```

```
watch(  
  () => deviceVersionStore.autoJump,  
  (newVal) => {  
    autoJump.value = newVal  
  },  
  { immediate: true },  
)
```

```
// 设置
```

```
const settingShow = ref(false)
```

```
const toSetting = () => {  
    settingShow.value = true  
}  
  
const toFormula = (url) => {  
    uni.navigateTo({  
        url,  
    })  
}  
  
const toGrind = () => {  
    uni.navigateTo({  
        url: '/pages-coffeeb/grind/grind',  
    })  
}  
  
const smashClick = () => {  
    uni.navigateTo({  
        url: '/pages-coffeeb/smash/smash',  
    })  
}  
  
const toWaterInjection = () => {  
    uni.navigateTo({  
        url: '/pages-coffeeb/waterInjection/waterInjection',  
    })  
}  
  
const userStore = useUserStore()
```

```
const userInfo = userStore.userInfo

const dataList = ref([])

const recipeIDCollection = ref([]) // 配方 id 集合

const getMyFormula = (pageNo, pageSize) => {

  const params = {

    pageNum: pageNo,

    pageSize,

    userId: userInfo.id,

    deviceId: bluetoothStore.connectedDevice.productInfo.id,

  }

  const { run } = useRequest<IResponseData>(() => httpGet('/repice/repice/list',
params))

  run().then((res) => {

    res.rows.forEach((el) => {

      el.configJson = JSON.parse(el.configJson)

      const index = Math.floor(Math.random() * formulaBgList.length)

      el.configJson.bgUrl = formulaBgList[index].url

      el.configJson.textColor = formulaBgList[index].color

    })

    dataList.value = convertIntStrToNumber(res.rows)

    recipeIDCollection.value = res.rows.map((el) => el.id)

    clearRecipeIDCollection(recipeIDCollection.value)

  })

}
```

// 清空存储的 id

```
const clearRecipeIDCollection = async (arr) => {  
  const bluetoothStore = useBluetoothStore()  
  const device = bluetoothStore.connectedDevice  
  if (device.productInfo.configJson) {  
    const config = JSON.parse(device.productInfo.configJson)  
    if (config.formulaId && (arr.length === 0 || !arr.includes(config.formulaId))) {  
      await machineStatusStore.delQuickCookingRecipe()  
    }  
  }  
}
```

```
const toState = () => {  
  // uni.navigateTo({  
  //   url: '/pages-coffeeb/brew/brew',  
  // })  
  toPage(runStatus.value)  
}
```

```
const itemClick = (item, index) => {  
  // 构建参数对象  
  const params = {  
    ...item.configJson,  
    avatar: item.avatar,
```

```
    createTime: item.createTime,  
  
    deviceId: item.deviceId,  
  
    id: item.id,  
  
    isEdit: true,  
  
    name: item.name,  
  
    userId: item.userId,  
  
    sort: item.sort,  
  
    sharedToDevice: item.sharedToDevice,  
  
  }  
}
```

// 将参数对象转换为 URL 参数字符串

```
const queryParams = encodeURIComponent(JSON.stringify(params))
```

// 使用 uni.navigateTo 发起页面跳转

```
uni.navigateTo({  
  url: `/pages-coffeeb/formulaDetail/formulaDetail?data=${queryParams}`,  
})  
}  
  
const addFormula = () => {  
  uni.navigateTo({  
    url: '/pages-coffeeb/formula/formula',  
  })  
}  
  
const toHome = () => {
```

```
uni.switchTab({  
  url: '/pages/index/index',  
})  
}
```

```
const getDeviceBrand = () => {  
  try {  
    const systemInfo = wx.getSystemInfoSync()  
    const deviceModel = systemInfo.brand.toLowerCase()  
    const list = ['redmi', '红米', 'poco', 'black shark', 'xiaomi', 'mi', '小米',  
      '24090ra29c']  
    // 匹配主流厂商关键词  
    if (list.includes(deviceModel)) {  
      return 'redmi' // 红米/小米统一标识  
    } else {  
      return 'others' // 其他厂商  
    }  
  } catch (error) {  
    return 'others'  
  }  
}
```

</script>

<style lang="scss" scoped>


```
.page-container {  
  
  height: 100vh;  
  
  .page-content {  
  
    padding: 0px 48px 48px 48px;  
  
    .page-content-title {  
  
      font-size: 48px;  
  
      font-weight: 500;  
  
      line-height: 72px;  
  
      color: #222222;  
  
      font-family: 'DigitalNumbers';  
    }  
  
    .page-content-tips {  
  
      font-size: 24px;  
  
      line-height: 42px;  
  
      color: #666666;  
  
      text-align: center;  
    }  
  
    .state-box {  
  
      height: 36px;  
  
      margin-top: 20px;  
  
      font-size: 24px;  
  
      .icon-size {  
  
        font-size: 24px !important;  
      }  
    }  
  }  
}
```

```
.state-tips {  
    margin-left: 12rpx;  
    line-height: 36rpx;  
    .jump-text {  
        margin-left: 12rpx;  
        text-decoration: underline;  
    }  
}  
  
}  
  
.operate {  
    display: flex;  
    flex-direction: column;  
    align-items: center;  
    justify-content: center;  
    // width: 200rpx;  
    height: 216rpx;  
    margin: 0 auto;  
    background: #ffffff;  
    border-radius: 20rpx;  
    .operate-name {  
        height: 48rpx;  
        margin-top: 12rpx;  
        font-size: 28rpx;  
        // font-weight: 600;
```

```
        line-height: 48rpx;

        color: #222222;

        text-align: center;
    }

    .operate-tips {

        height: 36rpx;

        font-size: 24rpx;

        line-height: 36rpx;

        color: #666666;
    }
}

.swiper-card {

    max-height: 302rpx;

    padding: 30rpx;

    margin-top: 32rpx;

    background: #ffffff;

    border-radius: 20rpx 20rpx 0 0;

    .swiper-card-content {

        margin-top: 30rpx;

        .swiper {

            height: 166rpx;
        }

        .swiper-item {
```

```
height: 166rpx;

.img-box {

    position: relative;

    max-height: 78px;

    .img-num {

        position: absolute;

        right: 8rpx;

        bottom: -24rpx;

        font-family: Roboto;

        font-size: 60px;

        font-weight: 600;

        color: #f5abbd;

        letter-spacing: -0.04em;

    }

    .blue {

        color: #a1b9d9;

    }

}

.content-box {

    min-width: 320rpx;

    line-height: 42rpx;

    color: #999999;

    .digital-numbers {

        font-family: 'DigitalNumbers';
```

```
    }  
    .name {  
        height: 42rpx;  
        margin-bottom: 10rpx;  
        font-family: PingFang SC;  
        font-size: 28rpx;  
        line-height: 42rpx;  
        color: #222222;  
    }  
}  
}  
}  
}  
}
```

```
.hot-formula {  
    display: flex;  
    align-items: center;  
    justify-content: center;  
    height: 82rpx;  
    margin-bottom: 24rpx;  
    background: #e5ebf4;  
    border-radius: 0 0 20rpx 20rpx;  
    .desc {  
        font-size: 24rpx;  
        color: #004097;
```

```
    }  
  }  
  
  .setting-card {  
    width: 100%;  
    margin-top: 24rpx;  
    position: fixed;  
    bottom: 24px;  
    left: 0;  
    padding: 0 24px;  
    box-sizing: border-box;  
    .setting {  
      background: #ffffff;  
      border-radius: 20rpx;  
      display: flex;  
      align-items: center;  
      justify-content: space-between;  
      flex-direction: row;  
      height: 51px;  
      padding: 0 15px;  
      box-sizing: border-box;  
    }  
  }  
  
  .setting-card1 {  
    padding: 30rpx;
```

```
        margin-top: 24rpx;

        background: #ffffff;

        border-radius: 20rpx;
    }
}

.badge {

    display: flex;

    align-items: center;

    justify-content: center;

    width: 40rpx;

    height: 36rpx;

    margin-top: 6rpx;

    font-size: 24rpx;

    font-weight: 600;

    color: #ffffff;

    background: #e51f4d;

    border-radius: 30rpx;

}

}

</style>
```