

```
<template>

  <div class="page-container">

    <van-nav-bar

      title="我的配方"

      left-arrow

      fixed

      placeholder

      @click-left="router.back()"

    />

    <div class="formula-content">

      <van-pull-refresh v-model="isRefreshing" @refresh="onRefresh">

        <van-list

          v-model:loading="listLoading"

          :finished="listFinished"

          finished-text="没有更多配方了"

          @load="loadMore"

        >

          <div class="formula-list" v-if="dataList.length > 0">

            <van-swipe-cell v-for="(item, index) in dataList" :key="item.id ||
index" class="mb-4">

              <div class="formula-item" @click.stop="itemClick(item)">

                <div class="formula-item-left">
```

```

<div class="recipe-name">{{ item.name || '未命名配方'
' }}</div>

<div class="recipe-info-row">

  <div>{{ item.configJson?.legumes || 15 }}g</div>

  <div class="divider"></div>

  <div>

    1:{{ item.configJson?.proportion ?
(item.configJson.proportion / 2).toFixed(1) : '15' }}

    <span class="divider-empty"></span>

    {{ item.configJson?.proportion &&
item.configJson?.legumes ? ((item.configJson.proportion / 2) *
item.configJson.legumes).toFixed(0) : 225 }}ml

  </div>

  <div class="divider"></div>

  <div>{{ getDangweiType(item.configJson?.gear) }}</div>

</div>

</div>

<div class="formula-item-right">

  <div class="recipe-temp">

    {{ item.configJson?.accordionItems?.[0]?.temperature ||
92 }}°C

  </div>

  <div class="stage-badge">

```

```
{{ item.config.json?.accordionItems?.length || 2 }}
```

```
<span class="stage-unit">段</span>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<template #right>
```

```
    <van-button square text="编辑" type="primary" class="h-full"
    @click.stop="editRecipeDirect(item)" />
```

```
    <van-button square text="删除" type="danger" class="h-full"
    @click.stop="deleteRecipe(item, index)" />
```

```
</template>
```

```
</van-swipe-cell>
```

```
</div>
```

```
<van-empty v-else description="暂无配方，請重新整理頁面" />
```

```
</van-list>
```

```
</van-pull-refresh>
```

```
</div>
```

```
<van-action-sheet
```

```
  v-model:show="showActionSheet"
```

```
  :actions="actionOptions"
```

```
  cancel-text="取消"
```

```
  description="請選擇配方操作模式"
```

```
        close-on-click-action

        @select="handleActionSelect"

    />

</div>

</template>

<script setup lang="ts">

//import { ref, onMounted, computed } from 'vue'

//import { useRouter } from 'vue-router'

import { ref, onMounted, computed, watch } from 'vue' // <-- 補上 watch
import { useRouter, useRoute } from 'vue-router' // <-- 補上 useRoute
import { showToast, showConfirmDialog } from 'vant'

import { useMachineBStatusStore } from '@store/coffeebStatus'

import { useBluetoothStore } from '@store/blue'

const router = useRouter()

const route = useRoute() // <-- 新增這行

const machineStatusStore = useMachineBStatusStore()

const bluetoothStore = useBluetoothStore()

const isRefreshing = ref(false)

const listLoading = ref(false)

const listFinished = ref(false)
```

```
const dataList = ref<any[]>([])
```

```
// --- 🌟 智慧面板動態變數 ---
```

```
const showActionSheet = ref(false)
```

```
const selectedItem = ref<any>(null)
```

```
// 宣告三個核心操作軌道
```

```
const actionOptions = [
```

```
  { name: '☪ 進入沖煮詳情', subname: '直接查看參數並傳送沖煮', id: 'detail' },
```

```
  { name: '📄 修改模式 (覆蓋目前配方)', subname: '編輯參數並取代當前檔案',  
    id: 'edit' },
```

```
  { name: '💎 新增模式 (複製為新配方)', subname: '以此配方為範本另存新檔',  
    id: 'copy' }
```

```
]
```

```
const runStatus = computed(() => machineStatusStore.runStatus)
```

```
// 讀取與自動注入本地資料庫
```

```
const fetchLocalRecipes = () => {
```

```
  listLoading.value = true
```

```
  try {
```

```
    let localStr = localStorage.getItem('bincoo_my_recipes')
```

```
    if (!localStr || JSON.parse(localStr).length === 0) {
```

```
      const defaultRecipes = [{
```

```
        id: 123456, name: '晨光序曲 (本地快取)', configJson: {
```

```

        legumes: 15, proportion: 30, grind: true, gear: 60, speed: 120,

        accordionItems: [

            { paragraph: '燉蒸', water: 30, temperature: 92, time: 30, velocity: 3,
type: 0 },

            { paragraph: '第 1 段', water: 195, temperature: 92, time: 120,
velocity: 3, type: 0 }

        ]

    }

}]

localStorage.setItem('bincoo_my_recipes',
JSON.stringify(defaultRecipes))

localStr = JSON.stringify(defaultRecipes)

}

const rawRecipes = JSON.parse(localStr)

dataList.value = rawRecipes.map((item: any) => {

    let config = item.configJson

    if (typeof config === 'string') {

        try { config = JSON.parse(config) } catch(e) { config = {} }

    }

    return { ...item, configJson: config || {} }

})

} catch (error) {

    console.error('讀取配方庫失敗:', error)

} finally {

```

```

    listLoading.value = false

    listFinished.value = true

    isRefreshing.value = false
  }
}

const onRefresh = () => { isRefreshing.value = true; fetchLocalRecipes() }

const loadMore = () => { fetchLocalRecipes() }

const getDangweiType = (gear: any) => {

  const dangwei = Number(gear) || 60

  if (dangwei > 82) return '法压冷萃'

  if (dangwei > 47 && dangwei <= 82) return '手冲咖啡'

  if (dangwei > 23 && dangwei <= 47) return '爱乐压'

  return '意式浓缩'
}

/**
 * 1. 點擊整條卡片：不盲目跳轉，先將資料鎖定，並攤開選擇面板
 */

const itemClick = (item: any) => {

  if (!item) return

  selectedItem.value = item

  showActionSheet.value = true // 喚起面板
}

```

```
/**
```

```
* 2. ☀️ 核心控制中樞：根據玩家選擇的按鈕，分流到不同跳轉模式
```

```
*/
```

```
const handleActionSelect = (action: any) => {
```

```
  if (!selectedItem.value) return
```

```
  const item = selectedItem.value
```

```
  // 軌道 A：前往沖煮詳情頁面
```

```
  if (action.id === 'detail') {
```

```
    const params = { configJson: item.configJson, id: item.id, isEdit: false, name:
item.name }
```

```
    localStorage.setItem('bincoo_transit_data', JSON.stringify(params))
```

```
    router.push('/pages-coffeeb/formulaDetail/formulaDetail')
```

```
  }
```

```
  // 軌道 B：修改模式 (isEdit: true -> 保留原 ID，保存時覆蓋舊資料)
```

```
  else if (action.id === 'edit') {
```

```
    const params = { configJson: item.configJson, id: item.id, isEdit: true, name:
item.name }
```

```
    router.push({
```

```
      path: '/pages-coffeeb/formula/formula',
```

```
      query: { data: encodeURIComponent(JSON.stringify(params)) }
```

```
    })
```

```
  }
```

// 軌道 C：新增模式 (isEdit: false -> 繼承引數，保存時另存新檔，產生全新 ID)

```
else if (action.id === 'copy') {  
  
    const params = { configJson: item.configJson, id: item.id, isEdit: false, name:  
item.name + ' (副本)' }  
  
    router.push({  
  
        path: '/pages-coffeeb/formula/formula',  
  
        query: { data: encodeURIComponent(JSON.stringify(params)) }  
  
    })  
  
}  
  
}
```

// 側滑欄的直接編輯按鈕（預設走修改模式）

```
const editRecipeDirect = (item: any) => {  
  
    const params = { configJson: item.configJson, id: item.id, isEdit: true, name:  
item.name }  
  
    router.push({  
  
        path: '/pages-coffeeb/formula/formula',  
  
        query: { data: encodeURIComponent(JSON.stringify(params)) }  
  
    })  
  
}
```

```
const deleteRecipe = (item: any, index: number) => {
```

```
    showConfirmDialog({
```

```

        title: '提示', message: `確定要刪除配方「${item.name}」嗎?`,
        confirmButtonColor: '#004097'

    }).then(() => {

        dataList.value.splice(index, 1)

        localStorage.setItem('bincoo_my_recipes', JSON.stringify(dataList.value))

        showToast({ type: 'success', message: '刪除成功' })

    }).catch(() => {})

}

onMounted(() => {

//fetchLocalRecipes()

/**

* 🌟 強制刷新雷達：監聽網址變化

* 只要回到我的配方列表頁，不管元件有沒有重載，都強制重新抓取資料庫！

*/

watch(

    () => route.path,

    (newPath) => {

        if (newPath === '/pages-coffeeb/myFormula/myFormula') {

            console.log('🔍 偵測到返回列表，強制重新拉取最新配方！')

            fetchLocalRecipes()

        }

    }

)

```

})

</script>

<style scoped lang="scss">

.page-container { min-height: 100vh; background-color: #f7f8fa; }

.formula-content { padding: 12px 0; }

.formula-list { padding: 0 16px; }

.formula-item { background: #ffffff; padding: 16px; border-radius: 12px; display: flex; justify-content: space-between; align-items: center; box-shadow: 0 2px 8px rgba(0, 0, 0, 0.02); cursor: pointer; }

.formula-item:active { background-color: #f2f3f5; }

.formula-item-left { flex: 1; }

.recipe-name { font-size: 16px; font-weight: bold; color: #323233; }

.recipe-info-row { display: flex; align-items: center; margin-top: 8px; font-size: 12px; color: #969799; }

.divider { width: 1px; height: 10px; background-color: #e6e6e6; margin: 0 8px; }

.divider-empty { display: inline-block; width: 6px; }

.formula-item-right { display: flex; align-items: center; }

.recipe-temp { font-size: 14px; color: #323233; margin-right: 16px; font-weight: 500; }

.stage-badge { width: 36px; height: 36px; border-radius: 18px; background-color: #ffeef0; color: #ff976a; font-size: 16px; display: flex; justify-content: center; align-items: center; font-weight: bold; }

.stage-unit { font-size: 10px; font-weight: normal; margin-left: 1px; margin-top: 4px; }

.h-full { height: 100%; }

</style>