

```

<template>

  <div class="page-container">

    <van-nav-bar fixed placeholder :border="false" class="nav-transparent">

      <template #left>

        <div @click="toHome">

          <i class="iconfont icon-a-ze-arrow-leftCopy2 icon-size-22"></i>

        </div>

      </template>

      <template #right>

        <van-icon name="setting-o" size="22" @click="settingShow = true" />

      </template>

    </van-nav-bar>

    <div class="page-content">

      <div class="flex flex-col items-center justify-center mb-6 mt-4">

        <van-image width="180" height="160" :src="homeImg" />

        <div class="page-content-title mt-4">

          {{ bluetoothStore.connectedDevice?.productInfo?.deviceName || '全自动咖啡机' }}

        </div>

        <div

          class="state-box flex items-center justify-center mt-3"

```

```

        :style="{ color: runStateObj.color }"

        @click="toState"

    >

        <i class="iconfont mr-1" :class="runStateObj.icon"></i>

        <span>{{ runStateObj.text }}</span>

        <span v-if="runStateObj.isJump" class="jump-text ml-2">查看详情
    ></span>

</div>

</div>

<div class="menu-grid">

    <div class="menu-item" @click="toQuick">

        <div class="icon-circle bg-blue-100">

            <van-icon name="fire-o" size="28" color="#004097" />

        </div>

        <div class="menu-name">快速冲煮</div>

    </div>

    <div class="menu-item" @click="openSaveDialog">

        <div class="icon-circle bg-red-100">

            <van-icon name="like-o" size="28" color="#ee0a24" />

        </div>

        <div class="menu-name">收藏参数</div>

    </div>

```

```
<div class="menu-item" @click="openRecipeLibrary">

  <div class="icon-circle bg-orange-100">

    <van-icon name="notes-o" size="28" color="#ff976a" />

  </div>

  <div class="menu-name">我的配方(食譜)</div>

</div>
```

```
<div class="menu-item" @click="showToast('敬请期待')">

  <div class="icon-circle bg-green-100">

    <van-icon name="records-o" size="28" color="#07c160" />

  </div>

  <div class="menu-name">冲煮记录</div>

</div>

</div>
```

```
</div>
```

```
<van-popup v-model:show="settingShow" position="bottom" round
style="height: 30%">
```

```
<div class="p-5">
```

```
<div class="text-lg font-bold mb-4">机器设置</div>
```

```
<van-cell title="外观颜色">
```

```
<template #value>
```

```
<van-radio-group v-model="colorValue" direction="horizontal"
@change="colorConfirm">
```

```

        <van-radio name="white">白色</van-radio>

        <van-radio name="black">黑色</van-radio>

    </van-radio-group>

</template>

</van-cell>

</div>

</van-popup>

<van-dialog v-model:show="showSaveDialog" title="保存为私藏配方"
show-cancel-button @confirm="confirmSaveRecipe">

    <div class="p-4">

        <van-field v-model="newRecipeName" label="配方名称"
placeholder="如：晨间醒脑" />

        <div class="mt-3 text-xs" style="color: #888; text-align: center;">

            当前参数快照：<br>

            粉量 {{ currentPowder }}g | 粉水比 1:{{ currentRatio }} | 水温
            {{ currentTemp }}°C

        </div>

    </div>

</van-dialog>

<van-popup v-model:show="recipeShow" position="bottom" round
style="height: 65%; background: #f6f8fb;">

    <div class="recipe-popup-header p-4 flex justify-between items-center
bg-white">

```

```
<div class="text-lg font-bold" style="color: #333;"> 🍲 配方库</div>
```

```
<div class="flex items-center gap-3">
```

```
    <van-button size="small" type="primary" icon="setting-o" round
    color="#ff976a" plain @click="toManageFormula">
```

```
        管理進階配方
```

```
    </van-button>
```

```
    <van-icon name="cross" size="20" color="#999"
    @click="recipeShow = false" />
```

```
</div>
```

```
</div>
```

```
<van-tabs v-model:active="currentTab" color="#ff976a" sticky animated>
```

```
    <van-tab title="我的私藏" name="local">
```

```
        <div class="p-4 recipe-list-area">
```

```
            <div v-for="(item, index) in localRecipes" :key="item.id"
            class="recipe-card">
```

```
                <div class="recipe-info">
```

```
                    <div class="recipe-name">{{ item.name }}</div>
```

```
                    <!-- UI 始終讀取最平坦、最安全的屬性，永不報錯 -->
```

```
                    <div class="recipe-params">粉量: {{ item.powder }}g |
                    1:{{ item.ratio }} | {{ item.temp }}°C</div>
```

```
                </div>
```

```
            <div class="recipe-actions">
```

```
                <van-button size="small" plain type="danger" round
```

```
@click.stop="deleteLocalRecipe(item.id)">
```

```
      删除
```

```
</van-button>
```

```
<van-button size="small" type="primary" round  
color="#ff976a" @click.stop="shareRecipeToDevice(item)">
```

```
      分享
```

```
</van-button>
```

```
</div>
```

```
</div>
```

```
<van-empty v-if="localRecipes.length === 0" description="您还没有  
保存任何私藏配方哦">
```

```
<van-button round type="primary" color="#ff976a" size="small"  
@click="toManageFormula">
```

```
      去客製化创建新配方
```

```
</van-button>
```

```
</van-empty>
```

```
</div>
```

```
</van-tab>
```

```
<van-tab title="官方精选" name="cloud">
```

```
<div class="p-4 recipe-list-area">
```

```
<div v-for="item in cloudRecipes" :key="item.id" class="recipe-  
card">
```

```
<div class="recipe-info">
```

```

        <div class="recipe-name">{{ item.name }}</div>

        <div class="recipe-params">粉量: {{ item.powder }}g |
1:{{ item.ratio }} | {{ item.temp }}°C</div>

    </div>

    <van-button size="small" type="primary" round
color="#004097" plain @click.stop="downloadCloudRecipe(item)">

        下载

    </van-button>

</div>

</div>

</van-tab>

</van-tabs>

</van-popup>

</div>

</template>

<script setup lang="ts">

import { ref, computed, onMounted, onActivated } from 'vue'

import { useRouter } from 'vue-router'

import { showToast, showConfirmDialog } from 'vant'

import { useMachineBStatusStore } from '@store/coffeebStatus'

import { useBluetoothStore } from '@store/blue'

```

```

const router = useRouter()

const bluetoothStore = useBluetoothStore()

const machineStatusStore = useMachineBStatusStore()


//
=====

=

// 1. 核心資料結構定義 (適配器模式)

//
=====

=

// 這是專門給「首頁 UI 渲染」與「藍牙發送」用的安全平坦結構

interface Recipe {

  id: number | string;

  name: string;

  powder: number;

  ratio: number;

  temp: number;

  rawConfig?: any; // 祕密保留給 myFormula.vue 的大師級原始資料
}


const settingShow = ref(false)

const recipeShow = ref(false)

const showSaveDialog = ref(false)

const newRecipeName = ref("")

```

```

const colorValue = ref('white')

const homeImg = ref('https://cdn.bincoocoffee.cn/home-machine.png')

const currentTab = ref('local')


const currentPowder = ref(15)

const currentRatio = ref(15)

const currentTemp = ref(92)


const localRecipes = ref<Recipe[]>([])


const cloudRecipes = ref<Recipe[]>([
  { id: 101, name: '【官方】世界冠军手冲参数', powder: 15, ratio: 15, temp: 92 },
  { id: 102, name: '【官方】深焙豆黄金萃取', powder: 18, ratio: 12, temp: 88 }
])


//
=====

=

// 2. 基礎商業邏輯與核心跳轉

//
=====

=

const runStateObj = computed(() => {

  const status = machineStatusStore.runStatus

  if (status === 1) { return { text: '研磨中', color: '#004097', icon: 'icon-yanyanjia',

```

```
isJump: true }}
```

```
    else if (status === 2 || status === 3) { return { text: '冲煮中', color: '#004097',  
icon: 'icon-zhushui', isJump: true }}
```

```
    return { text: '设备就绪', color: '#999', icon: 'icon-kongxian', isJump: false }  
  })
```

```
const toHome = () => router.push('/')
```

```
const toQuick = () => router.push('/pages-coffeeb/grind/grind')
```

```
const toState = () => { if (runStateObj.value.isJump) { router.push('/pages-  
coffeeb/pulverizing/pulverizing') }}
```

```
const colorConfirm = () => { showToast({ type: 'success', message: '颜色设置成功'  
' }) }
```

```
const openRecipeLibrary = () => {
```

```
  loadLocalRecipes()
```

```
  recipeShow.value = true
```

```
}
```

```
const openSaveDialog = () => {
```

```
  showSaveDialog.value = true
```

```
}
```

```
const toManageFormula = () => {
```

```
  recipeShow.value = false
```

```
  router.push('/pages-coffeeb/myFormula/myFormula')
```

```
}
```

```
//
```

```
=====
```

```
=
```

```
// 3. 配方管理核心 (★ 轉接器模式：完美同步 bincoo_my_recipes)
```

```
//
```

```
=====
```

```
=
```

```
const loadLocalRecipes = () => {
```

```
  try{
```

```
    // 💡 讀取與 myFormula.vue 相同的金庫
```

```
    const saved = localStorage.getItem('bincoo_my_recipes')
```

```
    if (saved) {
```

```
      const rawLibrary = JSON.parse(saved)
```

```
      if (Array.isArray(rawLibrary)) {
```

```
        // 將大師級巢狀結構，安全清洗成首頁 UI 喜歡的平坦結構
```

```
        localRecipes.value = rawLibrary.map((item: any) => {
```

```
          let config = item.configJson
```

```
          // 防呆：解決字串/物件型態衝突
```

```
          if (typeof config === 'string') {
```

```
            try { config = JSON.parse(config) } catch(e) { config = {} }
```

```
          }
```

```
          if (!config) config = {}
```

```

    return {
      id: item.id || Date.now(),
      name: item.name || '未命名配方',
      powder: config.legumes || 15,
      ratio: config.proportion ? (config.proportion / 2) : 15,
      temp: config.accordionItems?.[0]?.temperature || 92,
      rawConfig: config // 秘密把大師級設定藏在這裡，藍牙發送時會
        用到！
    }
  })
}
} else {
  localRecipes.value = []
}
} catch (e) {
  console.error('读取首页配方失败:', e)
  localRecipes.value = []
}
}

```

```

const confirmSaveRecipe = () => {
  const finalName = newRecipeName.value.trim() || `我的配方 ${new
    Date().toLocaleTimeString('zh-TW', {hour: '2-digit', minute: '2-digit'})}`

  const totalWater = currentPowder.value * currentRatio.value

```

```
const bloomWater = Math.min(totalWater, currentPowder.value * 2)
```

```
const mainWater = Math.max(0, totalWater - bloomWater)
```

```
// 💡 寫入時：打包成 myFormula.vue 能看懂的 `configJson` 結構
```

```
const autoConfig = {
```

```
  legumes: currentPowder.value,
```

```
  proportion: currentRatio.value * 2,
```

```
  grind: true,
```

```
  gear: 60,
```

```
  speed: 120,
```

```
  accordionItems: [
```

```
    { paragraph: '闷蒸', water: bloomWater, temperature: currentTemp.value,  
time: 30, velocity: 3, type: 1 }
```

```
  ]
```

```
}
```

```
if (mainWater > 0) {
```

```
  autoConfig.accordionItems.push({ paragraph: '第 1 段', water: mainWater,  
temperature: currentTemp.value, time: 120, velocity: 3, type: 1 })
```

```
}
```

```
const newRawRecipe = { id: 'local_' + Date.now(), name: finalName,  
configJson: autoConfig }
```

```
let currentLibrary: any[] = []
```

```
try{
```

```
const currentStr = localStorage.getItem('bincoo_my_recipes')

if (currentStr) currentLibrary = JSON.parse(currentStr)

if (!Array.isArray(currentLibrary)) currentLibrary = []

} catch(e) { currentLibrary = [] }

currentLibrary.unshift(newRawRecipe)

localStorage.setItem('bincoo_my_recipes', JSON.stringify(currentLibrary))

loadLocalRecipes() // 重新刷新畫面

newRecipeName.value = ''

showSaveDialog.value = false

showToast({ type: 'success', message: '已保存至我的私藏！'})

}

const downloadCloudRecipe = (recipe: Recipe) => {

  const finalName = recipe.name.replace('【官方】;', '【私藏】')

  const isDuplicate = localRecipes.value.some(r => r.name === finalName)

  if (isDuplicate) {

    showToast({ type: 'text', message: '该配方已存在于我的私藏中'})

    return

  }

}

const totalWater = recipe.powder * recipe.ratio

const bloomWater = Math.min(totalWater, recipe.powder * 2)
```

```

const mainWater = Math.max(0, totalWater - bloomWater)

const cloudConfig = {
  legumes: recipe.powder,
  proportion: recipe.ratio * 2,
  grind: true,
  gear: 60,
  speed: 120,
  accordionItems: [
    { paragraph: '闷蒸', water: bloomWater, temperature: recipe.temp, time:
30, velocity: 3, type: 1 }
  ]
}

if (mainWater > 0) {
  cloudConfig.accordionItems.push({ paragraph: '第 1 段', water: mainWater,
temperature: recipe.temp, time: 120, velocity: 3, type: 1 })
}

const newRawRecipe = { id: 'local_' + Date.now(), name: finalName,
configJson: cloudConfig }

let currentLibrary: any[] = []

try{
  const currentStr = localStorage.getItem('bincoo_my_recipes')

  if (currentStr) currentLibrary = JSON.parse(currentStr)

```

```

        if (!Array.isArray(currentLibrary)) currentLibrary = []
    } catch(e) { currentLibrary = [] }

    currentLibrary.unshift(newRawRecipe)

    localStorage.setItem('bincoo_my_recipes', JSON.stringify(currentLibrary))

    loadLocalRecipes()

    showToast({ type: 'success', message: '下载成功，已加入我的私藏' })
}

const deleteLocalRecipe = (recipeId: number | string) => {

    showConfirmDialog({

        title: '确认删除',

        message: '确定要删除这个私藏配方吗?'

    }).then(() => {

        let currentLibrary: any[] = []

        try {

            const localStr = localStorage.getItem('bincoo_my_recipes')

            if (localStr) {

                currentLibrary = JSON.parse(localStr)

                if (Array.isArray(currentLibrary)) {

                    // 使用 ID 來精準刪除

                    currentLibrary = currentLibrary.filter(r => r.id !== recipeId)

                    localStorage.setItem('bincoo_my_recipes',

```

```
JSON.stringify(currentLibrary))
```

```
    }
```

```
  }
```

```
  } catch (e) {
```

```
    console.error(e)
```

```
  }
```

```
  loadLocalRecipes()
```

```
  showToast('删除成功')
```

```
}).catch(() => {})
```

```
}
```

```
//
```

```
=====
```

```
=
```

```
// 4. 藍牙協議發送中心 (自動提取並發送大師級多段協議)
```

```
//
```

```
=====
```

```
=
```

```
const shareRecipeToDevice = (recipe: Recipe) => {
```

```
  if (!bluetoothStore.connectedDevice) {
```

```
    showToast('设备未连接，请先连线咖啡机')
```

```
    return
```

```
  }
```

```
const recipePkg = new Uint8Array(60)
```

```
recipePkg[0] = 0x5A
```

```
recipePkg[1] = 0x06
```

```
recipePkg[2] = 55
```

```
const numId = typeof recipe.id === 'number' ? recipe.id : Date.now() % 100000
```

```
recipePkg[3] = (numId >> 24) & 0xFF
```

```
recipePkg[4] = (numId >> 16) & 0xFF
```

```
recipePkg[5] = (numId >> 8) & 0xFF
```

```
recipePkg[6] = numId & 0xFF
```

```
const config = recipe.rawConfig || {}
```

```
recipePkg[7] = recipe.ratio
```

```
recipePkg[8] = recipe.powder
```

```
recipePkg[9] = config.grind !== false ? 1 : 0
```

```
recipePkg[10] = config.gear || 3
```

```
recipePkg[11] = config.speed || 90
```

```
const items = config.accordionItems || []
```

```
// 若是官方精選直接點擊分享（沒有 rawConfig），則手動計算兩段式
```

```
if (items.length === 0) {
```

```
    recipePkg[12] = 2 // 總段數
```

```
    const totalWater = recipe.powder * recipe.ratio
```

```
const bloomWater = Math.min(totalWater, recipe.powder * 2)
```

```
const mainWater = Math.max(0, totalWater - bloomWater)
```

```
recipePkg[13] = bloomWater
```

```
recipePkg[14] = 33
```

```
recipePkg[15] = recipe.temp
```

```
recipePkg[16] = 1
```

```
recipePkg[17] = 30
```

```
recipePkg[18] = mainWater
```

```
recipePkg[19] = 33
```

```
recipePkg[20] = recipe.temp
```

```
recipePkg[21] = 1
```

```
recipePkg[22] = 0
```

```
for (let i = 23; i < 38; i++) recipePkg[i] = 0x00
```

```
} else {
```

```
// 若是從私藏庫讀取出來的，擁有真實的 accordionItems 陣列
```

```
const totalStages = Math.min(5, Math.max(1, items.length))
```

```
recipePkg[12] = totalStages
```

```
let offset = 13
```

```
for (let i = 0; i < 5; i++) {
```

```
    if (i < totalStages && items[i]) {
```

```

    recipePkg[offset] = items[i].water || 0

    recipePkg[offset + 1] = Number(`3.${items[i].velocity || 3}`) * 10

    recipePkg[offset + 2] = items[i].temperature || recipe.temp

    recipePkg[offset + 3] = items[i].type || 1

    recipePkg[offset + 4] = items[i].time || 0

  } else {

    recipePkg[offset] = 0x00

    recipePkg[offset + 1] = 0x00

    recipePkg[offset + 2] = 0x00

    recipePkg[offset + 3] = 0x00

    recipePkg[offset + 4] = 0x00

  }

  offset += 5

}

```

```

const encoder = new TextEncoder()

const nameBuffer = encoder.encode(recipe.name)

for (let i = 0; i < 20; i++) {

  recipePkg[38 + i] = i < nameBuffer.length ? nameBuffer[i] : 0x00

}

```

```

let crc = recipePkg[1] ^ recipePkg[2]

for (let i = 3; i < 58; i++) {

```

```

        crc ^= recipePkg[i]

    }

    recipePkg[58] = crc

    recipePkg[59] = 0xAA

    bluetoothStore.sendData(recipePkg)

    showToast({ type: 'success', message: `《${recipe.name}》大師級配方已同步
    寫入！` })

}

//
=====

=

// 5. 生命周期刷新監聽

//
=====

=

onMounted(() => {

    loadLocalRecipes()

})

// 確保從配方大廳編輯完返回首頁時，資料會自動同步

onActivated(() => {

    loadLocalRecipes()

})

```

```
</script>
```

```
<style lang="scss" scoped>
```

```
.page-container {  
  min-height: 100vh;  
  background: #f6f8fb;  
  .nav-transparent {  
    background-color: transparent !important;  
  }  
}  
.page-content-title {  
  font-size: 22px;  
  font-weight: bold;  
  color: #333;  
}  
.state-box {  
  font-size: 14px;  
  padding: 6px 16px;  
  background: #fff;  
  border-radius: 20px;  
  box-shadow: 0 2px 8px rgba(0,0,0,0.05);  
  cursor: pointer;  
  display: inline-flex;  
}
```

```
.jump-text {  
    color: #004097;  
    text-decoration: underline;  
}  
  
.menu-grid {  
    display: grid;  
    grid-template-columns: repeat(2, 1fr);  
    gap: 15px;  
    padding: 20px;  
}  
  
.menu-item {  
    display: flex;  
    flex-direction: column;  
    align-items: center;  
    background: #fff;  
    padding: 20px 10px;  
    border-radius: 16px;  
    transition: all 0.2s;  
    box-shadow: 0 2px 8px rgba(0,0,0,0.02);  
}  
  
.menu-item:active {  
    transform: scale(0.95);  
    background: #fafafa;  
}
```

```
.icon-circle {  
    width: 50px;  
    height: 50px;  
    border-radius: 25px;  
    display: flex;  
    align-items: center;  
    justify-content: center;  
    margin-bottom: 10px;  
}  
  
.menu-name {  
    font-size: 14px;  
    color: #666;  
    font-weight: 500;  
}  
  
.bg-blue-100 { background-color: #eef4ff; }  
.bg-orange-100 { background-color: #fff4ec; }  
.bg-green-100 { background-color: #f0fdf4; }  
.bg-red-100 { background-color: #ffeef0; }  
  
.recipe-popup-header {  
    border-bottom: 1px solid #f0f0f0;  
    border-radius: 20px 20px 0 0;  
}  
  
.recipe-list-area {
```

```
height: calc(65vh - 100px);

overflow-y: auto;
}

.recipe-card {

display: flex;

justify-content: space-between;

align-items: center;

background: #fff;

padding: 16px;

border-radius: 12px;

margin-bottom: 12px;

box-shadow: 0 2px 8px rgba(0,0,0,0.04);

cursor: pointer;

&:active {

transform: scale(0.98);

background: #fcfcfc;

}

.recipe-info {

.recipe-name {

font-size: 15px;

font-weight: bold;

color: #333;

margin-bottom: 6px;

}

}
```

```
.recipe-params {  
  font-size: 12px;  
  color: #888;  
}  
  
}  
  
.recipe-actions {  
  display: flex;  
  gap: 8px;  
}  
  
}  
  
</style>
```