Pollock catch in identified non-pollock fisheries declined from 46,996 t in 2024 to 29,263 t in 2025. Rock sole, yellowfin sole, and Pacific cod fisheries accounted for 10,776 t, 8,710 t, and 6,427 t, respectively, in 2025. The preliminary 2026 total through October 31 was 34,729 t; the different cutoffs and partial-year coverage qualify comparisons with the other bycatch tables.

Table 56: Pollock bycatch (t) in identified non-pollock directed Bering Sea fisheries, 1991-2026.

| Year | Rock.sole | Other.flats | Other.spp | P.cod | Yellowfin.sole | Total |
|---|---|---|---|---|---|---|
| 1991 | 9,711 | 7,992 | 756 | 10,695 | NA | 29,155 |
| 1992 | 9,825 | 1,372 | 568 | 20,778 | 13,101 | 45,644 |
| 1993 | 18,583 | 2,581 | 524 | 31,299 | 15,253 | 68,240 |
| 1994 | 15,784 | 6,770 | 89 | 26,594 | 33,200 | 82,438 |
| 1995 | 7,766 | 5,211 | 58 | 25,691 | 27,041 | 65,768 |
| 1996 | 7,699 | 5,457 | 205 | 22,382 | 22,255 | 57,997 |
| 1997 | 9,123 | 3,480 | 13 | 33,658 | 24,101 | 70,375 |
| 1998 | 3,960 | 3,011 | 61 | 10,469 | 15,339 | 32,840 |
| 1999 | 5,207 | 4,772 | 258 | 21,131 | 8,701 | 40,070 |
| 2000 | 5,481 | 7,068 | 43 | 14,509 | 13,425 | 40,526 |
| 2001 | 4,578 | 4,740 | 488 | 11,571 | 16,503 | 37,879 |
| 2002 | 9,942 | 2,220 | 52 | 15,256 | 14,490 | 41,960 |
| 2003 | 4,925 | 3,672 | 261 | 15,926 | 11,579 | 36,362 |
| 2004 | 8,976 | 6,396 | 194 | 18,650 | 10,384 | 44,600 |
| 2005 | 7,235 | 5,058 | 202 | 14,110 | 10,313 | 36,917 |
| 2006 | 6,986 | 3,826 | 143 | 15,168 | 5,967 | 32,091 |
| 2007 | 3,245 | 4,353 | 276 | 20,320 | 4,021 | 32,215 |
| 2008 | 4,931 | 4,822 | 17 | 9,534 | 9,828 | 29,132 |
| 2009 | 6,172 | 3,505 | 14 | 7,876 | 7,037 | 24,603 |
| 2010 | 6,074 | 3,317 | 86 | 6,576 | 5,179 | 21,232 |
| 2011 | 6,931 | 2,302 | 301 | 8,981 | 8,674 | 27,189 |
| 2012 | 6,704 | 1,751 | 413 | 8,377 | 11,198 | 28,443 |
| 2013 | 7,327 | 4,048 | 238 | 9,801 | 20,172 | 41,586 |
| 2014 | 11,259 | 6,404 | 203 | 11,502 | 24,713 | 54,080 |
| 2015 | 9,387 | 4,994 | 430 | 9,062 | 21,282 | 45,154 |
| 2016 | 11,850 | 3,687 | 450 | 9,071 | 22,306 | 47,365 |
| 2017 | 5,616 | 3,612 | 508 | 8,319 | 23,414 | 41,471 |
| 2018 | 5,182 | 3,525 | 957 | 8,008 | 28,235 | 45,908 |
| 2019 | 3,176 | 7,972 | 1,367 | 7,594 | 23,153 | 43,262 |
| 2020 | 6,401 | 2,373 | 728 | 5,512 | 31,651 | 46,666 |
| 2021 | 2,399 | 5,098 | 1,415 | 4,316 | 24,845 | 38,073 |
| 2022 | 2,977 | 5,505 | 2,627 | 6,260 | 26,515 | 43,884 |
| 2023 | 11,048 | 4,586 | 3,076 | 7,182 | 22,348 | 48,239 |
| 2024 | 15,126 | 4,356 | 1,929 | 6,690 | 18,895 | 46,996 |
| 2025 | 10,776 | 2,070 | 1,279 | 6,427 | 8,710 | 29,263 |
| 2026 | 13,847 | 7,040 | 1,345 | 6,599 | 5,898 | 34,729 |

Source: supplied AKFIN / NMFS Alaska Regional Office FMP catch export, BS subarea. Estimates include retained and discarded pollock catch and all reported gears. Pollock-directed trips, blank trip targets, and No retained catch targets are excluded. Other.flats combines flathead sole, arrowtooth flounder, other flatfish, Alaska plaice, Kamchatka flounder, and Greenland turbot targets. Other.spp combines the remaining identified targets: rockfish, sablefish, Atka mackerel, Other Species, and halibut. Rock.sole is the source Rock Sole - BSAI target; it is not restricted to a separately identified northern rock sole target. NA means no records for that target group and year. Total sums the included unrounded values; displayed columns may differ from Total by rounding. Units are metric tons. The 2026 estimates are preliminary through the week ending October 31. The complete target map and exclusion totals accompany the annual CSV.