colour — First Iter — Last Iter

Fixed Gear AI Fishery | Fixed Gear BS Fishery | Fixed Gear GOA Fishery | Trawl Fishery

Fishery Ages

Fishery Lengths

Mean Composition Bin

25
20
15
10
5

65
60
55

1990 2000 2010 2020

Year

colour — First Iter — Last Iter

Japan LL Survey | NOAA LL AI Survey | NOAA LL BS Survey | NOAA LL GOA Survey

Survey Ages

Survey Lengths

Mean Composition Bin

10.0
7.5
5.0

67.5
65.0
62.5

1980 1990 2000 2010 2020

Year


Recruitment (millions) Comparison
Recruitment (millions)
120
80
40
0
1960
1965
1970
1975
1980
1985
1990
1995
2000
2005
2010
2015
2020
2025
Year
Model_Name
2025 (Model 26.2_FAA_2025_v1.2)
2026 (Model 26.1_1Reg_2026_v1.2)
2026 (Model 26.2_FAA_2026_v1.2)
2026 (Model 26.2_FAA_3LLF_BS_Dome_DN)


Recruitment (millions) Comparison
Recruitment (millions)
120
80
40
0
Mean Recruitment
2013
2015
2017
2019
2021
2023
2025
Year
Model_Name
2025 (Model 26.2_FAA_2025_v1.2)
2026 (Model 26.1_1Reg_2026_v1.2)
2026 (Model 26.2_FAA_2026_v1.2)
2026 (Model 26.2_FAA_3LLF_BS_Dome_DN)


SSB (kt) Comparison
SSB (kt)
300
200
100
0
1960
1965
1970
1975
1980
1985
1990
1995
2000
2005
2010
2015
2020
2025
Year
Model_Name
2025 (Model 26.2_FAA_2025_v1.2)
2026 (Model 26.1_1Reg_2026_v1.2)
2026 (Model 26.2_FAA_2026_v1.2)
2026 (Model 26.2_FAA_3LLF_BS_Dome_DN)


SSB (kt) Comparison
B40
SSB (kt)
200
100
0
2013
2015
2017
2019
2021
2023
2025
Year
Model_Name
2025 (Model 26.2_FAA_2025_v1.2)
2026 (Model 26.1_1Reg_2026_v1.2)
2026 (Model 26.2_FAA_2026_v1.2)
2026 (Model 26.2_FAA_3LLF_BS_Dome_DN)

AI Fixed Gear Fishery Age Comps Female AK



AI Fixed Gear Fishery Age Comps Male AK



AI Fixed Gear Fishery Age Comps OSA AK








AI Fixed Gear Fishery Age Comps Pearson residuals
|Pearson resid|
2
4
6
8
Sign
Negative
Positive
Female
Male
AK
Age
Year
0
10
20
30
2000
2005
2010
2015
2020
2025

AI LL Survey Age Comps Female AK



AI LL Survey Age Comps Male AK

1996 1998 2000 2002
2004 2006 2008 2010
2012 2014 2016 2018
2020 2022

Proportion
0.15 0.10 0.05 0.00
0 10 20 30
Age

AI LL Survey Age Comps OSA AK

abs(Resid) 1 2 3 Sign Neg Pos

Female

Male

Age

30
20
10
0

1995 2000 2005 2010 2015 2020 1995 2000 2005 2010 2015 2020

Year

AK

SDNR=0.97
(0.95-1.05)

Sample quantiles

2
0
-2

-2 0 2

Theoretical quantiles

Female

Male

Proportions

0.100
0.075
0.050
0.025
0.000

0 10 20 30 0 10 20 30

Age

AK


AI LL Survey Age Comps Pearson residuals
|Pearson resid| 1 2 3
Sign Negative Positive
Female
Male
AK
Age
Year
0
10
20
30
1995
2000
2005
2010
2015
2020

Model 26.2_FAA_3LLF_BS_Dome_DN Population Population 1

Female | Male | AK

Spawning Weight-at-Age (kg)

0.100
0.075
0.050
0.025
0.000

0 10 20 30

Age

Model 26.2_FAA_3LLF_BS_Dome_DN Population Population 1

Female

Male

AK

Maturity at Age

1.00

0.75

0.50

0.25

0.00

0

10

20

30

Age

Model 26.2_FAA_3LLF_BS_Dome_DN Population Population 1

Female

Male

AK

Spawning Weight at Age

6

4

2

0

0

10

20

30

Age

BS Fixed Gear Fishery Age Comps Female AK



BS Fixed Gear Fishery Age Comps Male AK



BS Fixed Gear Fishery Age Comps OSA AK








BS Fixed Gear Fishery Age Comps Pearson residuals
|Pearson resid| 1 2 3
Sign Negative Positive
Female
Male
AK
Age
Year
0
10
20
30
2000
2005
2010
2015
2020
2025

BS LL Survey Age Comps Female AK

1997 1999 2001 2003
2005 2007 2009 2011
2013 2015 2017 2019
2021 2023

Proportion
Age

BS LL Survey Age Comps Male AK

1997 1999 2001 2003
2005 2007 2009 2011
2013 2015 2017 2019
2021 2023

Proportion

0.00 0.05 0.10 0.15

0 10 20 30

Age

BS LL Survey Age Comps OSA AK




BS LL Survey Age Comps Pearson residuals
|Pearson resid|
1
2
3
4
Sign
Negative
Positive
Female
Male
AK
Age
Year
0
10
20
30
2000
2005
2010
2015
2020

Model — 26.2_FAA_3LLF_BS_Dome_DN

AK

BS LLF

AI LLF

GOA LLF

TF

Catch

Year

0
5
10
15
1
2
3
20
30
40
1960
1980
2000
2020

AK

JPN LLS Lengths
JPN LLS Index
GOA LLS Index
AI LLS Index
BS LLS Index
JPN LLS Ages
GOA LLS Ages
AI LLS Ages
BS LLS Ages
TF Lengths
TF Catch
GOA LLF Catch
AI LLF Catch
BS LLF Catch
GOA LLF Ages
AI LLF Ages
BS LLF Ages

26.2_FAA_3LLF_BS_Dome_DN

1960
1980
2000
2020

Year

GOA Fixed Gear Fishery Age Comps Female AK

1999 2000 2001 2002 2003 2004
2005 2006 2007 2008 2009 2010
2011 2012 2013 2014 2015 2016
2017 2018 2019 2020 2021 2022
2023 2024 2025

Proportion

0.0 0.1 0.2

0 10 20 30

Age

GOA Fixed Gear Fishery Age Comps Male AK



GOA Fixed Gear Fishery Age Comps OSA AK




GOA Fixed Gear Fishery Age Comps Pearson residuals
|Pearson resid|
0.5
1.0
1.5
2.0
Sign
Negative
Positive
Female
Male
AK
Age
Year
0
10
20
30
2000
2005
2010
2015
2020
2025

GOA LL Survey Age Comps Female AK



GOA LL Survey Age Comps Male AK

1996 1997 1998 1999 2000 2001
2002 2003 2004 2005 2006 2007
2008 2009 2010 2011 2012 2013
2014 2015 2016 2017 2018 2019
2020 2021 2022 2023 2025

Proportion

0.00 0.05 0.10 0.15

0 10 20 30

Age

GOA LL Survey Age Comps OSA AK








GOA LL Survey Age Comps Pearson residuals
|Pearson resid| 1 2
Sign Negative Positive
Female
Male
AK
Age
Year
0
10
20
30
2000
2010
2020

Model — 26.2_FAA_3LLF_BS_Dome_DN

BS LLS

AI LLS

GOA LLS

JPN LLS

RPNs (1000s)

Year

Jitter SSB and Recruitment

Region 1

Recruitment (millions)

SSB (kt)

Proportion Converged: 1
Proportion jnLL < original jnLL: 0

Hessian

TRUE

Value

Year

Jitter nLL and Convergence




JPN LL Survey Age Comps Female AK
1981
1985
1987
1989
1991
1993
Proportion
0.00
0.05
0.10
0.15
0
10
20
30
Age


JPN LL Survey Age Comps Male AK
1981
1985
1987
1989
1991
1993
Proportion
0.100
0.075
0.050
0.025
0.000
0
10
20
30
Age

JPN LL Survey Age Comps OSA AK




JPN LL Survey Age Comps Pearson residuals
|Pearson resid|
0.5
1.0
1.5
2.0
Sign
Negative
Positive
Female
Male
AK
Age
30
20
10
0
1985
1990
1985
1990
Year

JPN LL Survey Length Comps Female AK

1979 1980 1981 1982
1983 1984 1985 1986
1987 1988 1989 1990
1991 1992 1993 1994

Proportion
0.00 0.02 0.04 0.06 0.08
40 60 80 100
Len

JPN LL Survey Length Comps Male AK

1979 1980 1981 1982
1983 1984 1985 1986
1987 1988 1989 1990
1991 1992 1993 1994

Proportion
0.00 0.02 0.04 0.06 0.08
40 60 80 100
Len

JPN LL Survey Length Comps OSA AK








JPN LL Survey Length Comps Pearson residuals
|Pearson resid|
0.0
0.5
1.0
1.5
2.0
Sign
Negative
Positive
Female
Male
AK
Len
100
80
60
40
1980
1985
1990
Year

ln_global_R0

ESS=32693
Rhat=1



ln_srv_q[1]

ESS=25189
Rhat=1



ln_srv_q[2]

ESS=23107
Rhat=1



ln_M[1]

ESS=17434
Rhat=1



ln_M[2]

ESS=14098
Rhat=1



ln_global_R0

ln_srv_q[1]

ln_srv_q[2]

ln_M[1]

ln_M[2]

ESS=32693 Rhat=1.00

-0.53

-0.53

0.72

0.69

ESS=25189 Rhat=1.00

0.74

-0.51

-0.5

ESS=23107 Rhat=1.00

-0.5

-0.5

ESS=17434 Rhat=1.00

0.7

ESS=14098 Rhat=1.00


Comparing Bayesian vs frequentist uncertainty estimates
MLE SE
1.00
0.50
0.20
0.10
0.05
0.1
0.2
0.5
1.0
2.0
Posterior SD


accept_stat
1.00
0.75
0.50
0.25
0.00
divergent
1.00
0.75
0.50
0.25
0.00
energy
80000
60000
40000
20000
0
value
log_stepsize
0
-3
-6
-9
n_leapfrog
1000
750
500
250
0
0
5000
10000
15000
20000
iteration
chain
1
2
3
4

120 divergent transitions after warmup

Standardized value (posterior SDs)

5.0
2.5
0.0
-2.5

fish_fixed_sel_pars[8]
ln_RecDevs[20]
srv_fixed_sel_pars[18]
ln_F_devs[234]
ln_F_devs[145]
ln_RecDevs[27]
ln_F_devs[258]
ln_F_devs[231]
ln_F_devs[214]
ln_F_devs[257]

Divergent
Non-divergent

fish_fixed_sel_pars[9]

ESS=25
Rhat=1.12



fish_fixed_sel_pars[10]

ESS=84
Rhat=1.03



ln_RecDevs[24]

ESS=93
Rhat=1.04



ln_F_mean[2]

ESS=110
Rhat=1.03



ln_F_devs[124]

ESS=137
Rhat=1.03



ln_RecDevs[21]

ESS=150
Rhat=1.03



fish_fixed_sel_pars[9]
fish_fixed_sel_pars[10]
ln_RecDevs[24]
ln_F_mean[2]
ln_F_devs[124]
ln_RecDevs[21]

ESS=25 Rhat=1.12

-0.43

0.5

0.4

ESS=84 Rhat=1.03

-0.38

ESS=93 Rhat=1.04

0.24

ESS=110 Rhat=1.03

ESS=137 Rhat=1.03

ESS=150 Rhat=1.03


SSB (kt)
300
200
100
0
B40%
B35%
1960
1980
2000
2020
Year
Type
MCMC Median
MLE


Total Biomass (kt)
600
400
200
0
1960
1980
2000
2020
Year
Type
MCMC Median
MLE


Age-2 Recruitment (millions of individuals)
150
100
50
0
1960
1980
2000
2020
Year
Type
MCMC Median
MLE

Type: Age, Catch, Index, jnLL, Length, Penalty, Prior

26.2_FAA_3LLF_BS_Dome_DN

Likelihood

300

0

-300

Catch nLL

Fishery Age nLL

Fishery Length nLL

Fishing Mortality Penalty

Initial Age Penalty

jnLL

M Prior

Recruitment Penalty

Selectivity Penalty

Survey Age nLL

Survey Index nLL

Survey Length nLL

Likelihood Component

Numbers-at-Age

Sex — Female ···· Male

Age- 1 | Age- 2 | Age- 3 | Age- 4 | Age- 5 | Age- 6

Age- 7 | Age- 8 | Age- 9 | Age- 10 | Age- 11 | Age- 12

Age- 13 | Age- 14 | Age- 15 | Age- 16 | Age- 17 | Age- 18

Age- 19 | Age- 20 | Age- 21 | Age- 22 | Age- 23 | Age- 24

Age- 25 | Age- 26 | Age- 27 | Age- 28 | Age- 29 | Age- 30

Numbers-at-Age (millions)

Year


2.0
1.5
1.0
0.5
0.0
F/F35%
0.0
0.5
1.0
1.5
2.0
2.5
SSB/B35%
1995
1990
2000
1975
2005
2010
2015
1970
2020
1980
1985
2025
2026
1965
1960
Year
2020
2000
1980
1960
Control Rule
OFL (F35%)
Max ABC (F40%)

Retrospective Year
1 2 3 4 5 6 7

Recruitment

SSB

Mohns Rho: -0.3243

Mohns Rho: 0.0805

0.5
0.0
-0.5

Relative Difference from Terminal Year

AK

1960 1980 2000 2020

1960 1980 2000 2020

Year

Peel
1 2 3 4 5 6 7

AK
Recruitment

AK
SSB

Value

120
80
40
0

200
100
0

1960
1980
2000
2020

Year

AK

Recruitment (millions)

125
100
75
50
25

0
1
2
3
4
5
6
7

Years since cohort was last estimated

Cohort
2016
2017
2018
2019
2020
2021
2022
2023

Retrospective Year
1 2 3 4 5 6 7

Recruitment

SSB

AK

Mohns Rho: -0.3243

Mohns Rho: 0.1133

0.5

0.0

-0.5

Relative Difference from Terminal Year

1960 1980 2000 2020

1960 1980 2000 2020

Year

Peel
1 2 3 4 5 6 7

AK
Recruitment

AK
SSB

Value

125
100
75
50
25
0

200
100
0

1960
1980
2000
2020

Year

AK

Recruitment (millions)

100
75
50
25

0
1
2
3
4
5
6
7

Years since cohort was last estimated

Cohort
2016
2017
2018
2019
2020
2021
2022
2023

Index Residuals Runs Test




Model
26.2_FAA_3LLF_BS_Dome_DN
Year
1979
1999
2019
AK
BS LLF
AK
AI LLF
AK
GOA LLF
AK
TF
Female
Male
Fishery selectivity
1.00
0.75
0.50
0.25
0.00
0
10
20
30
Bin


Model
26.2_FAA_3LLF_BS_Dome_DN
Year
1979
1999
2019
AK
BS LLS
AK
AI LLS
AK
GOA LLS
AK
TS
AK
JPN LLS
Female
Male
Survey selectivity
1.00
0.75
0.50
0.25
0.00
0
10
20
30
Bin


Age-2 Recruits (millions)
90
60
30
0
0
100
200
SSB (kt)
2019
2018
2016
1980
1983
2024
2022
2002
2017
2020
1982
1979
2023
1998
1991
1986
1981
1974
1973
1972
1990
1984
1989
1978
1995
1977
1994
2006
2025
1970
1971
2026
1969
1968
1964
1963
1962
1960

Population and Catch Trends

Recruitment (millions of fish)

90
60
30
0

300
200
100
0

SSB or Catch (kt)

1960
1980
2000
2020

Year

Catch
Recruitment
SSB

Model 26.2_FAA_3LLF_BS_Dome_DN

AK

Dynamic SSB0

Recruitment

SSB

Total Biom

BS LLF F

AI LLF F

GOA LLF F

TF F

Value

Year


Model — 26.2_FAA_3LLF_BS_Dome_DN
AK
BS LLF F
AI LLF F
GOA LLF F
TF F
Fishing Mortality
0.03
0.02
0.01
0.00
0.012
0.009
0.006
0.003
0.000
0.10
0.05
0.00
0.06
0.04
0.02
0.00
1960
1980
2000
2020
Year


Model
26.2_FAA_3LLF_BS_Dome_DN
AK
Recruitment
Recruitment (Millions of Fish)
150
100
50
0
1960
1980
2000
2020
Year


Model
26.2_FAA_3LLF_BS_Dome_DN
AK
Dynamic SSB0
Unfished SSB (kt)
400
300
200
100
0
1960
1980
2000
2020
Year


Model — 26.2_FAA_3LLF_BS_Dome_DN
Type — Population 1 Dynamic SSB0 -- Population 1 SSB
AK
400
300
200
100
0
SSB (kt)
1960
1980
2000
2020
Year


Model
26.2_FAA_3LLF_BS_Dome_DN
AK
SSB
SSB (kt)
300
200
100
0
1960
1980
2000
2020
Year


Model
26.2_FAA_3LLF_BS_Dome_DN
AK
Total Biom
Biomass (kt)
600
400
200
0
1960
1980
2000
2020
Year

Trawl Fishery Length Comps Female AK



Trawl Fishery Length Comps Male AK



Trawl Fishery Length Comps OSA AK








Trawl Fishery Length Comps Pearson residuals
|Pearson resid|
0.0
0.3
0.6
0.9
1.2
Sign
Negative
Positive
Female
Male
AK
Len
100
80
60
40
1990
2000
2010
2020
Year

Contribution to 2027 SSB by Year Class



Source	SE	Data_Wt	ISS	ESS
BS LL Survey Index	0.20	1.00	NA	NA
AI LL Survey Index	0.23	1.00	NA	NA
GOA LL Survey Index	0.08	1.00	NA	NA
Trawl Survey Index	NA	NA	NA	NA
JPN LL Survey Index	0.07	1.00	NA	NA
Fixed Gear Fishery BS CPUE	NA	NA	NA	NA
Fixed Gear Fishery AI CPUE	NA	NA	NA	NA
Fixed Gear Fishery GOA CPUE	NA	NA	NA	NA
BS LL Survey Ages	NA	0.68	34.07	23.10
AI LL Survey Ages	NA	1.86	35.57	66.30
GOA LL Survey Ages	NA	0.40	67.17	27.01
JPN LL Survey Ages	NA	0.18	83.33	15.22
JPN LL Survey Lengths	NA	0.33	54.62	18.11
BS Fixed Gear Fishery Ages	NA	0.30	26.85	8.09
AI Fixed Gear Fishery Ages	NA	0.04	29.65	1.18
GOA Fixed Gear Fishery Ages	NA	0.11	63.44	6.77
Trawl Fishery Lengths	NA	0.09	47.62	4.41

Model	Region	Terminal_SSB	Terminal_SSB0	Terminal_F	Catch_Advice	B_Ref_Pt	F_Ref_Pt	B_over_B_Ref	B_over_DynB_Ref	F_over_
AA_3LLF_BS_Dome_DN	1	217.4355	383.5988	0.05206078	39.57512	130.1674	0.08122	1.67043	0.56683	0.6


2.0
1.5
1.0
0.5
0.0
F/F35%
0
1
2
3
SSB/B35%
1995
2000
2005
2010
2015
2020
1990
1975
1980
1985
1970
2025
2026
1965
1960
Year
2020
2000
1980
1960
Control Rule
OFL (F35%)
Max ABC (F40%)

Quantity	2025	2026	2027	2028
M Female (estimated)	0.114	0.114	0.093	0.093
M Male (estimated)	0.114	0.114	0.097	0.097
Average Recruitment (millions)	25.9	25.9	20.2	20.2
Tier	3a	3a	3a	3a
Projected Total Biomass (Age-2+, t)	704,713	695,681	593656	590056
Projected Female Spawning Biomass (t)	219,714	241,217	229735	239764
B100% (t)	302,672	302,672	325419	325419
B40% (t)	121,069	121,069	130167	130167
B35% (t)	105,935	105,935	113897	113897
FOFL	0.102	0.102	0.097	0.097
max FABC	0.087	0.087	0.081	0.081
Total Depredation (t)	171	169	131	131
OFL (t)	58,731	57,993	46774	46816
OFLw (t)	58,532	57,797	46643	46685
max ABC (t)	50,283	49,651	39574	39611
ABC (t)	50,283	49,651	39574	39611
ABCw (t)	50,111	49,482	39443	39480
Status	2023	2024	2025	2026
Overfishing	No	NA	No	NA
Overfished	NA	No	NA	No
Approaching Overfished	NA	No	NA	No

S1: FABC (F40)

S1a: Author's F (FABC Ratio) Year 1, FABC After

S2: Author's F (FABC Ratio) Years 1+2

S3: 5-year Average F

S4: Half max FABC (1/2 * F40)

S5: No Fishing

S6: Overfished (FOFL)

S6a: Author's F (FABC Ratio) Year 1, FOFL After

S7: Approaching Overfishing (FABC -> FOFL)

Fishing Mortality

0.20

0.15

0.10

0.05

0.00

1960

1980

2000

2020

2040

Year

S1: FABC (F40)

S1a: Author's F (FABC Ratio) Year 1, FABC After

S2: Author's F (FABC Ratio) Years 1+2

S3: 5-year Average F

S4: Half max FABC (1/2 * F40)

S5: No Fishing

S6: Overfished (FOFL)

S6a: Author's F (FABC Ratio) Year 1, FOFL After

S7: Approaching Overfishing (FABC -> FOFL)

Fishing Mortality

0.00

0.05

0.10

2010

2020

2030

2040

Year

S1: FABC (F40)

S1a: Author's F (FABC Ratio) Year 1, FABC After

S2: Author's F (FABC Ratio) Years 1+2

S3: 5-year Average F

S4: Half max FABC (1/2 * F40)

S5: No Fishing

S6: Overfished (FOFL)

S6a: Author's F (FABC Ratio) Year 1, FOFL After

S7: Approaching Overfishing (FABC -> FOFL)

Biomass (kt)

0
250
500
750

1960
1980
2000
2020
2040

Year

S1: FABC (F40)

S1a: Author's F (FABC Ratio) Year 1, FABC After

S2: Author's F (FABC Ratio) Years 1+2

S3: 5-year Average F

S4: Half max FABC (1/2 * F40)

S5: No Fishing

S6: Overfished (FOFL)

S6a: Author's F (FABC Ratio) Year 1, FOFL After

S7: Approaching Overfishing (FABC -> FOFL)

Biomass (kt)

0

250

500

750

2010

2020

2030

2040

Year

S1: FABC (F40)

S1a: Author's F (FABC Ratio) Year 1, FABC After

S2: Author's F (FABC Ratio) Years 1+2

S3: 5-year Average F

S4: Half max FABC (1/2 * F40)

S5: No Fishing

S6: Overfished (FOFL)

S6a: Author's F (FABC Ratio) Year 1, FOFL After

S7: Approaching Overfishing (FABC -> FOFL)

Yield (kt)

0
20
40
60

1960
1980
2000
2020
2040

Year

S1: FABC (F40)

S1a: Author's F (FABC Ratio) Year 1, FABC After

S2: Author's F (FABC Ratio) Years 1+2

S3: 5-year Average F

S4: Half max FABC (1/2 * F40)

S5: No Fishing

S6: Overfished (FOFL)

S6a: Author's F (FABC Ratio) Year 1, FOFL After

S7: Approaching Overfishing (FABC -> FOFL)

Yield (kt)

0
10
20
30

1960
1980
2000
2020
2040

Year

Fleet
BS LLF
AI LLF
GOA LLF
TF

S1: FABC (F40)

S1a: Author's F (FABC Ratio) Year 1, FABC After

S2: Author's F (FABC Ratio) Years 1+2

S3: 5-year Average F

S4: Half max FABC (1/2 * F40)

S5: No Fishing

S6: Overfished (FOFL)

S6a: Author's F (FABC Ratio) Year 1, FOFL After

S7: Approaching Overfishing (FABC -> FOFL)

Yield (kt)

0
10
20
30

2010
2020
2030
2040

Year

Fleet
BS LLF
AI LLF
GOA LLF
TF

S1: FABC (F40)

S1a: Author's F (FABC Ratio) Year 1, FABC After

S2: Author's F (FABC Ratio) Years 1+2

S3: 5-year Average F

S4: Half max FABC (1/2 * F40)

S5: No Fishing

S6: Overfished (FOFL)

S6a: Author's F (FABC Ratio) Year 1, FOFL After

S7: Approaching Overfishing (FABC -> FOFL)

Yield (kt)

0 10 20 30 40 50

2010 2020 2030 2040

Year

S1: FABC (F40)

S1a: Author's F (FABC Ratio) Year 1, FABC After

S2: Author's F (FABC Ratio) Years 1+2

S3: 5-year Average F

S4: Half max FABC (1/2 * F40)

S5: No Fishing

S6: Overfished (FOFL)

S6a: Author's F (FABC Ratio) Year 1, FOFL After

S7: Approaching Overfishing (FABC -> FOFL)

Recruitment (millions)

0
30
60
90

1960
1980
2000
2020
2040

Year

S1: FABC (F40)

S1a: Author's F (FABC Ratio) Year 1, FABC After

S2: Author's F (FABC Ratio) Years 1+2

S3: 5-year Average F

S4: Half max FABC (1/2 * F40)

S5: No Fishing

S6: Overfished (FOFL)

S6a: Author's F (FABC Ratio) Year 1, FOFL After

S7: Approaching Overfishing (FABC -> FOFL)

Recruitment (millions)

0

30

60

90

2010

2020

2030

2040

Year

S1: FABC (F40)
S1a: Author's F (FABC Ratio) Year 1, FABC After
S2: Author's F (FABC Ratio) Years 1+2
S3: 5-year Average F
S4: Half max FABC (1/2 * F40)
S5: No Fishing
S6: Overfished (FOFL)
S6a: Author's F (FABC Ratio) Year 1, FOFL After
S7: Approaching Overfishing (FABC -> FOFL)
SSB (kt)
0
100
200
300
400
1960
1980
2000
2020
2040
Year

S1: FABC (F40)

S1a: Author's F (FABC Ratio) Year 1, FABC After

S2: Author's F (FABC Ratio) Years 1+2

S3: 5-year Average F

S4: Half max FABC (1/2 * F40)

S5: No Fishing

S6: Overfished (FOFL)

S6a: Author's F (FABC Ratio) Year 1, FOFL After

S7: Approaching Overfishing (FABC -> FOFL)

SSB (kt)

0

100

200

300

400

2010

2020

2030

2040

Year