






Population 1
Model
26.2_FAA_3LLF_LLS_BS_Dome_DN
Sex
Sex 1
Sex 2
From Region 1
Seas 1
To Region 1
Movement Probabilities
1.00
0.75
0.50
0.25
0.00
10
20
30
Age



Model
26.2_FAA_3LLF_LLS_BS_Dome_DN
Population
Population 1
Sex 1
Seas 1
Sex 2
Seas 1
Region 1
Natural Mortality
0.100
0.075
0.050
0.025
0.000
0
10
20
30
Age



Model
26.2_FAA_3LLF_LLS_BS_Dome_DN
Population
Population 1
Sex 1
Seas 1
Sex 2
Seas 1
Region 1
Spawning Weight at Age
Age
0
2
4
6
0
10
20
30
0
10
20
30



Model
26.2_FAA_3LLF_LLS_BS_Dome_DN
Population
Population 1
Sex 1
Seas 1
Sex 2
Seas 1
Region 1
Maturity at Age
1.00
0.75
0.50
0.25
0.00
0
10
20
30
Age



Region 1
Survey Lengths Seas 1 Fleet 5
Survey Index Seas 1 Fleet 5
Survey Index Seas 1 Fleet 3
Survey Index Seas 1 Fleet 2
Survey Index Seas 1 Fleet 1
Survey Ages Seas 1 Fleet 5
Survey Ages Seas 1 Fleet 3
Survey Ages Seas 1 Fleet 2
Survey Ages Seas 1 Fleet 1
Fishery Lengths Seas 1 Fleet 4
Fishery Catch Seas 1 Fleet 4
Fishery Catch Seas 1 Fleet 3
Fishery Catch Seas 1 Fleet 2
Fishery Catch Seas 1 Fleet 1
Fishery Ages Seas 1 Fleet 3
Fishery Ages Seas 1 Fleet 2
Fishery Ages Seas 1 Fleet 1
0
20
40
60
Year
26.2_FAA_3LLF_LLS_BS_Dome_DN



Model
26.2_FAA_3LLF_LLS_BS_Dome_DN
Region 1
Value
Year
0
20
40
60
Region 1 Dynamic Unfished Spawning Biomass
Region 1 Recruitment
Region 1 Spawning Biomass
Region 1 Total Biomass
Region 1 Fleet 1
Region 1 Fleet 2
Region 1 Fleet 3
Region 1 Fleet 4



Model
26.2_FAA_3LLF_LLS_BS_Dome_DN
Region 1
Seas 1 Fleet 1 F
Seas 1 Fleet 2 F
Seas 1 Fleet 3 F
Seas 1 Fleet 4 F
Value
Year
0.03
0.02
0.01
0.00
0.012
0.009
0.006
0.003
0.000
0.12
0.08
0.04
0.00
0.06
0.04
0.02
0.00
0
20
40
60



Model
26.2_FAA_3LLF_LLS_BS_Dome_DN
Region 1
Recruitment
Year
Population 1 Recruitment
0
100
200
300
400
0
20
40
60



Model
26.2_FAA_3LLF_LLS_BS_Dome_DN
Region 1
Spawning Stock Biomass
300
200
100
0
0
20
40
60
Year
Population 1 SSB



Model
26.2_FAA_3LLF_LLS_BS_Dome_DN
Region 1
Total Biomass
0
200
400
600
0
20
40
60
Year
Population 1 Total Biom


Model
26.2_FAA_3LLF_LLS_BS_Dome_DN
Region 1
Unfished Spawning Stock Biomass
400
300
200
100
0
0
20
40
60
Year
Population 1 Dynamic SSB0


Model 26.2_FAA_3LLF_LLS_BS_Dome_DN
Type Population 1 Dynamic SSB0 Population 1 SSB
Region 1
Spawning Stock Biomass
300
200
100
0
0
20
40
60
Year


Year
67
Model
26.2_FAA_3LLF_LLS_BS_Dome_DN
Region 1
Fleet 1
Seas 1
Region 1
Fleet 2
Seas 1
Region 1
Fleet 3
Seas 1
Region 1
Fleet 4
Seas 1
Pop 1
Sex 1
Pop 1
Sex 2
Fishery selectivity
1.00
0.75
0.50
0.25
0.00
0
10
20
30
Bin


Year
67
Model
26.2_FAA_3LLF_LLS_BS_Dome_DN
Region 1
Fleet 1
Seas 1
Region 1
Fleet 2
Seas 1
Region 1
Fleet 3
Seas 1
Region 1
Fleet 4
Seas 1
Region 1
Fleet 5
Seas 1
Pop 1
Sex 1
Pop 1
Sex 2
Survey selectivity
1.00
0.75
0.50
0.25
0.00
0
10
20
30
Bin


Type
Age
Index
Length
Prior
Catch
jnLL
Penalty
26.2_FAA_3LLF_LLS_BS_Dome_DN
500
250
0
−250
−500
Likelihood
Catch nLL
Fishery Age nLL
Fishery Length nLL
Fishing Mortality Penalty
Initial Age Penalty
jnLL
M Prior
Recruitment Penalty
Selectivity Penalty
Survey Age nLL
Survey Index nLL
Survey Length nLL
Likelihood Component

	Model	jnLL	M Prior	Recruitment Penalty	Selectivity Penalty	Catch nLL	Fishing Mortality Penalty	Survey Index nLL	Initial Age Penalty	Survey Age nLL	Fishery Age nLL	Survey Length nLL	Fishery Length nLL
1	26.2_FAA_3LLF_LLS_BS_Dome_DN	468.9306	−1.35782	81.76755	76.84978	−542.9632	315.3762	−12.57037	0.7803381	369.929	129.024	22.06171	30.03335