





Plots created using the 'r4ss' package in R
Stock Synthesis version: 3.30.19.0
StartTime: Thu Dec 11 15:22:48 2025
Data_File: data.ss
Control_File: control.ss


Length (cm, beginning of the year)
























































Fecundity




Fecundity




Spawning output







Hermaphroditism transition rate




Fraction females by age at equilibrium




Selectivity




Selectivity





Selectivity




Selectivity









Spawning biomass (mt)




Spawning biomass (mt)




Relative spawning biomass: B/B_{MSY}




Relative spawning biomass: B/B_{MSY}







Summary biomass (mt)




Age-0 recruits (1,000s)





Age-0 recruits (1,000s)




Summary Fishing Mortality










Recruitment (1,000s)












SPR




1-SPR




Fishing intensity: 1-SPR



Fishing intensity: 1-SPR




Index





Year


Index





Year











Deviation

1.0
0.5
0.0
-0.5
-1.0

2016

2017


2018

2019


2020


Year






Age







Mean age (yr)




Age







Mean age (yr)





Age





Year























FISHERY

Sum of N input=316







Proportion



Length (cm)





FISHERY (whole catch)




FISHERY

Sum of N input=316
Sum of N adj.=212.9







Proportion





Length (cm)





FISHERY (whole catch)




















SR_LN(R0)




ln(DM_theta)_1




LnQ_base_FISHERY(1)



Size_inflection_FISHERY(1)



Size_95%width_FISHERY(1)



Parameter value