





Plots created using the 'r4ss' package in R
Stock Synthesis version: 3.30.19.0
StartTime: Thu Dec 18 13:54:09 2025
Data_File: data.ss
Control_File: control.ss


Length (cm, beginning of the year)




































































Hermaphroditism transition rate




Fraction females by age at equilibrium



Selectivity




Selectivity





Age (yr)


Selectivity




Selectivity












Spawning biomass (mt)





Relative spawning biomass: B/B_{MSY}




Relative spawning biomass: B/B_{MSY}









Age-0 recruits (1,000s)





Age-0 recruits (1,000s)





Summary Fishing Mortality


















Observed and expected Landings (mt)






SPR







Fishing intensity: 1-SPR



Fishing intensity: 1-SPR





Index




Year


Index











Log index
















Age














Age

14
12
10
8
6
4
2
0

1970

1980

1990

2000

2010

2020

Year

1

0.1

0.6

0.8

0.4


0.2


0.9


0.3


0.5


0.7


















Length




Year









Proportion





Length (cm)




FISHERY (whole catch)









Proportion





Length (cm)




FISHERY (whole catch)










Surplus production (mt)











Density


SR_LN(R0)




Size_95%width_FISHERY(1)




InitF_seas_1_flt_1FISHERY




ln(DM_theta)_1



LnQ_base_FISHERY(1)



Size_inflection_FISHERY(1)



Parameter value