



MORPHOLOGY

EM	Encrusting
MD	Mounding
PL	Plating
LC	Laminar columnar
FO	Foliose
BR	Branching
KN	Knobby
CO	Columnar
TB	Table
ML	Mounding lobate
FR	Free living

CONDITION (≥5% only)

ALG	Algal infection
SGA	Skeletal growth anomalies
PTR	Porites trematodiasis
PRS	Pigmentation response
FUG	Endolithic fungal infection
BLE	Bleaching (2 or 3 severity only)

RECENT DEAD

general	Disease	DZGN	general	Damage	DAMG
	Acute tissue loss - White syndrome	WSY			
	Banded fungal infection	BFI	general	Predation	PRED
	Black band disease	BBD		Gastropod	GAST
	Brown band disease	BRD		Crown of thorns	COTS
	Porites ulcerative white spot	PUS		Fish	FISH
	Sub-acute tissue loss	TLS			
	Ciliate infection	CIL	general	Unknown	UNKN

Segment	ADULTS (≥ 5 cm)	JUVENILES* (0.5 ≥ x < 5 cm)
0	0-2.5 m	0-1.0 m
5	5-7.5 m	5-6.0 m
10	10-12.5 m	10-11.0 m
15	15-17.5 m	*genera only; measure to nearest 0.5 cm