

Roof Lifecycle Cost Analysis

Planned maintenance is projected to save the owner of a typical Culbertson (N. Virginia) warehouse **\$1.41M** over the next 20 years.

That is 57.4% less than the reactive cost, or \$601K in today's dollars. It compares PaxSeal planned maintenance with fixing problems only after they leak, using Culbertson (N. Virginia) costs and storm history.

MARKET	PROPERTY	ROOF AREA	SYSTEM	AGE	NEW ROOF TODAY
Culbertson (N. Virginia)	Warehouse	100,000 sq ft	TPO	8 yrs Good	\$900K

PAXSEAL NET COST

\$1.05M

\$2.04M spent, less \$996K roof life left

REACTIVE NET COST

\$2.46M

\$2.61M spent, less \$147K roof life left

VALUE PROTECTED

\$563K

\$36K/yr more NOI at a 6.4% cap rate

NEW ROOF PRICE

2x in 15 yrs

\$900K today, \$2.21M by year 20


Cumulative roof spending, next 20 years

Nominal dollars. Vertical jumps are full roof replacements.



Roof life

When each scenario needs a new roof.



Where the savings come from

20-year totals

	PAXSEAL	REACTIVE	SAVINGS
PaxSeal program fees	\$371K	—	-\$371K
Repairs paid by owner	\$216K	\$1.31M	+\$1.09M
Expected storm damage	\$45K	\$68K	+\$23K
Roof replacements	\$1.41M	\$1.23M	-\$178K
Credit for roof life left	-\$996K	-\$147K	+\$848K
Net 20-year cost	\$1.05M	\$2.46M	+\$1.41M

What this means

- 1 **A later replacement.** Maintenance moves the next new roof from year 7 to year 10, so fewer roofs are bought over the period.
- 2 **Smaller repairs.** Problems found on a scheduled visit avoid emergency work, which costs about 3× as much. That saves \$1.09M in repairs.
- 3 **The program pays for itself.** Each \$1 of PaxSeal fees returns about \$3.81 in avoided cost.

Local risk profile

Prince William County, VA (51153)

Thunderstorm wind / derecho, snow and ice

Strong wind and winter weather both rated Relatively High (FEMA NRI); tropical remnants ~1 per 12 years. Expected storm damage to this roof over 20 years is **\$45K** if maintained and **\$68K** if neglected. A documented maintenance history also helps when an insurer questions a claim.

Hail	Moderate	
Strong wind	High	
Tornado	Moderate	
Hurricane	Moderate	
Winter weather	High	
Ice storm	Low	
FEMA National Risk Index rating		

Key assumptions

Confidence reflects source strength. Values will be refined as research continues.

ASSUMPTION	VALUE	BASIS	CONFIDENCE
Roof life	20 / 15 yrs	Maintained / reactive. Fannie Mae service-life tables; +5 yrs from NRC Canada roof study and manufacturer warranty terms	MEDIUM
Roof cost growth	4.6%/yr	BLS Producer Price Index, nonresidential roofing contractors, 2007–2025	HIGH
Replacement cost	\$9.00/sq ft	Culbertson (N. Virginia) contractor price ranges	LOW
Reactive repair cost	3× planned	Industry estimates; no primary study found	LOW
Storm damage	0.15%/yr	Of roof cost. FEMA NRI expected annual building loss from hail, wind, tornado, hurricane and winter weather	MEDIUM
PaxSeal fee	\$13,800/yr	Estimate from maintenance-program pricing benchmarks	LOW
Cap rate	6.4%	Culbertson (N. Virginia) warehouse / industrial market reports	LOW

Estimates, not a quote. Projections use Culbertson (N. Virginia) market research and industry data, in nominal dollars; actual costs will differ. The PaxSeal fee is an estimate and your proposal will state the actual price. Net cost credits the roof life remaining at year 20. Property value is the yearly gain in net operating income divided by the cap rate, and applies to income-producing property where the owner pays for the roof.