

# EDP 5334: Statistical Methods

R. Noah Padgett

2021-01-20



# Chapter 1

## Course Description

Elementary method of organizing, analyzing, and interpreting quantitative data, with particular reference to school-related issues. Exercises in the computation of the most commonly employed statistical indices in tabulation, graphic representation, and presentation of data in educational reports. The techniques used are also applicable to other fields.



## Chapter 2

# Prerequisites

This is a *sample* book written in **Markdown**. You can use anything that Pandoc's Markdown supports, e.g., a math equation  $a^2 + b^2 = c^2$ .

The **bookdown** package can be installed from CRAN or Github:

```
install.packages("bookdown")  
# or the development version  
# devtools::install_github("rstudio/bookdown")
```

Remember each Rmd file contains one and only one chapter, and a chapter is defined by the first-level heading #.

To compile this example to PDF, you need XeLaTeX. You are recommended to install TinyTeX (which includes XeLaTeX): <https://yihui.org/tinytex/>.



## Chapter 3

# Introduction

You can label chapter and section titles using `{#label}` after them, e.g., we can reference Chapter 3. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter 5.

Figures and tables with captions will be placed in `figure` and `table` environments, respectively.

```
par(mar = c(4, 4, .1, .1))  
plot(pressure, type = 'b', pch = 19)
```




Figure 3.1: Here is a nice figure!

Table 3.1: Here is a nice table!

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa
4.6	3.4	1.4	0.3	setosa
5.0	3.4	1.5	0.2	setosa
4.4	2.9	1.4	0.2	setosa
4.9	3.1	1.5	0.1	setosa
5.4	3.7	1.5	0.2	setosa
4.8	3.4	1.6	0.2	setosa
4.8	3.0	1.4	0.1	setosa
4.3	3.0	1.1	0.1	setosa
5.8	4.0	1.2	0.2	setosa
5.7	4.4	1.5	0.4	setosa
5.4	3.9	1.3	0.4	setosa
5.1	3.5	1.4	0.3	setosa
5.7	3.8	1.7	0.3	setosa
5.1	3.8	1.5	0.3	setosa

Reference a figure by its code chunk label with the `fig:` prefix, e.g., see Figure 3.1. Similarly, you can reference tables generated from `knitr::kable()`, e.g., see Table 3.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the **bookdown** package (Xie 2020) in this sample book, which was built on top of R Markdown and **knitr** (Xie 2015).



## Chapter 4

# Literature

Here is a review of existing methods.



## Chapter 5

# Methods

We describe our methods in this chapter.



## Chapter 6

# Applications

Some *significant* applications are demonstrated in this chapter.

### 6.1 Example one

### 6.2 Example two



## Chapter 7

# Final Words

We have finished a nice book.

Xie, Yihui. 2015. *Dynamic Documents with R and Knitr*. 2nd ed. Boca Raton, Florida: Chapman; Hall/CRC. <http://yihui.org/knitr/>.

———. 2020. *Bookdown: Authoring Books and Technical Documents with r Markdown*. <https://github.com/rstudio/bookdown>.