#### Math 3B: Lecture 19

Noah White

November 4, 2016

#### Last time

• Modelling using differential equations

#### Last time

- Modelling using differential equations
- Exponential population growth

#### Last time

- Modelling using differential equations
- Exponential population growth
- Logistic population growth

# Logistic growth

The equation

$$\frac{\mathrm{d}N}{\mathrm{d}t} = r\left(1 - \frac{N}{K}\right)N$$

is called the Logistic equation and K is the carrying capacity.

Assume that r > 0 and K > 0.

$$\frac{\mathrm{d}N}{\mathrm{d}t} = r\left(1 - \frac{N}{K}\right)N$$

Case 1. 
$$N(0) = 0$$

In this case the growth rate is 0 initially, so N(t) does not increase or decrease, so remains 0.

Assume that r > 0 and K > 0.

$$\frac{\mathrm{d}N}{\mathrm{d}t} = r\left(1 - \frac{N}{K}\right)N$$

#### Case 1. N(0) = 0

In this case the growth rate is 0 initially, so N(t) does not increase or decrease, so remains 0.

Case 2. 
$$N(0) = K$$

In this case the growth rate is 0 initially, so N(t) does not increase or decrease, so remains K.

Assume that r > 0 and K > 0.

$$\frac{\mathrm{d}N}{\mathrm{d}t} = r\left(1 - \frac{N}{K}\right)N$$

#### Case 1. N(0) = 0

In this case the growth rate is 0 initially, so N(t) does not increase or decrease, so remains 0.

Case 2. 
$$N(0) = K$$

In this case the growth rate is 0 initially, so N(t) does not increase or decrease, so remains K.

#### Key takeaway

Both N(t) = 0 and N(t) = K are solutions to the ODE. They are called equalibrium solutions.

Assume that r > 0 and K > 0.

$$\frac{\mathrm{d}N}{\mathrm{d}t} = r\left(1 - \frac{N}{K}\right)N$$

Case 3. 
$$0 \le N(0) \le K$$

In this case, N is initially increasing and so becomes more positive, slowing down as it gets close to K.

Assume that r > 0 and K > 0.

$$\frac{\mathrm{d}N}{\mathrm{d}t} = r\left(1 - \frac{N}{K}\right)N$$

#### Case 3. $0 \le N(0) \le K$

In this case, N is initially increasing and so becomes more positive, slowing down as it gets close to K.

Case 4. 
$$N(0) \ge K$$

In this case N is initially decreasing but decreases slower and slower as it gets close to K.

### Logistic growth with outside effects

We can also modify the logistic equation to get something which models an outside effect. For example harvesting.

$$\frac{\mathrm{d}N}{\mathrm{d}t} = r\left(1 - \frac{N}{K}\right)N - h(t)$$

### Logistic growth with outside effects

We can also modify the logistic equation to get something which models an outside effect. For example harvesting.

$$\frac{\mathrm{d}N}{\mathrm{d}t} = r\left(1 - \frac{N}{K}\right)N - h(t)$$

This would model a population growing logistically but where we are harvesting at a rate of h(N). E.g. we decide to continually harvest 3% of the population then

$$h(N) = 0.03N$$
.

The most straighforward way of checking a function y = f(x) is a solution to a differential equation

$$\frac{\mathrm{d}y}{\mathrm{d}x} = g(x,y)$$

is to simply plug it in to both sides.

The most straighforward way of checking a function y = f(x) is a solution to a differential equation

$$\frac{\mathrm{d}y}{\mathrm{d}x} = g(x,y)$$

is to simply plug it in to both sides.

#### Example

The function  $y=e^{\sin x}$  is a solution of  $\frac{\mathrm{d}y}{\mathrm{d}x}=y\cos x$ . To check note that

The most straighforward way of checking a function y = f(x) is a solution to a differential equation

$$\frac{\mathrm{d}y}{\mathrm{d}x} = g(x,y)$$

is to simply plug it in to both sides.

#### Example

The function  $y = e^{\sin x}$  is a solution of  $\frac{dy}{dx} = y \cos x$ . To check note that

$$\frac{\mathrm{d}y}{\mathrm{d}x} = e^{\sin x} \cos x$$

The most straighforward way of checking a function y = f(x) is a solution to a differential equation

$$\frac{\mathrm{d}y}{\mathrm{d}x} = g(x,y)$$

is to simply plug it in to both sides.

#### Example

The function  $y = e^{\sin x}$  is a solution of  $\frac{dy}{dx} = y \cos x$ . To check note that

$$\frac{\mathrm{d}y}{\mathrm{d}x} = e^{\sin x} \cos x$$
$$y \cos x = e^{\sin x} \cos x$$