## Midterm 2 practice

UCLA: Math 170A, Fall 2017

Instructor: Noah White

Date:

Version: practice

- This exam has 5 questions, for a total of 50 points.
- Please print your working and answers neatly.
- Write your solutions in the space provided showing working.
- All final answers should be exact values. Decimal approximations will not be given credit.
- Indicate your final answer clearly.
- Full points will only be awarded for solutions with correct working.
- You may write on the reverse of a page or on the blank pages found at the back of the booklet however these will not be graded unless very clearly indicated.
- Non programmable and non graphing calculators are allowed.

Name:			
ID number:			

Question	Points	Score
1	10	
2	10	
3	10	
4	10	
5	10	
Total:	50	

1. Each of the five parts below is worth 2 points.

For this problem only: Please provide short answers (you can add short explanations if you find it appropriate).

- (a) (2 points) If X is a Binomial random variable with parameters 6 and 0.2 what is  $\mathbb{E}(X)$ ?
- (b) (2 points) Let X be Bernoulli random variable with parameter 0.5 and Y be a Binomial random variable with parameters 3 and 0.5. If X and Y are independent what is the range (set of all possible values) of X + Y?
- (c) (2 points) For random variables X and Y you know that cov(X,Y)=2,  $\mathbb{E}(XY)=6$  and  $\mathbb{E}(X)=4$ . What is  $\mathbb{E}(Y)$ ?
- (d) (2 points) Let X be a random variable with expectation 0 and variance 1. Compute  $\mathbb{E}(X^2 + X)$ .
- (e) (2 points) If random variables X and Y are independent express var(X Y) in terms of var(X) and var(Y).

- 2. (10 points) In a certain game the first contestant chooses either number 2 or number 3 with equal probabilities. If the number chosen is  $k \in \{2,3\}$  the second contestant will choose an integer number between (and including) 1 and k uniformly at random. Let X be the number chosen by the first contestant and Y be the number chosen by the second contestant.
  - Find the range of the pair (X,Y) and it's joint probability mass function  $p_{X,Y}$ .
  - Find  $\mathbb{E}(Y)$ .

3. (10 points) There are 2n boxes each of which contains one ball which is either red, blue or green (with equal probabilities). The color of the ball in any box is independent of the colors of balls in other boxes. Let X be the total number of red balls in these 2n boxes. Let A be the event there are no green balls in the first n boxes. Let B be the event that last n boxes contain only green balls. Given the event  $A \cap B$  find the conditional probability mass function of X.

4. (10 points) Let X be a Poisson random variable with parameter 1. Let Y be a Geometric random variable with parameter 1/2. If X and Y are independent compute the probability  $\mathbb{P}(X=Y)$ . Simplify your answer.

- 5. (10 points) There are n couples coming to your dinner. These 2n people will be seated around a circular table which has exactly 2n seats in a uniformly random order. A couple will be happy if the partners are sitting next to each other or if there is exactly one person sitting between them.
  - What is the probability that the first couple is happy?
  - Compute the expected number of happy couples.

This page has been left intentionally blank. You may use it as scratch paper. It will not be graded unless indicated very clearly here and next to the relevant question.

This page has been left intentionally blank. You may use it as scratch paper. It will not be graded unless indicated very clearly here and next to the relevant question.