

Math 3B: Lecture 1

Noah White

September 28, 2018

Class website

There are a few places where you will find/receive information about Math 3B:

- The class website: `www.math.ucla.edu/~noah`

Class website

There are a few places where you will find/receive information about Math 3B:

- The class website: `www.math.ucla.edu/~noah`
- Campuswire

Class website

There are a few places where you will find/receive information about Math 3B:

- The class website: `www.math.ucla.edu/~noah`
- Campuswire
- Email

There are a few places where you will find/receive information about Math 3B:

- The class website: `www.math.ucla.edu/~noah`
- Campuswire
- Email
- CCLE (only for recordings)

Instructor and TAs

Instructor Noah White

office hours *MS 6304, Monday, Friday 10-11am, Wednesday 1-2pm*

TA Benjamin Jarman

office hours *TBA, TBA*

Ryan Wilkinson

TBA, TBA

Discussions

- Your TA will guide discussion in small groups

Discussions

- Your TA will guide discussion in small groups
- These will be your opportunity to actively discuss mathematics, this should be active, not passive, learning.

Discussions

- Your TA will guide discussion in small groups
- These will be your opportunity to actively discuss mathematics, this should be active, not passive, learning.
- Try to talk about the problems with other students, even if you find them easy, and especially if you find them difficult.

- The lectures will be recorded.

- The lectures will be recorded.
- The recordings will be available on CCLE

- The lectures will be recorded.
- The recordings will be available on CCLE
- Study tip: doing problems is much better than watching a video!

- Mathematical questions should be asked on Campuswire

Communication

- Mathematical questions should be asked on Campuswire
- Administrative questions should be directed to your TA initially

Communication


- Mathematical questions should be asked on Campuswire
- Administrative questions should be directed to your TA initially
- As much as possible please keep communication on Campuswire - send me a DM

Communication

- Mathematical questions should be asked on Campuswire
- Administrative questions should be directed to your TA initially
- As much as possible please keep communication on Campuswire - send me a DM
- If you need to email me include `math3b` in the subject

Textbook

S. J. Schreiber, *Calculus for the Life Sciences*, Wiley



Problem sets, homework, and quizzes

Problem sets

Assigned every week. Long(!!) list of problems. Not graded, but recommended you complete *eventually*!

Problem sets, homework, and quizzes

Problem sets

Assigned every week. Long(!!) list of problems. Not graded, but recommended you complete *eventually*!

Homework

Due in even weeks 2, 4, 6, 8, 10. A small number of questions drawn from the problem sets.

Problem sets, homework, and quizzes

Problem sets

Assigned every week. Long(!!) list of problems. Not graded, but recommended you complete *eventually*!

Homework

Due in even weeks 2, 4, 6, 8, 10. A small number of questions drawn from the problem sets.

Quizzes

Administered in discussion session in odd weeks 1, 3, 5, 7, 9. More on the format to come.

Homework; collection and collaboration

- Homework will be collected at the **start** of the lecture on the dues date.

Homework; collection and collaboration

- Homework will be collected at the **start** of the lecture on the dues date.
- Late homework will not be accepted.

Homework; collection and collaboration

- Homework will be collected at the **start** of the lecture on the dues date.
- Late homework will not be accepted.
- You may collaborate in small groups if:

Homework; collection and collaboration

- Homework will be collected at the **start** of the lecture on the dues date.
- Late homework will not be accepted.
- You may collaborate in small groups if:
- you acknowledge your collaborators,

Homework; collection and collaboration

- Homework will be collected at the **start** of the lecture on the dues date.
- Late homework will not be accepted.
- You may collaborate in small groups if:
 - you acknowledge your collaborators,
 - write up your own solutions, in your own words.

Exams

There will be two midterms and a final exam

- Midterm 1 8-8:50am Monday, 22 October, 2018

Exams

There will be two midterms and a final exam

- Midterm 1 8-8:50am Monday, 22 October, 2018
- Midterm 2 8-8:50am Monday, 19 November, 2018

Exams

There will be two midterms and a final exam

- Midterm 1 8-8:50am Monday, 22 October, 2018
- Midterm 2 8-8:50am Monday, 19 November, 2018
- Final 11:30am-2:30pm Monday, 10 December, 2017

Exams

There will be two midterms and a final exam

- Midterm 1 8-8:50am Monday, 22 October, 2018
- Midterm 2 8-8:50am Monday, 19 November, 2018
- Final 11:30am-2:30pm Monday, 10 December, 2017

Cheatsheets and calculators

You will be allowed a small cheatsheet in each exam. Must be self-written and one side, half a letter size piece of paper. You are also allowed to use non-programmable, non-graphing calculators.

Grading

Your final grade will be calculated using the maximum of the following two grading schemes.

10% (best 4 quizzes/hw) + 40% (midterms) + 50% (final)

or

10% (best 4 quizzes/hw) + 30% (best midterm) + 60% (final)

Schedule

See website

Also note that I will be away Wednesday 3 October - Monday 8 October. Lectures will be given by Jens Eberhardt.

Where to get help

Campuswire

Here you can ask questions and answer others' questions. Lets take a look. . .

Where to get help

Campuswire

Here you can ask questions and answer others' questions. Lets take a look. . .

Office hours

Use them wisely! Prepare and seek information first. If you learn something, post it to Campuswire!

Where to get help

Campuswire

Here you can ask questions and answer others' questions. Lets take a look. . .

Office hours

Use them wisely! Prepare and seek information first. If you learn something, post it to Campuswire!

Student Math Center (SMC)

Location: MS 3974, times: M-R 9am-3pm.

The SMC offers free, individual and group tutoring for all lower division math courses. This service is available on a walk-in basis; no appointment is necessary. Students may ask any of the TAs in attendance for assistance with math problems.

What should you know?

A nonexhaustive list:

- Definitions and properties of basic functions.

What should you know?

A nonexhaustive list:

- Definitions and properties of basic functions.
- How to calculate limits.

What should you know?

A nonexhaustive list:

- Definitions and properties of basic functions.
- How to calculate limits.
- You should have a good feel for what the derivative means.
I.e. derivative at a point = tangent slope.

What should you know?

A nonexhaustive list:

- Definitions and properties of basic functions.
- How to calculate limits.
- You should have a good feel for what the derivative means.
I.e. derivative at a point = tangent slope.
- You need to understand differentiation algebraically **as well as** geometrically.

What should you know?

A nonexhaustive list:

- Definitions and properties of basic functions.
- How to calculate limits.
- You should have a good feel for what the derivative means.
I.e. derivative at a point = tangent slope.
- You need to understand differentiation algebraically **as well as** geometrically.
- You should also know the definition of the derivative

$$\frac{d}{dx}f(x) = \lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}$$

Differentiation

You should be able to differentiate many of the standard functions we will see in this course. This includes:

- polynomials/power functions

$$\frac{d}{dx} (x^n) = nx^{n-1}$$

Differentiation

You should be able to differentiate many of the standard functions we will see in this course. This includes:

- polynomials/power functions

$$\frac{d}{dx} (x^n) = nx^{n-1}$$

- exponentials

$$\frac{d}{dx} (e^x) = e^x$$

Differentiation

You should be able to differentiate many of the standard functions we will see in this course. This includes:

- polynomials/power functions

$$\frac{d}{dx} (x^n) = nx^{n-1}$$

- exponentials

$$\frac{d}{dx} (e^x) = e^x$$

- logarithms

$$\frac{d}{dx} (\ln x) = \frac{1}{x}$$

Differentiation

You should be able to differentiate many of the standard functions we will see in this course. This includes:

- polynomials/power functions

$$\frac{d}{dx} (x^n) = nx^{n-1}$$

- exponentials

$$\frac{d}{dx} (e^x) = e^x$$

- logarithms

$$\frac{d}{dx} (\ln x) = \frac{1}{x}$$

- trig functions

$$\frac{d}{dx} (\sin x) = \cos x$$

Product rule

The product rule lets us differentiate functions of the form $f(x) = g(x)h(x)$. It says

$$\frac{d}{dx}f(x) = g'(x)h(x) + g(x)h'(x)$$

Product rule

The product rule lets us differentiate functions of the form $f(x) = g(x)h(x)$. It says

$$\frac{d}{dx}f(x) = g'(x)h(x) + g(x)h'(x)$$

Example

Let's differentiate the function $f(x) = e^x \sin x$.

$$\frac{d}{dx}f(x) = \left(\frac{d}{dx}e^x\right) \sin x + e^x \left(\frac{d}{dx} \sin x\right)$$

Product rule

The product rule lets us differentiate functions of the form $f(x) = g(x)h(x)$. It says

$$\frac{d}{dx}f(x) = g'(x)h(x) + g(x)h'(x)$$

Example

Let's differentiate the function $f(x) = e^x \sin x$.

$$\begin{aligned}\frac{d}{dx}f(x) &= \left(\frac{d}{dx}e^x\right)\sin x + e^x\left(\frac{d}{dx}\sin x\right) \\ &= e^x \sin x + e^x \cos x\end{aligned}$$

Product rule

The product rule lets us differentiate functions of the form $f(x) = g(x)h(x)$. It says

$$\frac{d}{dx}f(x) = g'(x)h(x) + g(x)h'(x)$$

Example

Let's differentiate the function $f(x) = e^x \sin x$.

$$\begin{aligned}\frac{d}{dx}f(x) &= \left(\frac{d}{dx}e^x\right)\sin x + e^x\left(\frac{d}{dx}\sin x\right) \\ &= e^x \sin x + e^x \cos x \\ &= e^x(\sin x + \cos x)\end{aligned}$$

The chain rule

The chain rule is very important! It allows us to differentiate functions of the form $f(x) = g(h(x))$. It says

$$\frac{d}{dx}f(x) = h'(x)g'(h(x))$$

The chain rule

The chain rule is very important! It allows us to differentiate functions of the form $f(x) = g(h(x))$. It says

$$\frac{d}{dx}f(x) = h'(x)g'(h(x))$$

Example

Let's differentiate $f(x) = \sin(e^x)$. In this example

$$h(x) = e^x \quad \text{and} \quad g(x) = \sin x$$

The chain rule

The chain rule is very important! It allows us to differentiate functions of the form $f(x) = g(h(x))$. It says

$$\frac{d}{dx}f(x) = h'(x)g'(h(x))$$

Example

Let's differentiate $f(x) = \sin(e^x)$. In this example

$$h(x) = e^x \quad \text{and} \quad g(x) = \sin x$$

The chain rule

The chain rule is very important! It allows us to differentiate functions of the form $f(x) = g(h(x))$. It says

$$\frac{d}{dx}f(x) = h'(x)g'(h(x))$$

Example

Let's differentiate $f(x) = \sin(e^x)$. In this example

$$h(x) = e^x \quad \text{and} \quad g(x) = \sin x$$

so

$$h'(x) = e^x \quad \text{and} \quad g'(x) = \cos x$$

The chain rule

The chain rule is very important! It allows us to differentiate functions of the form $f(x) = g(h(x))$. It says

$$\frac{d}{dx}f(x) = h'(x)g'(h(x))$$

Example

Let's differentiate $f(x) = \sin(e^x)$. In this example

$$h(x) = e^x \quad \text{and} \quad g(x) = \sin x$$

so

$$h'(x) = e^x \quad \text{and} \quad g'(x) = \cos x$$

so

$$f'(x) = e^x \cos(e^x)$$

The quotient rule sucks

The quotient rule says

$$\frac{d}{dx} \left(\frac{g(x)}{h(x)} \right) = \frac{g'(x)h(x) - g(x)h'(x)}{h(x)^2}$$

The quotient rule sucks

The quotient rule says

$$\frac{d}{dx} \left(\frac{g(x)}{h(x)} \right) = \frac{g'(x)h(x) - g(x)h'(x)}{h(x)^2}$$

This is annoying to remember (where does that minus sign go again?). Luckily we can notice

$$\frac{g(x)}{h(x)} = g(x)k(x) \quad \text{where} \quad k(x) = (h(x))^{-1}$$

So we can just use the product rule!

Example

Question

Differentiate

$$f(x) = \sin \frac{1}{x}$$

Example

Question

Differentiate

$$f(x) = \sin \frac{1}{x}$$

Solution

We should use the chain rule. Notice $f(x) = g(h(x))$ where

$$h(x) = x^{-1} \quad \text{and} \quad g(x) = \sin x$$

Example

Question

Differentiate

$$f(x) = \sin \frac{1}{x}$$

Solution

We should use the chain rule. Notice $f(x) = g(h(x))$ where

$$h(x) = x^{-1} \quad \text{and} \quad g(x) = \sin x$$

Example

Question

Differentiate

$$f(x) = \sin \frac{1}{x}$$

Solution

We should use the chain rule. Notice $f(x) = g(h(x))$ where

$$h(x) = x^{-1} \quad \text{and} \quad g(x) = \sin x$$

so

$$h'(x) = -x^{-2} \quad \text{and} \quad g'(x) = \cos x$$

Example

Question

Differentiate

$$f(x) = \sin \frac{1}{x}$$

Solution

We should use the chain rule. Notice $f(x) = g(h(x))$ where

$$h(x) = x^{-1} \quad \text{and} \quad g(x) = \sin x$$

so

$$h'(x) = -x^{-2} \quad \text{and} \quad g'(x) = \cos x$$

so

$$\begin{aligned} f'(x) &= h'(x)g'(h(x)) \\ &= -\frac{1}{x^2} \cos(x^{-1}) \end{aligned}$$

Example

Question

Differentiate

$$f(x) = \frac{x-1}{x+1}$$

Example

Question

Differentiate

$$f(x) = \frac{x-1}{x+1} = (x-1)(x+1)^{-1}$$

Solution

We should use the product/quotient rule. Notice $f(x) = g(x)h(x)$ where

$$h(x) = (x+1)^{-1} \quad \text{and} \quad g(x) = x-1$$

$$h'(x) = -(x+1)^{-2} \quad \text{and} \quad g'(x) = 1$$

Example

Question

Differentiate

$$f(x) = \frac{x-1}{x+1} = (x-1)(x+1)^{-1}$$

Solution

We should use the product/quotient rule. Notice $f(x) = g(x)h(x)$ where

$$h(x) = (x+1)^{-1} \quad \text{and} \quad g(x) = x-1$$

$$h'(x) = -(x+1)^{-2} \quad \text{and} \quad g'(x) = 1$$

Example

Question

Differentiate

$$f(x) = \frac{x-1}{x+1} = (x-1)(x+1)^{-1}$$

Solution

We should use the product/quotient rule. Notice $f(x) = g(x)h(x)$ where

$$h(x) = (x+1)^{-1} \quad \text{and} \quad g(x) = x-1$$

$$h'(x) = -(x+1)^{-2} \quad \text{and} \quad g'(x) = 1$$

so

$$f'(x) = g'(x)h(x) + g(x)h'(x)$$

Example

Question

Differentiate

$$f(x) = \frac{x-1}{x+1} = (x-1)(x+1)^{-1}$$

Solution

We should use the product/quotient rule. Notice $f(x) = g(x)h(x)$ where

$$h(x) = (x+1)^{-1} \quad \text{and} \quad g(x) = x-1$$

$$h'(x) = -(x+1)^{-2} \quad \text{and} \quad g'(x) = 1$$

so

$$\begin{aligned} f'(x) &= g'(x)h(x) + g(x)h'(x) \\ &= \frac{1}{x+1} - \frac{x-1}{(x+1)^2} = \frac{2}{(x+1)^2} \end{aligned}$$

Example

Question

Differentiate

$$F(x) = \frac{\sin x^2 - 1}{\sin x^2 + 1}$$

Example

Question

Differentiate

$$F(x) = \frac{\sin x^2 - 1}{\sin x^2 + 1}$$

Solution

We should notice that $F(x) = f(g(x))$ so we can use the chain rule!

$$f(x) = \frac{x - 1}{x + 1} \quad \text{and} \quad g(x) = \sin x^2$$

$$f'(x) = \frac{2}{(x + 1)^2} \quad \text{and} \quad g'(x) = 2x \cos x^2$$

Example

Question

Differentiate

$$F(x) = \frac{\sin x^2 - 1}{\sin x^2 + 1}$$

Solution

We should notice that $F(x) = f(g(x))$ so we can use the chain rule!

$$f(x) = \frac{x - 1}{x + 1} \quad \text{and} \quad g(x) = \sin x^2$$

$$f'(x) = \frac{2}{(x + 1)^2} \quad \text{and} \quad g'(x) = 2x \cos x^2$$

Example

Question

Differentiate

$$F(x) = \frac{\sin x^2 - 1}{\sin x^2 + 1}$$

Solution

We should notice that $F(x) = f(g(x))$ so we can use the chain rule!

$$f(x) = \frac{x - 1}{x + 1} \quad \text{and} \quad g(x) = \sin x^2$$

$$f'(x) = \frac{2}{(x + 1)^2} \quad \text{and} \quad g'(x) = 2x \cos x^2$$

so

$$F'(x) = g'(x)f'(g(x))$$

Example

Question

Differentiate

$$F(x) = \frac{\sin x^2 - 1}{\sin x^2 + 1}$$

Solution

We should notice that $F(x) = f(g(x))$ so we can use the chain rule!

$$f(x) = \frac{x - 1}{x + 1} \quad \text{and} \quad g(x) = \sin x^2$$

$$f'(x) = \frac{2}{(x + 1)^2} \quad \text{and} \quad g'(x) = 2x \cos x^2$$

so

$$\begin{aligned} F'(x) &= g'(x)f'(g(x)) \\ &= 2x \cos x^2 \frac{2}{(\sin x^2 + 1)^2} \end{aligned}$$