## Math 3B: Lecture 1

Noah White

January 7, 2019

There are a few places where you will find/receive information about Math 3B:

• The class website: www.math.ucla.edu/~noah

There are a few places where you will find/receive information about Math 3B:

- The class website: www.math.ucla.edu/~noah
- Campuswire

There are a few places where you will find/receive information about Math 3B:

- The class website: www.math.ucla.edu/~noah
- Campuswire
- Email

There are a few places where you will find/receive information about Math 3B:

- The class website: www.math.ucla.edu/~noah
- Campuswire
- Email
- CCLE (only for recordings)

## Instructor and TAs

Instructor Noah White

office hours MS 6304, Monday, Friday 10-11am, Wednesday 2-3pm

TA Louis Esser office hours TBA, TBA

Matthew Gherman

TBA, TBA

## **Discussions**

• Your TA will guide discussion in small groups

### **Discussions**

- Your TA will guide discussion in small groups
- These will be your opportunity to actively discuss mathematics, this should be active, not passive, learning.

### Discussions

- Your TA will guide discussion in small groups
- These will be your opportunity to actively discuss mathematics, this should be active, not passive, learning.
- Try to talk about the problems with other students, even if you find them easy, and especially if you find them difficult.

## BruinCast

• The lectures will be recorded.

## **BruinCast**

- The lectures will be recorded.
- The recordings will be available on CCLE

### **BruinCast**

- The lectures will be recorded.
- The recordings will be available on CCLE
- Study tip: doing problems is much better than watching a video!

• Mathematical questions should be asked on Campuswire


- Mathematical questions should be asked on Campuswire
- Administrative questions should be directed to your TA initially

- Mathematical questions should be asked on Campuswire
- Administrative questions should be directed to your TA initially
- As mush as possible please keep communication on Campuswire - send me a DM

- Mathematical questions should be asked on Campuswire
- Administrative questions should be directed to your TA initially
- As mush as possible please keep communication on Campuswire - send me a DM
- If you need to email me include math3b in the subject

## Textbook

S. J. Schreiber, Calculus for the Life Sciences, Wiley



# Problem sets, homework, and quizzes

#### Problem sets

Assigned every week. Long(!!) list of problems. Not graded, but recommended you complete *eventually*!

# Problem sets, homework, and quizzes

### Problem sets

Assigned every week. Long(!!) list of problems. Not graded, but recommended you complete *eventually*!

#### Homework

Due in even weeks 2, 4, 6, 8, 10. A small number of questions drawn from the problem sets.

# Problem sets, homework, and quizzes

### Problem sets

Assigned every week. Long(!!) list of problems. Not graded, but recommended you complete *eventually*!

#### Homework

Due in even weeks 2, 4, 6, 8, 10. A small number of questions drawn from the problem sets.

## Quizzes

Administered in discussion session in odd weeks 1, 3, 5, 7, 9. See email for sample of format.

 Homework will be collected at the start of the lecture on the dues date.

- Homework will be collected at the start of the lecture on the dues date.
- Late homework will not be accepted.

- Homework will be collected at the start of the lecture on the dues date.
- Late homework will not be accepted.
- You may collaborate in small groups if:

- Homework will be collected at the start of the lecture on the dues date.
- Late homework will not be accepted.
- You may collaborate in small groups if:
- you aknowledge your collaborators,

- Homework will be collected at the start of the lecture on the dues date.
- Late homework will not be accepted.
- You may collaborate in small groups if:
- you aknowledge your collaborators,
- write up your own solutions, in your own words.

There will be two midterms and a final exam

• Midterm 1 8-8:50am Monday, 28 January, 2019

There will be two midterms and a final exam

- Midterm 1 8-8:50am Monday, 28 January, 2019
- Midterm 2 8-8:50am Monday, 25 February, 2019

### There will be two midterms and a final exam

- Midterm 1 8-8:50am Monday, 28 January, 2019
- Midterm 2 8-8:50am Monday, 25 February, 2019
- Final 3-6pm Monday, 18 March, 2019

### There will be two midterms and a final exam

- Midterm 1 8-8:50am Monday, 28 January, 2019
- Midterm 2 8-8:50am Monday, 25 February, 2019
- Final 3-6pm Monday, 18 March, 2019

### Cheatsheets and calculators

You will be allowed a small cheatsheet in each exam. Must be self-written and one side, half a letter size piece of paper. You are also allowed to use non-programmable, non-graphing, non-integration capable calculators.

# Grading

Your final grade will be calculated using the maximum of the following two grading schemes.

# Schedule

See website

# Where to get help

## Campuswire

Here you can ask questions and answer others' questions. Lets take a look. . .

# Where to get help

### Campuswire

Here you can ask questions and answer others' questions. Lets take a look. . .

#### Office hours

Use them wisely! Prepare and seek information first. If you learn something, post it to Campuswire!

# Where to get help

### Campuswire

Here you can ask questions and answer others' questions. Lets take a look. . .

### Office hours

Use them wisely! Prepare and seek information first. If you learn something, post it to Campuswire!

## Student Math Center (SMC)

Location: MS 3974, times: M-R 9am-3pm.

The SMC offers free, individual and group tutoring for all lower division math courses. This service is available on a walk-in basis; no appointment is necessary. Students may ask any of the TAs in attendance for assistance with math problems.

# What should you know?

### A nonexhaustive list:

• Definitions and properties of basic functions.

# What should you know?

### A nonexhaustive list:

- Definitions and properties of basic functions.
- How to calculate limits.

# What should you know?

#### A nonexhaustive list:

- Definitions and properties of basic functions.
- How to calculate limits.
- You should have a good feel for what the derivative means.
  I.e. derivative at a point = tangent slope.

# What should you know?

#### A nonexhaustive list:

- Definitions and properties of basic functions.
- How to calculate limits.
- You should have a good feel for what the derivative means.
  I.e. derivative at a point = tangent slope.
- You need to understand differentiation algebraically as well as geometrically.

# What should you know?

#### A nonexhaustive list:

- Definitions and properties of basic functions.
- How to calculate limits.
- You should have a good feel for what the derivative means.
  I.e. derivative at a point = tangent slope.
- You need to understand differentiation algebraically as well as geometrically.
- You should also know the definition of the derivative

$$\frac{d}{dx}f(x) = \lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$$

You should be able to differentiate many of the standard functions we will see in this course. This includes:

• polynomials/power functions

$$\frac{d}{dx}(x^n) = nx^{n-1}$$

You should be able to differentiate many of the standard functions we will see in this course. This includes:

• polynomials/power functions

$$\frac{d}{dx}\left(x^{n}\right)=nx^{n-1}$$

exponentials

$$\frac{d}{dx}\left(e^{x}\right)=e^{x}$$

You should be able to differentiate many of the standard functions we will see in this course. This includes:

• polynomials/power functions

$$\frac{d}{dx}\left(x^{n}\right)=nx^{n-1}$$

exponentials

$$\frac{d}{dx}\left(e^{x}\right)=e^{x}$$

logarithms

$$\frac{d}{dx}(\ln x) = \frac{1}{x}$$

You should be able to differentiate many of the standard functions we will see in this course. This includes:

• polynomials/power functions

$$\frac{d}{dx}\left(x^{n}\right)=nx^{n-1}$$

exponentials

$$\frac{d}{dx}\left(e^{x}\right)=e^{x}$$

logarithms

$$\frac{d}{dx}(\ln x) = \frac{1}{x}$$

trig functions

$$\frac{d}{dx}(\sin x) = \cos x$$

The product rule lets us differential functions of the form f(x) = g(x)h(x). It says

$$\frac{d}{dx}f(x)=g'(x)h(x)+g(x)h'(x)$$

The product rule lets us differential functions of the form f(x) = g(x)h(x). It says

$$\frac{d}{dx}f(x) = g'(x)h(x) + g(x)h'(x)$$

# Example

Let's differentiate the function  $f(x) = e^x \sin x$ .

$$\frac{d}{dx}f(x) = \left(\frac{d}{dx}e^{x}\right)\sin x + e^{x}\left(\frac{d}{dx}\sin x\right)$$

The product rule lets us differential functions of the form f(x) = g(x)h(x). It says

$$\frac{d}{dx}f(x) = g'(x)h(x) + g(x)h'(x)$$

## Example

Let's differentiate the function  $f(x) = e^x \sin x$ .

$$\frac{d}{dx}f(x) = \left(\frac{d}{dx}e^{x}\right)\sin x + e^{x}\left(\frac{d}{dx}\sin x\right)$$
$$= e^{x}\sin x + e^{x}\cos x$$

The product rule lets us differential functions of the form f(x) = g(x)h(x). It says

$$\frac{d}{dx}f(x) = g'(x)h(x) + g(x)h'(x)$$

# Example

Let's differentiate the function  $f(x) = e^x \sin x$ .

$$\frac{d}{dx}f(x) = \left(\frac{d}{dx}e^x\right)\sin x + e^x\left(\frac{d}{dx}\sin x\right)$$
$$= e^x\sin x + e^x\cos x$$
$$= e^x(\sin x + \cos x)$$

The chain rule is very important! It allows us to differentiate functions of the form f(x) = g(h(x)). It says

$$\frac{d}{dx}f(x) = h'(x)g'(h(x))$$

The chain rule is very important! It allows us to differentiate functions of the form f(x) = g(h(x)). It says

$$\frac{d}{dx}f(x) = h'(x)g'(h(x))$$

## Example

Let's differentiate  $f(x) = \sin(e^x)$ . In this example

$$h(x) = e^x$$
 and  $g(x) = \sin x$ 

The chain rule is very important! It allows us to differentiate functions of the form f(x) = g(h(x)). It says

$$\frac{d}{dx}f(x) = h'(x)g'(h(x))$$

## Example

Let's differentiate  $f(x) = \sin(e^x)$ . In this example

$$h(x) = e^x$$
 and  $g(x) = \sin x$ 

The chain rule is very important! It allows us to differentiate functions of the form f(x) = g(h(x)). It says

$$\frac{d}{dx}f(x) = h'(x)g'(h(x))$$

### Example

Let's differentiate  $f(x) = \sin(e^x)$ . In this example

$$h(x) = e^x$$
 and  $g(x) = \sin x$ 

SO

$$h'(x) = e^x$$
 and  $g'(x) = \cos x$ 

The chain rule is very important! It allows us to differentiate functions of the form f(x) = g(h(x)). It says

$$\frac{d}{dx}f(x) = h'(x)g'(h(x))$$

### Example

Let's differentiate  $f(x) = \sin(e^x)$ . In this example

$$h(x) = e^x$$
 and  $g(x) = \sin x$ 

so

$$h'(x) = e^x$$
 and  $g'(x) = \cos x$ 

SO

$$f'(x) = e^x \cos(e^x)$$

# The quotient rule sucks

The quotient rule says

$$\frac{d}{dx}\left(\frac{g(x)}{h(x)}\right) = \frac{g'(x)h(x) - g(x)h'(x)}{h(x)^2}$$

# The quotient rule sucks

The quotient rule says

$$\frac{d}{dx}\left(\frac{g(x)}{h(x)}\right) = \frac{g'(x)h(x) - g(x)h'(x)}{h(x)^2}$$

This is annoying to remember (where does that minus sign go again?). Luckily we can notice

$$\frac{g(x)}{h(x)} = g(x)k(x) \quad \text{where} \quad k(x) = (h(x))^{-1}$$

So we can just use the product rule!

## Question

Differentiate

$$f(x) = \sin\frac{1}{x}$$

## Question

Differentiate

$$f(x) = \sin\frac{1}{x}$$

### Solution

We should use the chain rule. Notice f(x) = g(h(x)) where

$$h(x) = x^{-1}$$
 and  $g(x) = \sin x$ 

## Question

Differentiate

$$f(x) = \sin\frac{1}{x}$$

### Solution

We should use the chain rule. Notice f(x) = g(h(x)) where

$$h(x) = x^{-1}$$
 and  $g(x) = \sin x$ 

## Question

Differentiate

$$f(x) = \sin\frac{1}{x}$$

#### Solution

We should use the chain rule. Notice f(x) = g(h(x)) where

$$h(x) = x^{-1}$$
 and  $g(x) = \sin x$ 

SO

$$h'(x) = -x^{-2}$$
 and  $g'(x) = \cos x$ 

### Question

Differentiate

$$f(x) = \sin\frac{1}{x}$$

#### Solution

We should use the chain rule. Notice f(x) = g(h(x)) where

$$h(x) = x^{-1}$$
 and  $g(x) = \sin x$ 

so

$$h'(x) = -x^{-2}$$
 and  $g'(x) = \cos x$ 

so

$$f'(x) = h'(x)g'(h(x))$$
  
=  $-\frac{1}{x^2}\cos(x^{-1})$ 

## Question

Differentiate

$$f(x) = \frac{x-1}{x+1}$$

### Question

Differentiate

$$f(x) = \frac{x-1}{x+1} = (x-1)(x+1)^{-1}$$

### Solution

We should use the product/quotient rule. Notice f(x) = g(x)h(x) where

$$h(x) = (x+1)^{-1}$$
 and  $g(x) = x-1$   
 $h'(x) = -(x+1)^{-2}$  and  $g'(x) = 1$ 

### Question

Differentiate

$$f(x) = \frac{x-1}{x+1} = (x-1)(x+1)^{-1}$$

### Solution

We should use the product/quotient rule. Notice f(x) = g(x)h(x) where

$$h(x) = (x+1)^{-1}$$
 and  $g(x) = x-1$   
 $h'(x) = -(x+1)^{-2}$  and  $g'(x) = 1$ 

### Question

Differentiate

$$f(x) = \frac{x-1}{x+1} = (x-1)(x+1)^{-1}$$

#### Solution

We should use the product/quotient rule. Notice f(x) = g(x)h(x) where

$$h(x) = (x+1)^{-1}$$
 and  $g(x) = x-1$   
 $h'(x) = -(x+1)^{-2}$  and  $g'(x) = 1$ 

so

$$f'(x) = g'(x)h(x) + g(x)h'(x)$$

### Question

Differentiate

$$f(x) = \frac{x-1}{x+1} = (x-1)(x+1)^{-1}$$

#### Solution

We should use the product/quotient rule. Notice f(x) = g(x)h(x) where

$$h(x) = (x+1)^{-1}$$
 and  $g(x) = x-1$   
 $h'(x) = -(x+1)^{-2}$  and  $g'(x) = 1$ 

so

$$f'(x) = g'(x)h(x) + g(x)h'(x)$$
$$= \frac{1}{x+1} - \frac{x-1}{(x+1)^2} = \frac{2}{(x+1)^2}$$

## Question

Differentiate

$$F(x) = \frac{\sin x^2 - 1}{\sin x^2 + 1}$$

### Question

Differentiate

$$F(x) = \frac{\sin x^2 - 1}{\sin x^2 + 1}$$

#### Solution

We should notice that F(x) = f(g(x)) so we can use the chain rule!

$$f(x) = \frac{x-1}{x+1}$$
 and  $g(x) = \sin x^2$   
 $f'(x) = \frac{2}{(x+1)^2}$  and  $g'(x) = 2x \cos x^2$ 

### Question

Differentiate

$$F(x) = \frac{\sin x^2 - 1}{\sin x^2 + 1}$$

#### Solution

We should notice that F(x) = f(g(x)) so we can use the chain rule!

$$f(x) = \frac{x-1}{x+1}$$
 and  $g(x) = \sin x^2$   
 $f'(x) = \frac{2}{(x+1)^2}$  and  $g'(x) = 2x \cos x^2$ 

### Question

Differentiate

$$F(x) = \frac{\sin x^2 - 1}{\sin x^2 + 1}$$

#### Solution

We should notice that F(x) = f(g(x)) so we can use the chain rule!

$$f(x) = \frac{x-1}{x+1}$$
 and  $g(x) = \sin x^2$   
 $f'(x) = \frac{2}{(x+1)^2}$  and  $g'(x) = 2x \cos x^2$ 

so

$$F'(x) = g'(x)f'(g(x))$$

### Question

Differentiate

$$F(x) = \frac{\sin x^2 - 1}{\sin x^2 + 1}$$

#### Solution

We should notice that F(x) = f(g(x)) so we can use the chain rule!

$$f(x) = \frac{x-1}{x+1}$$
 and  $g(x) = \sin x^2$   
 $f'(x) = \frac{2}{(x+1)^2}$  and  $g'(x) = 2x \cos x^2$ 

so

$$F'(x) = g'(x)f'(g(x))$$
  
=  $2x \cos x^2 \frac{2}{(\sin x^2 + 1)^2}$