

Broadwell (microarchitecture)

From Wikipedia, the free encyclopedia

Broadwell is Intel's codename for the 14 nanometer die shrink of its Haswell microarchitecture. It is a "tick" in Intel's tick-tock principle as the next step in semiconductor fabrication.^{[1][2][3]} Like some of the previous tick-tock iterations, Broadwell did not completely replace the full range of CPUs from the previous microarchitecture (Haswell), as there were no low-end desktop CPUs based on Broadwell.^[4]

Some of the processors based on the Broadwell microarchitecture are marketed as "5th-generation Core" i3, i5 and i7 processors. This moniker is however not used for marketing of the Broadwell-based Celeron, Pentium or Xeon chips. This microarchitecture also introduced the Core M processor branding.

Broadwell's H and C variants will be used in conjunction with Intel 9 Series chipsets (Z97, H97 and HM97), in addition to retaining backward compatibility with some of the Intel 8 Series chipsets.^[5]

Contents

- 1 Design and variants
- 2 Instruction set extensions
- 3 New features
- 4 List of Broadwell processors
 - 4.1 Desktop processors
 - 4.1.1 "Broadwell-E" (14 nm)
 - 4.2 Embedded processors
 - 4.3 Mobile processors
 - 4.4 Server processors
- 5 Roadmap and history
 - 5.1 Releases
- 6 See also
- 7 Notes
- 8 References
- 9 External links

Design and variants

Broadwell has been launched in three major variants:^[6]

- BGA package:
 - Broadwell-Y*: system on a chip (SoC); 4.5 W and 3.5 W thermal design power (TDP) classes, for tablets and certain ultrabook-class implementations. GT2 GPU will be used, while maximum supported memory is 8 GB of LPDDR3-1600.^[7] These will be the first chips to roll out, and are expected for Q3/Q4 2014. At Computex 2014, Intel announced that these chips will be branded as *Core M*.^[8] TSX instructions are disabled in this series of processors because a bug that cannot be fixed with a microcode update exists.^[9]
 - Broadwell-U*: SoC; two TDP classes – 15 W for 2+2 and 2+3 configurations (two cores with a GT2 or GT3 GPU) as well as 28 W for 2+3 configurations.^[10] Designed to be used on motherboards with the PCH-LP chipset for Intel's ultrabook and NUC platforms. Maximum supported is up to 16 GB of DDR3 or LPDDR3 memory, with DDR3-1600 and LPDDR3-1867 as the maximum memory speeds. The 2+2 configuration is scheduled for Q4 2014, while the 2+3 is estimated for Q1 2015.^[6] For Broadwell-U models with integrated 5x00 GPUs, die size is 82 mm² with a total of 1.3 billion transistors, while for the models with 6100 and 6200 GPUs the die size is 133 mm² with a total of 1.9 billion transistors.
 - Broadwell-H*: 37 W and 47 W TDP classes, for motherboards with HM86, HM87, QM87 and the new HM97 chipsets for "all-in-one" systems, mini-ITX form-factor motherboards, and other small footprint formats. It may come in two different variants, as single and dual chips; the dual chips (4 cores, 8 threads) will have GT3e and GT2 GPU, while a single chip (SoC; two cores, four threads) will have GT3e GPU. Maximum supported memory is 32 GB of DDR3-1600.^[7] These are scheduled for Q2 2015.^[6]
- LGA 1150 socket:
 - Broadwell-DT*: quad-core unlocked desktop version with GT3e integrated graphics (Iris Pro 6200) and 128 MB of eDRAM L4 cache, in a 65 W TDP class. Announced to be backward compatible with the LGA 1150 motherboards designed for Haswell processors.^[11]
- LGA 2011-v3 socket:
 - Broadwell-EP*: to be marketed as Xeon E5-2600 v4 etc., while using the C610 Wellsburg chipset platform. Up to 22 cores and 44 threads, up to 55 MB of total cache and 40 PCI Express 3.0 lanes, with 55–160 W TDP classes. Maximum supported memory speed is quad-channel DDR4-2400.^[12]
 - Broadwell-EX*: *Brickland* platform, for mission-critical servers. Intel QuickPath Interconnect (QPI) is expected to be updated to version 1.1, enabling seamless scaling beyond eight-socket systems. Maximum supported memory speeds are expected to be DDR3-1600 and DDR4-1866.^{[13][14]} Up to 24 core and 48 threads, up to 60 MB of L3 cache and 32 PCI Express 3.0 lanes, with 115–165 W TDP.
 - Broadwell-E: HEDT platform, for enthusiasts. With a maximum of 10 cores it is said to be released during computex, and subsequently was released in July 2016. Consisting of four processors: the 6800K, 6850K, 6900K, and the deca-core 6950X with clock speeds ranging from 3 GHz to 3.9 GHz as well as up to 25 mb of L3

Broadwell

CPUID code	0306D4h
Product code	80658 (mainstream desktop/mobile, Xeon E3) 80660 (Xeon E5) 80669 (Xeon E7) 80671 (enthusiast desktop) 80674 (Xeon D)
Cores	2–4 (mainstream) 6–10 (enthusiast) 4–22 (Xeon)
L1 cache	64 KB per core
L2 cache	256 KB per core
L3 cache	2–6 MB (shared)
L4 cache	128 MB of eDRAM (Iris Pro models only)
Created	2014
Transistors	14 nm transistors (Tri-Gate)
Architecture	Broadwell x86
Instructions	MMX, AES-NI, CLMUL, FMA3
Extensions	x86-64 SSE, SSE2, SSE3, SSSE3, SSE4, SSE4.1, SSE4.2 AVX, AVX2, TXT, TSX VT-x, VT-d
Socket(s)	LGA 1150 rPGA 947 BGA 1364 LGA 2011-v3
Predecessor	Haswell (Tock/Architecture) Haswell Refresh (Optimization)
Successor	Skylake (Architecture)
GPU	HD 5300 HD 5500 HD 5700P HD 6000 HD 6100 HD 6200 HD 6300P HD Graphics
Brand name(s)	Core i3 Core i5 Core i7 Core M Celeron Pentium Xeon

cache, however over clocking these processors has seen a max overclock headroom of 4.3 GHz stable ^[15]

Instruction set extensions

Broadwell introduces some instruction set architecture extensions:^{[16][17]}

- Intel ADX: ADOX and ADCX for improving performance of arbitrary-precision integer operations^[18]
- RDSEED for generating 16-, 32- or 64-bit random numbers from a thermal noise entropy stream, according to NIST SP 800-90B and 800-90C^[19]
- PREFETCHW instruction^[19]
- Supervisor Mode Access Prevention (SMAP) – optionally disallows access from kernel-space memory to user-space memory, a feature aimed at making it harder to exploit software bugs.
- Transactional Synchronization Extensions: This instruction set is reintroduced for all versions of Broadwell except for Broadwell-Y because a bug that cannot be fixed via microcode update in Broadwell-Y and all versions of Haswell except for the Haswell-EX variants has been fixed with a new CPU stepping level.^[9]

New features

Broadwell's Intel Quick Sync Video hardware video decoder adds VP8 hardware decoding^[20] and encoding^[21] support. It adds VP9 and HEVC 10-bit decoding support through the integrated GPU.^[22] Also, it will have two independent bit stream decoder (BSD) rings to process video commands on GT3 GPUs; this will allow one BSD ring to process decoding and the other BSD ring to process encoding at the same time.^[23]

Broadwell's integrated GPU supports on Windows Direct3D 11.2, OpenGL 4.4 (OpenGL 4.5 on Linux^[24]) and OpenCL 2.0.^{[25][26][27]} However, it is marketed as Direct3D-12-ready.^[28] Broadwell-E introduced Intel Turbo Boost Max Technology 3.0.^[29]

List of Broadwell processors

Desktop processors

Target segment	Cores (threads)	Processor branding and model		GPU model	CPU frequency		TDP	Graphics clock rate		L3 cache	L4 cache ^[a]	Release date	Price (USD)	Socket
					Base	Turbo		Base	Max					
Performance	4 (8)	Core i7	5775C (http://ark.intel.com/products/88040)	Iris Pro 6200	3.3 GHz	3.7 GHz	65 W	300 MHz	1.15 GHz	6 MB	128 MB	June 2, 2015 ^[30]	\$366	LGA 1150
Mainstream	4 (4)	Core i5	5675C (http://ark.intel.com/products/88095)		3.1 GHz	3.6 GHz			1.1 GHz	4 MB			\$276	

"Broadwell-E" (14 nm)

Model number	sSpec number	Cores	Frequency	Turbo	L2 cache	L3 cache	TDP	Socket	I/O bus	Memory	Release date	Part number(s)	Release price (USD)
Core i7-6950X	SR2PA	10	3 GHz	3.5 GHz	10 × 256 KB	25 MB	140 W	LGA 2011-3	DMI 2.0	4 × DDR4-2400	30 May 2016	BX80671I76950X BXC80671I76950X	\$1723
Core i7-6900K	SR2PB	8	3.2 GHz	3.7 GHz	8 × 256 KB	20 MB	140 W	LGA 2011-3	DMI 2.0	4 × DDR4-2400	2016	BX80671I76900K BXC80671I76900K	\$1089
Core i7-6850K	SR2PC	6	3.6 GHz	3.8 GHz	6 × 256 KB	15 MB	140 W	LGA 2011-3	DMI 2.0	4 × DDR4-2400	2016	BX80671I76850K BXC80671I76850K	\$617
Core i7-6800K	SR2PD	6	3.4 GHz	3.6 GHz	6 × 256 KB	15 MB	140 W	LGA 2011-3	DMI 2.0	4 × DDR4-2400	2016	BX80671I76800K BXC80671I76800K	\$434

Embedded processors

Target segment	Cores (threads)	Processor branding and model		GPU model	CPU frequency		TDP	Graphics clock rate		L3 cache	L4 cache ^[a]	Release date	Price (USD)	Socket
					Base	Turbo		Base	Max					
Performance	4 (8)	Core i7	5775R (http://ark.intel.com/products/87718)	Iris Pro 6200	3.3 GHz	3.8 GHz	65 W	300 MHz	1.15 GHz	6 MB	128 MB	June 2, 2015 ^[30]	\$348	BGA 1364
Mainstream	4 (4)	Core i5	5675R (http://ark.intel.com/products/87715)		3.1 GHz	3.6 GHz			1.1 GHz	4 MB			\$265	
			5575R (http://ark.intel.com/products/87714)		2.8 GHz	3.3 GHz			1.05 GHz				\$244	
Server	4 (8)	Xeon E3	1284Lv4 (http://ark.intel.com/products/88045)	Iris Pro P6300	2.9 GHz	3.8 GHz	47 W	800 MHz	1.15 GHz	6 MB	N/A		OEM	
			1278Lv4 (http://ark.intel.com/products/88097)		2.0 GHz	3.3 GHz			1.0 GHz				\$546	
			1258Lv4 (http://ark.intel.com/products/88096)	P5700	1.8 GHz	3.2 GHz		700 MHz	\$481					

Mobile processors

Target segment	Cores (threads)	Processor branding and model		GPU model	Base frequency	Turbo frequency		TDP	cTDP down	Graphics clock rate		L3 cache	Release date	Price (USD)
						Single Core	Dual Core			Base	Max			
Performance	4 (8)		5950HQ (http://ark.intel.com/products/87720)	Iris Pro 6200	2.9 GHz	3.7 GHz	N/A	47 W	N/A	300 MHz	1.15 GHz	6 MB	June 2015	\$623
			5850HQ (http://ark.intel.com/products/87719)	Iris Pro 6200	2.7 GHz	3.6 GHz	N/A	47 W	N/A	300 MHz	1.1 GHz	6 MB	June 2015	\$434
			5750HQ (http://ark.intel.com/products/87717)	Iris Pro 6200	2.5 GHz	3.4 GHz	N/A	47 W	600 MHz / 37 W	300 MHz	1.05 GHz	6 MB	June 2015	\$434
			5700HQ (http://ark.intel.com/products/87716)	HD 5600	2.7 GHz	3.5 GHz	N/A	47 W	600 MHz / 37 W	300 MHz	1.05 GHz	6 MB	June 2015	\$378
Mainstream	2 (4)	Core i7	5650U (http://ark.intel.com/products/84995)	HD 6000	2.2 GHz	3.2 GHz	3.1 GHz	15 W	600 MHz / 9.5 W	300 MHz	1 GHz	4 MB	Q1 2015	\$426
			5600U (http://ark.intel.com/products/85215)	HD 5500	2.6 GHz	3.2 GHz	3.1 GHz	15 W	600 MHz / 7.5 W	300 MHz	950 MHz	4 MB	Q1 2015	\$393
			5557U (http://ark.intel.com/products/84993)	Iris 6100	3.1 GHz	3.4 GHz	3.4 GHz	28 W	N/A / 23 W	300 MHz	1.1 GHz	4 MB	Q1 2015	\$426
			5550U (http://ark.intel.com/products/84992)	HD 6000	2.0 GHz	3.0 GHz	2.9 GHz	15 W	600 MHz / 9.5 W	300 MHz	1 GHz	4 MB	Q1 2015	\$426
			5500U (http://ark.intel.com/products/85214)	HD 5500	2.4 GHz	3.0 GHz	2.9 GHz	15 W	600 MHz / 7.5 W	300 MHz	950 MHz	4 MB	Q1 2015	\$393
		Core i5	5350H (http://ark.intel.com/products/87713)	Iris Pro 6200	3.1 GHz	3.5 GHz	N/A	47 W	N/A	300 MHz	1.05 GHz	4 MB	June 2015	\$289
			5350U (http://ark.intel.com/products/84990)	HD 6000	1.8 GHz	2.9 GHz	2.7 GHz	15 W	600 MHz / 9.5 W	300 MHz	1 GHz	3 MB	Q1 2015	\$315
			5300U (http://ark.intel.com/products/85213)	HD 5500	2.3 GHz	2.9 GHz	2.7 GHz	15 W	600 MHz / 7.5 W	300 MHz	900 MHz	3 MB	Q1 2015	\$281
			5287U (http://ark.intel.com/products/84988)	Iris 6100	2.9 GHz	3.3 GHz	3.3 GHz	28 W	600 MHz / 23 W	300 MHz	1.1 GHz	3 MB	Q1 2015	\$315
			5257U (http://ark.intel.com/products/84985)	Iris 6100	2.7 GHz	3.1 GHz	3.1 GHz	28 W	600 MHz / 23 W	300 MHz	1.05 GHz	3 MB	Q1 2015	\$315
			5250U (http://ark.intel.com/products/84984)	HD 6000	1.6 GHz	2.7 GHz	2.5 GHz	15 W	600 MHz / 9.5 W	300 MHz	950 MHz	3 MB	Q1 2015	\$315
			5200U (http://ark.intel.com/products/85212)	HD 5500	2.2 GHz	2.7 GHz	2.5 GHz	15 W	600 MHz / 7.5 W	300 MHz	900 MHz	3 MB	February 2015 ^[31]	\$281
		Core i3	5157U (http://ark.intel.com/products/84982)	Iris 6100	2.5 GHz	N/A	N/A	28 W	600 MHz / 23 W	300 MHz	1 GHz	3 MB	January 2015	\$315
			5020U (http://ark.intel.com/products/84699)	HD 5500	2.2 GHz	N/A	N/A	15 W	600 MHz / 10 W	300 MHz	900 MHz	3 MB	March 2015	\$281
			5015U (http://ark.intel.com/products/84698)	HD 5500	2.1 GHz	N/A	N/A	15 W	600 MHz / 10 W	300 MHz	850 MHz	3 MB	March 2015	\$275
			5010U (http://ark.intel.com/products/84697)	HD 5500	2.1 GHz	N/A	N/A	15 W	600 MHz / 10 W	300 MHz	900 MHz	3 MB	January 2015	\$281
			5005U (http://ark.intel.com/products/84695)	HD 5500	2.0 GHz	N/A	N/A	15 W	600 MHz / 10 W	300 MHz	850 MHz	3 MB	January 2015	\$275
	2 (2)	Pentium	3825U (http://ark.intel.com/products/86348)	HD Graphics	1.9 GHz	N/A	N/A	15 W	600 MHz / 10 W	300 MHz	850 MHz	2 MB	March 2015	
			3805U (http://ark.intel.com/products/84813)	HD Graphics	1.9 GHz	N/A	N/A	15 W	600 MHz / 10 W	100 MHz	800 MHz	2 MB	Q1 2015	\$161
		Celeron	3755U (http://ark.intel.com/products/84811)	HD Graphics	1.7 GHz	N/A	N/A	15 W	600 MHz / 10 W	100 MHz	800 MHz	2 MB	Q1 2015	\$107
			3205U (http://ark.intel.com/products/84809)	HD Graphics	1.5 GHz	N/A	N/A	15 W	600 MHz / 10 W	100 MHz	800 MHz	2 MB	Q1 2015	\$107

Target segment	Cores (Threads)	Processor Branding & Model		GPU Model	Programmable TDP ^{[32]:69–72}				CPU Turbo	Graphics Clock rate		L3 Cache	Release Date		
					SDP ^{[33][34]:71}	cTDP down ^[a]	Nominal TDP ^[b]	cTDP up ^[c]	1-core	Normal	Turbo				
Mainstream	2 (4) ^[35]	Core M (vPro)	5Y71 (http://ark.intel.com/products/84672)	HD 5300 (GT2) ^[36]	3.5 W	3.5 W / 600 MHz	4.5 W / 1.2 GHz	6 W / 1.4 GHz	2.9 GHz	300 MHz	900 MHz	4 MB	October 27, 2014		
			5Y70 (http://ark.intel.com/products/83612)		N/A	N/A		N/A		100 MHz	850 MHz		September 5, 2014		
		Core M	5Y51 (http://ark.intel.com/products/84669)		3.5 W	3.5 W / 600 MHz	4.5 W / 1.1 GHz	6 W / 1.3 GHz	2.6 GHz	300 MHz	900 MHz		October 27, 2014		
			5Y31 (http://ark.intel.com/products/84666)				4.5 W / 900 MHz								
			5Y10c (http://ark.intel.com/products/85234)					6 W / 1 GHz							
			5Y10a (http://ark.intel.com/products/83611)				4.5 W / 800 MHz		2.0 GHz						
			5Y10 (http://ark.intel.com/products/83610) ^[37]		N/A	4 W / ? MHz		N/A		100 MHz		September 5, 2014			

a. When a cooler or quieter mode of operation is desired, this mode specifies a lower TDP and lower guaranteed frequency versus the nominal mode.^{[32]:71–72}

b. This is the processor's rated frequency and TDP.^{[32]:71–72}

c. When extra cooling is available, this mode specifies a higher TDP and higher guaranteed frequency versus the nominal mode.^{[32]:71–72}

Server processors

Target segment	Cores (threads)	Processor branding and model		GPU model	Base frequency	Turbo frequency		TDP	Socket	Memory		L3 cache	Release date	Price (USD)
						Single core	All cores			Type	Channel			
SoC server	8 (16)	Xeon D	D-1540 (http://ark.intel.com/products/87039/Intel-Xeon-Processor-D-1540-12M-Cache-2_00-GHz)	N/A	2 GHz	N/A	2.6 GHz	45 W	FCBGA 1667	DDR4	Dual	12 MB	Q1 2015	\$581
	4 (8)		D-1520 (http://ark.intel.com/products/87038/Intel-Xeon-Processor-D-1520-6M-Cache-2_20-GHz)	N/A	2.2 GHz	N/A	2.6 GHz					6 MB	Q1 2015	\$199

Target segment	Cores (threads)	Processor branding and model		GPU model	CPU clock rate		Graphics clock rate		L3 cache	TDP	Release date	Release price (USD) tray / box	Motherboard		
					Normal	Turbo	Normal	Turbo					Socket	Interface	Memory
Server	4 (8)	Xeon E3 v4	1285v4 (http://ark.intel.com/products/88046/Intel-Xeon-Processor-E3-1285-v4-6M-Cache-3_50-GHz)	HD (P6300)	3.5 GHz				6 MB	95 W	Q2 15	\$556 / —	LGA 1150	DMI 2.0 PCIe 3.0	DDR3 13.3 Gbit/s
			1285Lv4 (http://ark.intel.com/products/88043/Intel-Xeon-Processor-E3-1285Lv4-6M-Cache-3_40-GHz)		3.4 GHz	3.8 GHz		1.15 GHz		65 W		\$445 / —			
			1265Lv4 (http://ark.intel.com/products/88041/Intel-Xeon-Processor-E3-1265Lv4-6M-Cache-2_30-GHz)		2.3 GHz	3.3 GHz		1.05 GHz		35 W		\$417 / —			

Target segment	Cores (threads)	Processor branding and model		CPU clock rate		L3 cache	TDP	Release date	Release price	Motherboard		
				Normal	Turbo					Socket	Interface	Memory
	22 (44)		2699v4 (http://ark.intel.com/products/91317/Intel-Xeon-Processor-E5-2699-v4-55M-Cache-2_20-GHz)	2.2 GHz	3.6 GHz	55 MB	145 W		\$4115			
	20 (40)		2698v4 (http://ark.intel.com/products/91753/Intel-Xeon-Processor-E5-2698-v4-50M-Cache-2_20-GHz)	2.2 GHz	3.6 GHz	50 MB	135 W		\$3226			
			2697v4 (http://ark.intel.com/products/91752/Intel-Xeon-Processor-E5-2697-v4-50M-Cache-2_20-GHz)									

Server (dual socket)	18 (36)	Xeon E5 v4	.com/products/91551/Intel-Xeon-Processor-E5-2697-v4-45M-Cache-2_30-GHz)	2.3 GHz	3.6 GHz	45 MB	145 W	Q1 16	\$2702	LGA 2011-3	PCIe 3.0	DDR4 1600/1866/2133/2400 with ECC
	16 (32)		2697Av4 (http://ark.intel.com/products/91768/Intel-Xeon-Processor-E5-2697A-v4-40M-Cache-2_60-GHz)	2.6 GHz	3.6 GHz	40 MB	145 W		\$2891			
	18 (36)		2695v4 (http://ark.intel.com/products/91316/Intel-Xeon-Processor-E5-2695-v4-45M-Cache-2_10-GHz)	2.1 GHz	3.3 GHz	45 MB	120 W		\$2424			
	14 (28)		2690v4 (http://ark.intel.com/products/91770/Intel-Xeon-Processor-E5-2690-v4-35M-Cache-2_60-GHz)	2.6 GHz	3.5 GHz	35 MB	135 W		\$2090			
	12 (24)		2687Wv4 (http://ark.intel.com/products/91750/Intel-Xeon-Processor-E5-2687W-v4-30M-Cache-3_00-GHz)	3.0 GHz	3.5 GHz	30 MB	160 W		\$2141			
	16 (32)		2683v4 (http://ark.intel.com/products/91766/Intel-Xeon-Processor-E5-2683-v4-40M-Cache-2_10-GHz)	2.1 GHz	3.0 GHz	40 MB	120 W		\$1745			
	14 (28)		2680v4 (http://ark.intel.com/products/91754/Intel-Xeon-Processor-E5-2680-v4-35M-Cache-2_40-GHz)	2.4 GHz	3.3 GHz	35 MB	120 W		\$1745			
	8 (16)		2667v4 (http://ark.intel.com/products/92979/Intel-Xeon-Processor-E5-2667-v4-25M-Cache-3_20-GHz)	3.2 GHz	3.6 GHz	25 MB	135 W		\$2057			
	14 (28)		2660v4 (http://ark.intel.com/products/91772/Intel-Xeon-Processor-E5-2660-v4-35M-Cache-2_00-GHz)	2.0 GHz	3.2 GHz	35 MB	105 W		\$1445			
			2658v4 (http://ark.intel.com/products/91771/Intel-Xeon-Processor-E5-2658-v4-35M-Cache-2_30-GHz)	2.3 GHz	2.8 GHz				\$1832			
	12 (24)		2650v4 (http://ark.intel.com/products/91767/Intel-Xeon-Processor-E5-2650-v4-30M-Cache-2_20-GHz)	2.2 GHz	2.9 GHz	30 MB	105 W		\$1166 - \$1171			
	14 (28)		2650Lv4 (http://ark.intel.com/products/91752/Intel-Xeon-Processor-E5-2650L-v4-35M-Cache-1_70-GHz)	1.7 GHz	2.5 GHz	35 MB	65 W		\$1329			
			2648Lv4 (http://ark.intel.com/products/91759/Intel-Xeon-Processor-E5-2648L-v4-35M-Cache-1_80-GHz)	1.8 GHz	2.5 GHz		75 W		\$1544			
6 (12)	2643v4 (http://ark.intel.com/products/92989/Intel-Xeon-Processor-E5-2643-v4-20M-Cache-3_40-GHz)	3.4 GHz	3.7 GHz	20 MB	135 W	\$1552						

	10 (20)	2640v4 (http://ark.intel.com/products/92984/Intel-Xeon-Processor-E5-2640-v4-25M-Cache-2_40-GHz)	2.4 GHz	3.4 GHz	25 MB	90 W		\$939	DDR4 1600/1866/2133 with ECC
	4 (8)	2637v4 (http://ark.intel.com/products/92983/Intel-Xeon-Processor-E5-2637-v4-15M-Cache-3_50-GHz)	3.5 GHz	3.7 GHz	15 MB	135 W		\$996	
	10 (20)	2630v4 (http://ark.intel.com/products/92981/Intel-Xeon-Processor-E5-2630-v4-25M-Cache-2_20-GHz)	2.2 GHz	3.1 GHz	25 MB	85 W		\$667	
		2630Lv4 (http://ark.intel.com/products/92978/Intel-Xeon-Processor-E5-2630L-v4-25M-Cache-1_80-GHz)	1.8 GHz	2.9 GHz		55 W		\$612	
	12 (24)	2628Lv4 (http://ark.intel.com/products/91775/Intel-Xeon-Processor-E5-2628L-v4-30M-Cache-1_90-GHz)	1.9 GHz	2.4 GHz	30 MB	75 W		\$1364	
	4 (8)	2623v4 (http://ark.intel.com/products/92986/Intel-Xeon-Processor-E5-2623-v4-20M-Cache-2_10-GHz)	2.6 GHz	3.2 GHz	10 MB	85 W		\$444	
	8 (16)	2620v4 (http://ark.intel.com/products/92986/Intel-Xeon-Processor-E5-2620-v4-20M-Cache-2_10-GHz)	2.1 GHz	3.0 GHz	20 MB			\$417	
	10 (20)	2618Lv4 (http://ark.intel.com/products/92982/Intel-Xeon-Processor-E5-2618L-v4-25M-Cache-2_20-GHz)	2.2 GHz	3.2 GHz	25 MB	75 W		\$779	
	8 (8)	2609v4 (http://ark.intel.com/products/92990/Intel-Xeon-Processor-E5-2609-v4-20M-Cache-1_70-GHz)	1.7 GHz	1.7 GHz	20 MB	85 W		\$306 - \$310	
	8 (16)	2608Lv4 (http://ark.intel.com/products/92988/Intel-Xeon-Processor-E5-2608L-v4-20M-Cache-1_60-GHz)	1.6 GHz	1.7 GHz		50 W		\$363	
	6 (6)	2603v4 (http://ark.intel.com/products/92993/Intel-Xeon-Processor-E5-2603-v4-15M-Cache-1_70-GHz)	1.7 GHz	1.7 GHz		85 W		\$213	
Server (single socket)	8 (16)	1680v4 (http://ark.intel.com/products/92992/Intel-Xeon-Processor-E5-1680-v4-20M-Cache-3_40-GHz)	3.4 GHz	4.0 GHz	20 MB			\$1723	DDR4 1600/1866/2133/2400 with ECC
		1660v4 (http://ark.intel.com/products/92985/Intel-Xeon-Processor-E5-1660-v4-20M-Cache-3_20-GHz)	3.2 GHz	3.8 GHz				\$1113	
	6 (12)	1650v4 (http://ark.intel.com/products/92994/Intel-Xeon-Processor-E5-1650-v4-15M-Cache-3_20-GHz)	3.6 GHz	4.0 GHz	15 MB	140 W	Q2 16	\$617 - \$621	

[illegible]

References

- "22nm Details" (http://download.intel.com/newsroom/kits/22nm/pdfs/22nm-Details_Presentation.pdf) (PDF) (presentation). Intel. Retrieved January 4, 2012.
- Demerjian, Charlie. "After Intel's Haswell comes Broadwell" (<http://semiaccurate.com/2011/03/31/after-intels-haswell-comes-broadwell-sk/>). SemiAccurate. Retrieved January 4, 2012.
- Broekhuijsen, Niels (May 22, 2014). "Intel Broadwell CPUs to Arrive Later This Year" (<http://www.tomshardware.co.uk/intel-broadwell-release-information-2014.news-47981.html>). *Tom's Hardware*. Retrieved May 31, 2014.
- "Lower-end desktop CPUs won't get Broadwell, will need to wait for Skylake" (<http://arstechnica.com/gadgets/2014/09/lower-end-desktop-cpus-wont-get-broadwell-will-need-to-wait-for-skylake/>). *Ars Technica*.
- Reynolds, Sam (August 26, 2013). "Intel's 9-series chipsets will support Broadwell" (<https://web.archive.org/web/20131120050809/http://vr-zone.com/articles/intels-9-series-will-support-broadwell/53203.html>). vr-zone.com. Archived from the original (<http://vr-zone.com/articles/intels-9-series-will-support-broadwell/53203.html>) on November 20, 2013. Retrieved November 20, 2013.
- "Intel Broadwell Production Plan Leaked – BDW-H Delayed To May 2015" (<http://wccftch.com/intel-broadwell-enthusiasts-delayed-2015/>). WCCFTech. Retrieved May 21, 2014.
- "Intel's 14nm Process 'Broadwell' Lineup Details Leaked" (<http://wccftch.com/intels-14nm-process-broadwell-lineup-details-leaked-glimpse-minimum-tdp-35w/>). WCCFTech. Retrieved December 12, 2013.
- Cutress, Ian (June 3, 2014). "Intel Keynote at Computex 2014: 14nm Core-M, SoFIA, Devil's Canyon, DC P3700 and RealSENSE" (<http://www.anandtech.com/show/8117/intel-keynote-at-computex-2014-14nm-core-m-sofia-devils-canyon-dc-p3700-and-realsense>). AnandTech. Retrieved June 5, 2014.
- Wasson, Scott (August 12, 2014). "Errata prompts Intel to disable TSX in Haswell, early Broadwell CPUs" (<http://techreport.com/news/26911/errata-prompts-intel-to-disable-tsx-in-haswell-early-broadwell-cpus>). *The Tech Report*. Retrieved March 23, 2016.
- "Intel Broadwell GPUs to use HD 5x00, Iris 6100 and Iris Pro 6200 branding" (http://www.cpu-world.com/news_2014/2014052801_Intel_Broadwell_GPUs_to_use_HD_5x00_Iris_6100_and_Iris_Pro_6200_branding.html). cpu-world.com.
- "Intel Broadwell Core i7-5775C and Core i5-5675C Processors With Iris Pro Graphics 6200 Detailed – Launching in Q2 2015" (<http://wccftch.com/intel-broadwell-core-i7-5775c-core-i5-5675c-processors-iris-pro-graphics-6200-detailed-launching-q2-2015/>). *wccftch.com*. March 23, 2015. Retrieved March 24, 2015.
- Anton Shilov (May 25, 2015). "Skylake Purley: Intel Xeon E5 and E7 Platform Update" (<http://wccftch.com/massive-intel-xeon-e5-xeon-e7-skylake-purley-biggest-advancement-nehalem/>). xbitlabs.com. Retrieved May 25, 2015.
- Valich, Theo (January 10, 2014). "Intel Brickland & Grantley Platforms Revealed: Ivy Bridge-EX, Haswell-EX, Broadwell-EX" (<http://vr-zone.com/articles/intel-brickland-grantley-platforms-revealed-ivy-bridge-ex-haswell-ex-broadwell-ex/17046.html>). Vr-zone.com. Retrieved January 19, 2014.
- Novakovic, Nebojsa (January 10, 2014). "Socket 1151 to become the dominant Intel high end physical format even on Xeon EX – but different pin-outs, of course" (<http://vr-zone.com/articles/socket-1151-to-become-the-dominant-intel-high-end-physical-format-even-on-xeon-ex-but-different-pin-outs-of-course/16633.html>). Vr-zone.com. Retrieved January 19, 2014.
- "Intel Broadwell-E Specifications Leaked - Core i7-6950X Flagship Processor To Rock 10 Cores and 20 Threads, Core i7-6900K, Core i7-6850K and Core i7-6800K Detailed" (<http://wccftch.com/intel-broadwell-e-specifications-leaked-core-i7-6950x-flagship-processor-10-cores-20-threads-core-i7-6900k-core-i7-6850k-core-i7-6800k-detailed/>). *WCCFTech*. Retrieved 2016-04-10.
- "Intel Software Development Emulator | Intel Developer Zone" (<http://software.intel.com/en-us/articles/intel-software-development-emulator>). Software.intel.com. July 23, 2013. Retrieved October 16, 2013.
- Intel Architecture Instruction Set Extensions Programming Reference (<http://software.intel.com/sites/default/files/m/0/1/9/3/4/45207-319433-013b.pdf>) (Document number 319433-013B) // Intel, July 2012, Chapter 9 "ADDITIONAL NEW INSTRUCTIONS"
- New Instructions Supporting Large Integer Arithmetic on Intel Architecture Processors (<http://download.intel.com/embedded/processor/whitepaper/327831.pdf>) (Document number 327831 -001) // Intel, August 2012
- Intel C++ Composer XE 2013 for Windows* Installation Guide and Release Notes (<http://software.intel.com/sites/default/files/article/251095/release-notes-c-2013-w-en-update1.pdf>) (Document number: 321414-004US) // Intel, October 4, 2012; section "3.2.4 Inline assembly and intrinsic support for Intel architecture code named Broadwell added to Composer XE 2013 Update 1", page 13
- "VA-API 1.3 Readies Broadwell Support, Adds VP8 Decoding" (https://www.phoronix.com/scan.php?page=news_item&px=MTYzNDk). Phoronix.com. March 18, 2014. Retrieved June 10, 2015.
- "VA-API Adds Support For VP8 Video Encoding" (https://www.phoronix.com/scan.php?page=news_item&px=MTc0NDc). Phoronix.com. July 19, 2014. Retrieved June 10, 2015.
- "Intel® Iris™ and HD Graphics Driver update posted for Haswell and Broadwell version 15.36.14.4080" (<https://communities.intel.com/thread/59216>).
- "Intel Broadwell GT3 Graphics Have Dual BSD Rings" (https://www.phoronix.com/scan.php?page=news_item&px=MTY2NTQ). Phoronix.com. Retrieved April 17, 2014.
- Mesa 13.0 Released With Intel OpenGL 4.5 (<http://www.phoronix.com/scan.php?page=article&item=mesa-13>)
- "Intel® Iris™, Iris™ Pro, and HD Graphics Production Driver for Windows® 7, 8.1, & 10" (<http://downloadcenter.intel.com/download/26228>). *Intel® Download Center*.
- Release notes for driver version 15.40.28.4501 & 15.40.28.64.4501 (https://downloadmirror.intel.com/26228/eng/ReleaseNotes_4501.pdf)
- "The Compute Architecture of Intel Processor Graphics Gen8" (<https://software.intel.com/en-us/file/compute-architecture-of-intel-processor-graphics-gen8pdf>).
- Cutress, Ian. "Broadwell GPU Improvements" (<http://www.anandtech.com/show/8814/intel-releases-broadwell-u-new-skus-up-to-48-eus-and-iris-6100/>). Retrieved November 24, 2015.
- <http://wccftch.com/intel-broadwell-e-core-i7-processors-specs-prices-launch/>
- "Intel launches Broadwell-H chips for desktops and laptops, but world waits for 'Skylake' " (<http://www.pcworld.com/article/2929817/intel-launches-broadwell-h-chips-for-desktops-and-laptops-but-world-waits-for-skylake.html>). Retrieved June 2, 2015.
- "Aldi verkoopt laptop met processor van de 5de generatie" (<http://datanews.knack.be/ict/reviews/aldi-verkoopt-laptop-met-processor-van-de-5de-generatie/article-normal-534051.html>). Retrieved February 18, 2015.
- "4th Generation Intel Core processor based on Mobile M-Processor and H-Processor Lines Datasheet, Volume 1 of 2" (<http://www.intel.com/content/dam/www/public/us/en/documents/datasheets/4th-gen-core-family-mobile-m-h-processor-lines-vol-1-datasheet.pdf>) (PDF). intel.com. December 2013. Retrieved December 22, 2013. "Configurable TDP (cTDP) and Low-Power Mode (LPM) form a design vector where the processor behavior and package TDP are dynamically adjusted to a desired system performance and power envelope. [...] With cTDP, the processor is now capable of altering the maximum sustained power with an alternate guaranteed frequency. Configurable TDP allows operation in situations where extra cooling is available or situations where a cooler and quieter mode of operation is desired."
- "The technical details behind Intel's 7 Watt Ivy Bridge CPUs" (<http://arstechnica.com/gadgets/2013/01/the-technical-details-behind-intels-7-watt-ivy-bridge-cpus/>). arstechnica.com. January 14, 2013. Retrieved December 22, 2013. "If the CPU needs to work hard for an extended period of time and the laptop gets warmer, it will slowly ramp down its speed until it's operating at its stated TDP. [...] There are two OEM-configurable "power level" states that define how quick the CPU can be in these situations: PL2 tells the processor how much power it's allowed to use when it needs a short burst of speed, and PL1 defines how quickly the processor can run under sustained load. [...] This is at the heart of what Intel is doing with the Y-series processors: their maximum TDP has been lowered four watts, from 17 to 13. Intel is also validating them for use at two lower PL1 values: 10 watts and 7 watts. This is where the marketing we discussed earlier comes in—rather than keeping these values under the covers as it has so far been content to do, Intel has taken that lowest value, put it on its product pages, and called it SDP."
- "4th Generation Intel Core processor based on Mobile U-Processor and Y-Processor Lines Datasheet, Volume 1 of 2" (<http://www.intel.com/content/dam/www/public/us/en/documents/datasheets/4th-gen-core-family-mobile-u-y-processor-lines-vol-1-datasheet.pdf>) (PDF). intel.com. December 2013. Retrieved December 22, 2013.
- Ian Cutress. "Intel's Core M Strategy: CPU Specifications for 9mm Fanless Tablets and 2-in-1 Devices" (<http://www.anandtech.com/show/8475/intels-core-m-strategy-cpu-specifications-for-9mm-fanless-tablets>). Retrieved January 6, 2015.
- "Intel launches three Core M CPUs, promises more Broadwell "early 2015" " (<http://arstechnica.com/gadgets/2014/09/intels-launches-three-core-m-cpus-promises-more-broadwell-early-2015/>). *Ars Technica*. Retrieved January 6, 2015.
- "Details of first Broadwell "Y" mobile processors" (http://www.cpu-world.com/news_2014/2014070201_Details_of_first_Broadwell_Y_mobile_processors.html). cpu-world.com. July 2014. Retrieved January 6, 2015.
- "Intel reveals 14nm PC, declares Moore's Law 'alive and well' " (http://www.theregister.co.uk/2013/09/10/intel_reveals_14nm_pc_declares_moores_law_alive_and_well/). The Register. September 10, 2013. Retrieved September 28, 2014.
- "Intel delays Broadwell PC chip production to early next year" (<http://www.cnet.com/news/intel-delays-broadwell-pc-chip-production-to-early-next-year/>). CNET. October 15, 2013. Retrieved September 28, 2014.
- "Intel's Broadwell-K launching at end of 2014 according to new roadmap" (<http://vr-zone.com/articles/intels-broadwell-k-launching-end-2014-according-new-roadmap/60966.html>). vr-zone.com. October 21, 2013. Retrieved October 24, 2013.
- Shilov, Anton (August 29, 2013). "Intel Changes Plans: Core i "Broadwell" Processors Will Be Available in LGA Packaging, But There Is a Catch" (http://www.xbitlabs.com/news/cpu/display/20130829163840_Intel_Changes_Plans_Core_i_Broadwell_Processors_Will_Be_Available_in_LGA_Packaging_But_There_Is_a_Catch.html). Xbit Labs. Retrieved October 24, 2013.
- "Exclusive: Intel CEO promises Broadwell PCs on shelves for holidays" (<http://www.reuters.com/article/2014/05/18/us-intel-chips-idUSBREA4H08P20140518>). reuters.com. May 18, 2014. Retrieved May 17, 2014.

43. "Computex 2014: Intels Broadwell kommt rechtzeitig zum Weihnachtsgeschäft" (<http://www.heise.de/newsticker/meldung/Intels-Broadwell-kommt-rechtzeitig-zum-Weihnachtsgeschaft-2195725.html>). Heise.de. May 22, 2014. Retrieved May 31, 2014.
44. Chris.L (May 19, 2014). "2014 年底前絕對見到, 14nm Broadwell 處理器最快在 37 周出貨" (<http://chinese.vr-zone.com/113127/intel-ceo-brian-krzanich-confirm-broadwell-on-the-way-and-bdw-y-is-the-first-will-rt-in-ww37-05192014/>). *chinese.vr-zone.com*. Retrieved July 19, 2014.
45. Crothers, Brooke. "Intel's next-gen processor, Broadwell, is (mostly) a 2015 thing" (<http://www.cnet.com/news/blogging-intels-next-gen-processor-broadwell-is-mostly-a-2015-thing/>). CNET. Retrieved July 19, 2014.
46. Mark Hachman (July 15, 2014). "Intel shipping Broadwell, but next-gen Skylake chip could slip" (<http://www.pcworld.com/article/2454288/intel-shipping-broadwell-but-next-gen-skylake-chip-could-slip.html>). PCWorld. Retrieved July 19, 2014.
47. "Intel to launch Broadwell "U" series CPUs at CES 2015" (http://www.cpu-world.com/news_2014/2014100301_Intel_to_launch_Broadwell_U_series_CPUs_at_CES_event.html).
48. "Intel's Extreme Broadwell-E chips reportedly not coming until early 2016" (<http://www.pcgamer.com/intels-extreme-broadwell-e-chips-reportedly-not-coming-until-early-2016/>). *PC Gamer*.
49. Hachman, Mark (August 11, 2014). "Intel aims next-gen 14nm 'Broadwell' technology at fanless tablets, Ultrabooks" (<http://www.pcworld.com/article/2462759/intel-aims-next-gen-14nm-broadwell-technology-at-fanless-tablets-ultrabooks.html>). PCWorld. Retrieved August 15, 2014.
50. "Intel regrets skipping Broadwell desktop CPUs" (<http://www.pcworld.com/article/2984128/computers/intel-regrets-skipping-broadwell-desktop-cpus.html>). September 15, 2015. Retrieved October 10, 2015.
51. "Intel launches first Broadwell processors" (http://www.cpu-world.com/news_2014/2014090701_Intel_launches_first_Broadwell_processors.html?PROCESS=Read+more...).
52. "The first Core M laptop paints a depressing, mediocre picture for Intel's Broadwell - ExtremeTech" (<http://www.extremetech.com/computing/192893-the-first-core-m-laptop-paints-a-depressing-mediocre-picture-for-intels-broadwell>). *ExtremeTech*.
53. "Intel to release Core M 5Y10c, 5Y31, 5Y51 and 5Y71 processors" (http://www.cpu-world.com/news_2014/2014103101_Intel_to_release_Core_M_5Y10c_5Y31_5Y51_and_5Y71_processors.html?PROCESS=Read+more...).
54. "Broadwell U arrives: Faster laptop CPUs and GPUs from Core i7 to Celeron" (<http://arstechnica.com/gadgets/2015/01/broadwell-u-arrives-faster-laptop-cpus-and-gpus-from-core-i7-to-celeron/>). ArsTechnica.
55. Johan De Gelas. "The Intel Xeon E5 v4 Review: Testing Broadwell-EP With Demanding Server Workloads" (<http://www.anandtech.com/show/10158/the-intel-xeon-e5-v4-review>). *anandtech.com*.

External links

- Intel to launch Broadwell "U" series CPUs at CES 2015 (http://www.cpu-world.com/news_2014/2014100301_Intel_to_launch_Broadwell_U_series_CPUs_at_CES_event.html)

Retrieved from "https://en.wikipedia.org/w/index.php?title=Broadwell_(microarchitecture)&oldid=780768848"

Categories: Intel x86 microprocessors | Intel microarchitectures

-
- This page was last edited on 17 May 2017, at 02:33.
 - Text is available under the Creative Commons Attribution-ShareAlike License; additional terms may apply. By using this site, you agree to the Terms of Use and Privacy Policy. Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a non-profit organization.