Information Dynamics and the Black Hole Information Paradox: Deriving the Page Curve in Computational Quantum spin Systems

The study of quantum entanglement has transcended its origins in foundational quantum mechanics to become a pivotal tool across condensed matter physics, quantum information theory, and high-energy physics. One of the most compelling applications of these concepts is the resolution of the black hole information paradox, a problem that has challenged the consistency of general relativity and quantum mechanics for half a century.[1] At the heart of this paradox lies the Page curve, a theoretical trajectory for the entanglement entropy of Hawking radiation that preserves the principle of unitarity.[1] While traditionally discussed in the context of gravitational collapse and holographic field theories, recent advancements have shown that the essential physics of the Page curve can be captured in controllable, one-dimensional quantum many-body systems.[4] For the undergraduate researcher, the Transverse-Field Ising Model (TFIM) coupled with matrix product state (MPS) methods provides a sophisticated yet accessible framework for investigating these high-energy phenomena in a computational laboratory setting.[5]

Theoretical Foundations of the Information Paradox and the Page Curve

The fundamental tension in black hole physics originated with Stephen Hawking's 1975 discovery that black holes are not truly black but emit thermal radiation due to quantum effects near the event horizon.[1] Hawking's semiclassical calculation suggested that this radiation is in a mixed state, carrying only coarse-grained information like mass, charge, and angular momentum.[1] If a black hole, initially formed from a pure state of matter, evaporates completely into such thermal radiation, the final state of the universe would be mixed, implying a loss of information and a violation of the unitary time evolution required by quantum mechanics.[1] This apparent contradiction is known as the black hole information paradox.

In 1993, Don Page provided a potential resolution by treating the black hole and its radiation as a pure bipartite system evolving under a random unitary process.[4] He argued that if the evolution is unitary, the entanglement entropy of the radiation cannot increase indefinitely.[1] Instead, it must follow a specific "rise and fall" profile. Initially, as particle pairs are produced at the horizon—with one particle escaping as radiation and the other falling into the black hole—the entanglement between the black hole and the radiation grows linearly.[1] However, as

the black hole loses mass, its Hilbert space dimension d_{BH} shrinks. Eventually, d_{BH} becomes smaller than the dimension of the radiation Hilbert space d_{rad}. At this "Page time," the entanglement entropy must reach a maximum and then begin to decrease, ultimately returning to zero when the black hole has fully evaporated.[1]

Parameter	**Semiclassical Trend (Hawking)**	**Unitary Trend (Page)**
Early-time Entropy	Linear Increase	Linear Increase
Late-time Entropy	Continued Increase	Bending Down to Zero
Information State	Mixed/Lossy	Pure/Recovered
System Consistency	Violates Unitarity	Maintains Unitarity
Turning Point	None	Page Time (t_{Page})

The emergence of the Page curve serves as a diagnostic for the recovery of information. In modern theoretical physics, the "island formula" and holographic calculations have provided a gravitational mechanism for this bending down, but the underlying principle remains kinematic: the entanglement entropy of a subsystem in a pure state is bounded by the number of degrees of freedom available in the smaller of the two partitions.[1]

The Transverse-Field Ising Model as a Computational Proxy

The Transverse-Field Ising Model (TFIM) is one of the most thoroughly understood frameworks in quantum many-body physics, making it an ideal candidate for simulating Page curve dynamics.[4] The model consists of a chain of L spins with nearest-neighbor interactions and a

transverse magnetic field that drives quantum fluctuations. The Hamiltonian is defined as:

$$\hat{H} = -J \sum_{i=1}^{L-1} \sigma_i^z \sigma_{i+1}^z - g \sum_{j=1}^{L} \sigma_j^x$$

where J represents the exchange coupling strength and g is the transverse field strength.[5] The system exhibits a quantum phase transition at the critical point $g/J = 1$. When $g \ll J$, the system is in a ferromagnetic phase with a two-fold degenerate ground state. When $g \gg J$, it is in a paramagnetic phase where all spins align with the transverse field.[9]

The TFIM is particularly suitable for undergraduate research because it can be exactly solved via the Jordan-Wigner transformation, which maps the spins to non-interacting (free) fermions.[1] This allows researchers to compare numerical results from matrix product states with exact analytical solutions. Furthermore, the model can be implemented on current quantum hardware, such as superconducting qubits or trapped ions, providing a bridge between theoretical simulation and experimental verification.[5]

The choice of the TFIM for Page curve studies is motivated by the fact that internal information dynamics play a critical role in the shape of the entanglement profile.[4] Operating at the critical point yields a smooth Page curve profile, whereas moving away from criticality can distort the growth and decay of entanglement.[4] This sensitivity allows students to probe how the "scrambling" of information—the process by which local information is distributed across global degrees of freedom—depends on the physical parameters of the system.[12]

Matrix Product States and Tensor Network Simulations

To derive the Page curve computationally, one must simulate the real-time evolution of a bipartite quantum system. For systems beyond a few dozen qubits, exact diagonalization of the Hamiltonian becomes impossible due to the exponential growth of the Hilbert space. Matrix Product States (MPS) provide a powerful variational ansatz that bypasses this limitation by approximating the many-body wavefunction as a product of local tensors.[17]

An MPS represents a state $|\psi\rangle$ on L sites as:

$$|\psi\rangle = \sum_{i_1,\ldots,i_L} A^{(i_1)} A^{(i_2)} \ldots A^{(i_L)} |i_1, i_2, \ldots, i_L\rangle$$

The matrices $A^{(i_n)}$ have dimensions $\chi_{n-1} \times \chi_n$, where the bond dimension χ determines

the amount of entanglement the state can capture.[17] For 1D systems with local interactions, the entanglement entropy typically grows linearly in time after a quench, requiring the bond dimension to grow exponentially to maintain accuracy.[2] However, for the timescales relevant to the Page curve, MPS methods remain highly effective.[2]

Computational Feature	**Matrix Product State (MPS) Advantage**
Memory Scaling	Linear with system size L
Entanglement Limit	Controlled by bond dimension χ
Algorithms	DMRG for ground states, TEBD for dynamics
Observables	Efficient computation of local and bipartite entropy
Libraries	ITensor (Julia/C++), TenPy (Python)

The Time-Evolving Block Decimation (TEBD) algorithm is the primary tool for simulating the unitary evolution $|\psi(t)\rangle = e^{-i\hat{H}t}|\psi(0)\rangle$ within the MPS framework.[17] It uses a Trotter-Suzuki decomposition to break the evolution operator into a sequence of local two-site gates. After applying each gate, a singular value decomposition (SVD) is performed to restore the MPS to its canonical form and truncate small Schmidt values, ensuring that the bond dimension remains manageable.[19]

Kinematic Emergence and the Subsystem Reduction Protocol

The central challenge in reproducing the Page curve in a spin chain is that a standard lattice has a fixed number of sites, whereas a black hole is a system with decreasing degrees of freedom.[4] To overcome this, researchers have developed a "kinematic reduction" or "dynamic boundary"

protocol.[4] In this model, the chain is partitioned into a "system" (representing the black hole) and an "environment" (representing the radiation).

Hawking-like evaporation is implemented by dynamically reassigning sites from the system to the environment.[4] As the "black hole" shrinks and the "radiation" grows, the Hilbert space dimension of the system partition decreases.[4] By monitoring the von Neumann entanglement entropy of the growing environment subsystem at each time step, the characteristic rise-and-fall of the Page curve emerges.[4]

The robust emergence of this curve under controlled subsystem resizing demonstrates that shrinking the Hilbert-space dimension alone is sufficient to generate Page curve behavior.[4] Interestingly, this behavior persists even if the explicit Hamiltonian coupling across the boundary is set to zero, suggesting that the Page curve is a fundamental property of bipartite entanglement in systems with changing partition sizes.[4] For an undergraduate paper, quantifying the impact of the "internal dynamics"—such as the choice of J and g—on the smoothness and timing of the Page curve provides a rich area for analysis.[4]

Protocol Step	**Black Hole Analogue**	**Computational Implementation**
Initialization	Initial collapsing matter	Pure product state or ground state
Unitary Evolution	Hawking radiation production	TEBD/MPS real-time evolution
Boundary Shift	Black hole shrinking	Move site i from 'system' to 'env'
Entropy Calculation	Radiation entanglement	S_{vN} of the growing 'env' block
Final State	Complete evaporation	Entropy returns to zero (pure

		state)

Symmetry-Resolved Entanglement: A Finer Diagnostic

To elevate the research to a higher publication tier, one can investigate "symmetry-resolved" entanglement entropy (SREE). This involves decomposing the total entanglement entropy into contributions from different sectors of a conserved charge.[8] If a system has a global symmetry generated by a charge $\hat{Q}$, and the state is such that $[\rho, \hat{Q}] = 0$, the reduced density matrix ρ_A becomes block-diagonal with respect to the eigenvalues of the local charge $\hat{Q}_A$.[7]

The symmetry-resolved entropy for a sector with charge q is defined as:

$$S_A(q) = -\mathrm{Tr}(\rho_A(q) \ln \rho_A(q))$$

where $\rho_A(q)$ is the normalized block of the density matrix in that sector.[8] In many-body systems, it is often found that entanglement is "equipartitioned" among different charge sectors, meaning each sector contributes equally to the total entropy at leading order.[25]

For the TFIM, the relevant symmetry is the $\mathbb{Z}_2$ parity symmetry.[10] Research has shown that a symmetry-resolved analogue of the Page curve can be derived, providing deeper insights into how information is distributed across different quantum number sectors during the evaporation process.[8] For instance, a paper could explore how the equipartition of entanglement breaks down near the Page time or how it is affected by symmetry-breaking perturbations.[8] Such an analysis demonstrates a sophisticated understanding of both quantum information and many-body physics, which is highly valued in the quant-ph and cond-mat categories of the arXiv.[8]

The Impact of Interactions, Disorder, and Long-Range Effects

The Page curve is traditionally discussed in the context of "fast scramblers"—systems like the Sachdev-Ye-Kitaev (SYK) model that distribute information throughout their degrees of freedom at the fastest possible rate.[4] However, locally interacting models like the TFIM are sufficient to probe Page curve-like behavior.[4] A significant research question for an undergraduate project involves comparing the entanglement dynamics of the "integrable" TFIM (no longitudinal field) with a "non-integrable" or "chaotic" version (adding a longitudinal field

$h_z \sum \sigma_i^z$).[32]

Chaotic systems typically exhibit linear entanglement growth and reach a volume-law saturation that matches the Page value for random pure states.[2] In contrast, systems with strong disorder can enter a many-body localized (MBL) phase where entanglement only grows logarithmically, potentially preventing the standard Page curve from emerging within reasonable timescales.[2]

Dynamical Regime	**Entanglement Growth**	**Late-time Entropy**	**Page Curve Signature**
Non-Interacting	Power-law / Log	Low / Area-law	Distorted / No Peak
Chaotic / Thermal	Linear	High / Volume-law	Robust Page Profile
Disordered (MBL)	Logarithmic	Low / Area-law	Suppressed Peak
Critical TFIM	Smooth Growth	Intermediate	Refined/Smooth Curve

Furthermore, long-range interactions ($1/r^\alpha$) can significantly enhance information propagation.[13] Investigating the "kinematic emergence" of the Page curve in a long-range TFIM would be a novel contribution, as long-range effects often lead to faster entanglement generation and could alter the "Page time" relative to the evaporation rate.[4]

Computational Implementation using ITensor and TenPy

Implementing these simulations requires familiarity with professional tensor network libraries. ITensor (available in Julia and C++) and TenPy (Python) are the industry standards.[9]

In ITensor, calculating entanglement entropy involves the orthogonalize! and svd functions. When evaluating the entropy at a specific bond, one must ensure the MPS is in a "site-canonical" form where all tensors to the left are left-isometries and all tensors to the right are right-isometries.[19] For the kinematic reduction protocol, the student must manually track

the partition boundary. As sites are moved from system to environment, the reduced density matrix for the environment grows in dimension.[5]

TenPy offers high-level classes like TFIChain and TEBDEngine that simplify the setup.[9] A key advantage of TenPy is its built-in support for conserved charges, which is essential for the symmetry-resolved entanglement analysis.[5] The library uses an np_conserved array format to manage quantum numbers efficiently, potentially speeding up simulations by exploiting the block-diagonal structure of the tensors.[5]

When performing these simulations, two numerical parameters are paramount:

1. **Bond Dimension (χ):** If χ is too low, the entropy will prematurely saturate, creating a "fake" Page curve that is merely a result of truncation error.[20]
2. **Time Step (dt):** A large time step introduces Trotter errors. Students should perform a "convergence test" by varying dt and χ to ensure their results are physically meaningful.[9]

Structuring the Manuscript for the Undergraduate arXiv Level

To produce a paper worth publishing, the student must follow the conventions of a professional physics manuscript.[43] In the field of computational physics, this implies a clear logical flow from the physics problem to the algorithm, results, and physical interpretation.

The Abstract and Introduction

The abstract should be a concise "advertisement" for the work, stating the primary finding: the emergence of the Page curve in a local TFIM via kinematic reduction.[45] The introduction must set the stage by linking the black hole information paradox to the study of many-body entanglement.[1] It is crucial to explain *why* this model is interesting—for instance, by noting that the TFIM is a "tangible model" that reproduces complex gravitational dynamics using only local interactions.[4]

The Theory and Methodology

This section should detail the Hamiltonian and the specific kinematic reduction protocol used. A clear table or figure illustrating how sites are transferred from the system to the environment is highly effective.[4] The choice of MPS as the simulation tool must be justified based on its ability to handle large systems that are beyond the reach of exact diagonalization.[17]

Results and Discussion

Figures are the "backbone" of the paper.[46] The primary result should be a plot of the Page curve

across different parameters. Analysis of the "Schmidt gap"—the difference between the two largest eigenvalues of the reduced density matrix—can be used to identify non-analyticities that separate the "growth" and "decay" phases of the entanglement.[2] This provides a deeper "second-order" insight: the bending down of the Page curve is not just a statistical phenomenon but can be viewed as a dynamical phase transition in the entanglement Hamiltonian.[2]

Conclusions and Outlook

The conclusion should summarize the findings and discuss potential applications, such as using these protocols to benchmark quantum computers.[12] Mentioning that these results position locally interacting spin chains as a "realistic platform for probing black-hole-inspired information dynamics" on current hardware adds value to the work.[12]

Navigating the 2026 arXiv Endorsement Policy

For an undergraduate student, the most significant hurdle to publishing on the arXiv is often the endorsement process. As of January 21, 2026, the arXiv has updated its policies to maintain scientific integrity in an era of rapidly increasing non-scientific submissions.[49]

The Requirement for Endorsement

Institutional email addresses are no longer sufficient for automatic endorsement.[49] A first-time submitter must now either:

- Have a co-author who is already an established arXiv author.
- Seek a personal endorsement from an established researcher in the relevant "endorsement domain" (e.g., quant-ph or cond-mat).[49]

Finding an Endorser

The most effective way to find an endorser is to look at the authors of the papers cited in the student's own work.[51] Authors who have published a certain number of papers in a domain (typically between three months and five years ago) have "endorsement privileges".[51]

When requesting an endorsement, the student should:

- Provide a full draft of the paper.
- Explain the research context (e.g., an undergraduate thesis or a mentored project).
- Use a formal, professional tone.[51]

It is important to note that endorsement is not a peer review; the endorser is merely vouching that the paper is "appropriate for the subject area" and follows "accepted standards of scholarly communication".[43]

arXiv Submission Checklist (2026)	Requirement
Account	Registered with institutional email [49]
Endorsement	Personal endorsement from an established author [49]
Format	LaTeX (highly preferred) or PDFLaTeX [43]
License	Irrevocable license to distribute granted to arXiv [43]
Integrity	Scientific content, no offensive language/plagiarism [43]
Metadata	Descriptive title, abstract under 250 words [45]

Strategic Considerations for Undergraduate Publication

To ensure a paper is "worth publishing," the undergraduate researcher must focus on the "nugget"—the key insight that makes the work doable and novel.[54] In the context of the Page curve and the TFIM, the nugget might be:

- The first demonstration of Page curve asymmetry in the TFIM using symmetry-resolved measures.[8]
- A study on how long-range interactions shift the Page time in a way that differs from local models.[4]
- A quantitative comparison of Page curve profiles in "integrable" vs. "chaotic" spin chains.[32]

A paper that merely "replicas" an existing result is a "term paper." A paper that "probes" a new parameter space or applies a "finer diagnostic" like symmetry resolution becomes a "research paper".[44]

Domain	Key Diagnostic Tool	Research Goal
Black Hole Physics	Page Curve (S vs. t)	Resolve Information Paradox [1]

Computational Physics	MPS/TEBD	Efficiency of Simulation [17]
Quantum Information	Schmidt Gap / SREE	Detect Phase Transitions [14]
Condensed Matter	TFIM Criticality	Understand Scrambling [5]

Integrating these domains into a single narrative demonstrates the "fruitful connections" between fields that the arXiv community values.[1] For instance, showing that the "bending down" of the Page curve is mathematically identical to a "Schmidt gap closure" in the entanglement spectrum connects high-energy gravity with the rigorous mathematics of tensor networks.[2]

Conclusion: Bridging the Gap from Theory to Preprint

Deriving the Page curve from the Transverse-Field Ising Model provides a robust conceptual bridge between many-body physics and the fundamental laws of gravity.[1] For the undergraduate researcher, success in this endeavor requires a trifecta of skills: a solid theoretical grasp of quantum information, a high degree of proficiency in computational tensor network methods, and a professional approach to scientific communication and the peer-review process.[2]

The kinematic reduction protocol—shrinking the system Hilbert space to simulate black hole evaporation—is a particularly elegant solution that turns a fixed-lattice simulation into a dynamic laboratory for Hawking radiation.[4] By extending this basic model to include symmetry resolution, disorder, or long-range effects, the student can produce a manuscript that not only meets the undergraduate arXiv level but also contributes to the ongoing professional discourse on the nature of information in the universe.[8]

As the arXiv moves toward a more curated, nonprofit model in 2026, the emphasis on quality and community endorsement becomes even more vital.[49] A student who can navigate these policies, produce high-fidelity MPS simulations, and articulate the broader implications of their work is well-positioned for a successful career in the physical sciences.[12] Ultimately, the study of the Page curve in the TFIM is a testament to the power of simple models to illuminate the most profound mysteries of nature.[1]

Works cited

1. Page curve entanglement dynamics in an analytically solvable model - arXiv, accessed April 11, 2026, https://arxiv.org/html/2311.18045v2
2. (PDF) Page Curve and Entanglement Dynamics in an Interacting Fermionic Chain, accessed April 11, 2026, https://www.researchgate.net/publication/388790740_Page_Curve_and_Entanglement_Dynamics_in_an_Interacting_Fermionic_Chain

3. [2401.06042] Page-curve-like entanglement dynamics in open quantum systems - arXiv, accessed April 11, 2026, https://arxiv.org/abs/2401.06042
4. Kinematic Emergence of the Page Curve in a Local Transverse-Field Ising Model - arXiv, accessed April 11, 2026, https://arxiv.org/pdf/2603.17000
5. arxiv.org, accessed April 11, 2026, https://arxiv.org/html/2603.17000v1
6. Quantum trajectories and Page-curve entanglement dynamics - arXiv, accessed April 11, 2026, https://arxiv.org/html/2501.12110v1
7. Symmetry-resolved Page curves, accessed April 11, 2026, https://cris.unibo.it/bitstream/11585/941552/1/Murciano%20et%20al.%20-%202022%20-%20Symmetry-resolved%20Page%20curves.pdf
8. Page curve and symmetries - Kobe University, accessed April 11, 2026, https://da.lib.kobe-u.ac.jp/da/kernel/0100476947/0100476947.pdf
9. A first finite DMRG Example - TeNPy 1.1.0.dev46+003ceb2 documentation, accessed April 11, 2026, https://tenpy.readthedocs.io/en/latest/notebooks/01_dmrg.html
10. Temporal Entanglement Transitions in the Periodically Driven Ising Chain - OSTI, accessed April 11, 2026, https://www.osti.gov/servlets/purl/3022309
11. Scaling of entanglement entropy for iDMRG - TeNPy Forum, accessed April 11, 2026, https://tenpy.johannes-hauschild.de/viewtopic.php?t=32
12. Capturing the Page curve and entanglement dynamics of black holes in quantum computers - CERN, accessed April 11, 2026, https://scoap3-prod-backend.s3.cern.ch/media/harvested_files/10.1016/j.nuclphysb.2025.117112/main.pdf
13. [PDF] Dynamics of quantum information - Semantic Scholar, accessed April 11, 2026, https://www.semanticscholar.org/paper/Dynamics-of-quantum-information-Lewis-Swan-Safavi-Naini/837a8f0a35013d1851b89cdf4e05721220f47818
14. Kinematic Emergence of the Page Curve in a Local Transverse-Field Ising Model - ResearchGate, accessed April 11, 2026, https://www.researchgate.net/publication/402739302_Kinematic_Emergence_of_the_Page_Curve_in_a_Local_Transverse-Field_Ising_Model
15. Entanglement dynamics and Page curves in random permutation circuits - ResearchGate, accessed April 11, 2026, https://www.researchgate.net/publication/402107807_Entanglement_dynamics_and_Page_curves_in_random_permutation_circuits
16. Entanglement asymmetry dynamics in random quantum circuits - arXiv, accessed April 11, 2026, https://arxiv.org/html/2501.12459v2
17. JHEP08(2021)112 - City Research Online, accessed April 11, 2026, https://openaccess.city.ac.uk/id/eprint/36217/1/JHEP08%282021%29112.pdf
18. Entanglement Entropy, the Multi-scale Entanglement Renormalisation Ansatz and Lifshitz Field Theories - Utrecht University Student Theses Repository, accessed April 11, 2026, https://studenttheses.uu.nl/bitstream/handle/20.500.12932/28429/5612845_MSc_Thesis_KK.pdf?sequence=2
19. (color online) Two examples of tensor network diagrams: (a) Matrix... -

ResearchGate, accessed April 11, 2026, https://www.researchgate.net/figure/color-online-Two-examples-of-tensor-network-diagrams-a-Matrix-Product-State-MPS_fig2_237082661
20. Basic tensor network computations in physics, accessed April 11, 2026, https://utoronto.scholaris.ca/bitstreams/e6f9a450-7905-4136-b912-d4fb1a3c4d0a/download
21. Density-matrix renormalization group: a pedagogical introduction - ResearchGate, accessed April 11, 2026, https://www.researchgate.net/publication/373122638_Density-matrix_renormalization_group_a_pedagogical_introduction
22. Diagonal Isometric Form for Tensor Product States in Two Dimensions - arXiv, accessed April 11, 2026, https://arxiv.org/pdf/2507.08080
23. (PDF) Finding Exponential Product Formulas of Higher Orders - ResearchGate, accessed April 11, 2026, https://www.researchgate.net/publication/2092429_Finding_Exponential_Product_Formulas_of_Higher_Orders
24. Matrix product state pre-training for quantum machine learning - ResearchGate, accessed April 11, 2026, https://www.researchgate.net/publication/364816506_Matrix_product_state_pre-training_for_quantum_machine_learning
25. Symmetry Resolved Multipartite Entanglement Entropy - arXiv, accessed April 11, 2026, https://arxiv.org/pdf/2509.13410
26. Detecting Symmetry-Resolved Entanglement: A Quantum Monte Carlo Approach - arXiv, accessed April 11, 2026, https://arxiv.org/html/2604.02307v1
27. Symmetry-Resolved Entanglement Entropy in Higher Dimensions - arXiv, accessed April 11, 2026, https://arxiv.org/pdf/2503.09070
28. Entanglement Resolution with Respect to Conformal Symmetry - ResearchGate, accessed April 11, 2026, https://www.researchgate.net/publication/383736441_Entanglement_Resolution_with_Respect_to_Conformal_Symmetry
29. Temporal Entanglement Transitions in the Periodically Driven Ising Chain - arXiv, accessed April 11, 2026, https://arxiv.org/html/2510.13970v1
30. Measurement-Induced Phase Transition in the Monitored Sachdev-Ye-Kitaev Model | Request PDF - ResearchGate, accessed April 11, 2026, https://www.researchgate.net/publication/354882825_Measurement-Induced_Phase_Transition_in_the_Monitored_Sachdev-Ye-Kitaev_Model
31. Remarks on the Sachdev-Ye-Kitaev model - ResearchGate, accessed April 11, 2026, https://www.researchgate.net/publication/309705295_Remarks_on_the_Sachdev-Ye-Kitaev_model
32. The Lyapunov spectra of quantum thermalisation - PMC - NIH, accessed April 11, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC6586635/
33. Mixed-State Entanglement in a Minimal Model of Quantum Chaos - arXiv, accessed April 11, 2026, https://arxiv.org/html/2603.14292v1
34. Local Operator Entanglement in Spin Chains - SciPost, accessed April 11, 2026,

https://scipost.org/submissions/2012.14609v5/
35. arXiv:2310.12796v2 [quant-ph] 10 Dec 2024, accessed April 11, 2026, https://arxiv.org/pdf/2310.12796
36. arXiv:2104.09118v3 [quant-ph] 6 Jan 2022, accessed April 11, 2026, https://arxiv.org/pdf/2104.09118
37. Computing Central Charge from Entanglement Entropy - ITensor ..., accessed April 11, 2026, https://itensor.discourse.group/t/computing-central-charge-from-entanglement-entropy/1507
38. qtealeaves/emulator/ttn_simulator.py · bda6de8a1383d375a261a859017e9de6f5c94064 · quantum_tea_leaves / py_api_quantum_tea_leaves - baltig-INFN, accessed April 11, 2026, https://baltig.infn.it/quantum_tea_leaves/py_api_quantum_tea_leaves/-/blob/bda6de8a1383d375a261a859017e9de6f5c94064/qtealeaves/emulator/ttn_simulator.py
39. qtealeaves/emulator/ttn_simulator.py · v1.2.30 · quantum_tea_leaves / py_api_quantum_tea_leaves - GitLab, accessed April 11, 2026, https://baltig.infn.it/quantum_tea_leaves/py_api_quantum_tea_leaves/-/blob/v1.2.30/qtealeaves/emulator/ttn_simulator.py?ref_type=tags
40. Solutions to MPS and model basics - TeNPy 1.1.0.dev46+003ceb2 documentation, accessed April 11, 2026, https://tenpy.readthedocs.io/en/latest/toycodes/solution_2_mps.html
41. Problems with an entanglement entropy calculation - ITensor Support Q&A, accessed April 11, 2026, http://itensor.org/support/1165/problems-with-an-entanglement-entropy-calculation
42. DMRG Preprints: 2026, accessed April 11, 2026, https://tensornet.work/
43. Submission Guidelines - arXiv info, accessed April 11, 2026, https://info.arxiv.org/help/submit/index.html
44. Guide for Writing in Physics and Dual-degree Engineering, accessed April 11, 2026, https://www.southwestern.edu/live/files/4179-guide-for-writing-in-physicspdf
45. Writing Physics Papers, accessed April 11, 2026, https://122.physics.ucdavis.edu/course/cosmology/sites/default/files/files/WritingPhysicsPapers.pdf
46. Writing a scientific paper - UCSB Physics, accessed April 11, 2026, https://web.physics.ucsb.edu/~martinisgroup/classnotes/WritingPapers/NotesOnWritingPaper12.pdf
47. Efficient Tensor Network Simulation of IBM's Eagle Kicked Ising Experiment - ResearchGate, accessed April 11, 2026, https://www.researchgate.net/publication/377654595_Efficient_Tensor_Network_Simulation_of_IBM's_Eagle_Kicked_Ising_Experiment
48. [2603.17000] Kinematic Emergence of the Page Curve in a Local Transverse-Field Ising Model - arXiv, accessed April 11, 2026, https://arxiv.org/abs/2603.17000
49. Attention Authors: updated endorsement policy – arXiv blog, accessed April 11, 2026,

https://blog.arxiv.org/2026/01/21/attention-authors-updated-endorsement-policy/
50. 2026 – arXiv blog, accessed April 11, 2026, https://blog.arxiv.org/2026/
51. The arXiv endorsement system, accessed April 11, 2026, https://arxiv.org/mirrorhelp/endorsement.html
52. Endorsement - arXiv info, accessed April 11, 2026, https://info.arxiv.org/help/endorsement.html
53. How to get arxiv endorsement when your colleagues don't use arxiv? - Reddit, accessed April 11, 2026, https://www.reddit.com/r/astrophysics/comments/1rw5fkd/how_to_get_arxiv_endorsement_when_your_colleagues/
54. Writing a good scientific paper. The secrets I share with my students. | by Michael Black, accessed April 11, 2026, https://medium.com/@black_51980/writing-a-good-scientific-paper-c0f8af480c91