Reusable pallets made from **recycled plastic**

PRODUCT PORTFOLIO

qpall.com

QPALL®
PLASTIC PALLETS

Act global
produce local





Pallets with a **purpose**

From the very beginning, our mission has been clear and simple: offer cost-effective and reliable plastic pallets while prioritizing sustainability. By dedicating of our focus and expertise to the development and production of only plastic pallets, we consistently deliver innovative solutions that adapt to the ever-evolving needs of our customers.

Today, our pallets are manufactured from nearly 100% recycled plastic, ensuring they are environmentally friendly without sacrificing strength or durability. This sustainable approach allows us to reduce the worldwide waste and make a positive impact on the environment while offering our customers high-quality, dependable pallets.

Currently, we operate from 5 production locations across Europe. This not only helps us reduce transportation costs for our customers but also significantly lowers CO2 emissions and reflects our deep commitment to environmental responsibility.

We proudly call this effort “Pallets with a Purpose.” Through our dedication to sustainability and operational efficiency, we continue to produce pallets that make a meaningful difference.

600 x 400 mm

QP6040MB4F

MEDIUM



Specifications

Article number	QP6040MB4F
Dimensions (mm)	600 x 400 x 155
Weight (kg)	2.0
Topdeck	Open
Bottom support	4 feet

Load capacity (kg)

Static load	500
Dynamic load	250
Packed per	*200 pieces*

600 x 800 mm

QP6080LR3RR

LIGHT



Specifications

Article number	QP6080LR3RR
Dimensions (mm)	600 x 800 x 145
Weight (kg)	2.7
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	500
Dynamic load	350
Packed per	*100 pieces*

QP6080MB6FR

MEDIUM



Specifications

Article number	QP6080MB6FR
Dimensions (mm)	600 x 800 x 143
Weight (kg)	3.2
Topdeck	Open
Bottom support	6 feet

Load capacity (kg)

Static load	1000
Dynamic load	500
Packed per	*80 pieces*

QP6080HB6FR

HEAVY



Specifications

Article number	QP6080HB6FR
Dimensions (mm)	600 x 800 x 155
Weight (kg)	5.9
Topdeck	Open
Bottom support	6 feet

Load capacity (kg)

Static load	1000
Dynamic load	600
Packed per	*80 pieces*

760 x 1140 mm

QP76114LB9FR

LIGHT



Specifications

Article number	QP76114LB9FR
Dimensions (mm)	760 x 1140 x 150
Weight (kg)	4.6
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP76114LB9FR-CD

LIGHT



Specifications

Article number	QP76114LB9FR-CD
Dimensions (mm)	760 x 1140 x 150
Weight (kg)	5.7
Topdeck	Closed
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP76114LB9RR

LIGHT



Specifications

Article number	QP76114LB9RR
Dimensions (mm)	760 x 1140 x 158
Weight (kg)	6.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP76114LB9RR-CD

LIGHT



Specifications

Article number	QP76114LB9RR-CD
Dimensions (mm)	760 x 1140 x 158
Weight (kg)	7.5
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP76114LB3RR

LIGHT



Specifications

Article number	QP76114LB3RR
Dimensions (mm)	760 x 1140 x 158
Weight (kg)	6.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP76114LB3RR-CD

LIGHT



Specifications

Article number	QP76114LB3RR-CD
Dimensions (mm)	760 x 1140 x 150
Weight (kg)	7.5
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

760 x 1140 mm

QP-RUN-L

LOW



Specifications

Article number	QP-RUN-L
Dimensions (mm)	1170 x 100 x 15
Weight (kg)	0.6
Type	Low runner
Pallet sizes (mm)	1200 x 800 / 1200 x 1000

760 x 1140 mm

QP1111LB9FR

LIGHT



Specifications

Article number	QP1111LB9FR
Dimensions (mm)	1100 x 1100 x 150
Weight (kg)	6.8
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP1111LB3RR

LIGHT



Specifications

Article number	QP1111LB3RR
Dimensions (mm)	1100 x 1100 x 158
Weight (kg)	8.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QPRUN1111

STANDARD



Specifications

Article number	QPRUN1111
Dimensions (mm)	1100 x 125 x 18
Weight (kg)	0.6
Type	Standard runner
Pallet sizes (mm)	1100 x 1100

1100 x 1100 mm

The indicated weights are theoretical; for the actual specifications, please refer to our website.

1100 x 1100 mm

1.QP1111MB3R-AS

MEDIUM



Specifications

Article number	1.QP1111MB3R-AS
Dimensions (mm)	1100 x 1100 x 150
Weight (kg)	11.7
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1250
Racking load	250

3.QP1111MB3R-AS

MEDIUM



Specifications

Article number	3.QP1111MB3R-AS
Dimensions (mm)	1100 x 1100 x 150
Weight (kg)	11.7
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1250
Racking load	250

1.QP1111MB6R-AS

MEDIUM



Specifications

Article number	1.QP1111MB6R-AS
Dimensions (mm)	1100 x 1100 x 150
Weight (kg)	13.2
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1250
Racking load	250

1100 x 1100 mm

3.QP1111MB6R-AS

MEDIUM



Specifications

Article number	3.QP1111MB6R-AS
Dimensions (mm)	1100 x 1100 x 150
Weight (kg)	13.1
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1250
Racking load	250

QP1111MB3R-SSB

MEDIUM



Specifications

Article number	QP1111MB3R-SSB
Dimensions (mm)	1100 x 1100 x 150
Weight (kg)	12.3
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1250
Racking load	250

2.QP1111MB3R-AS

MEDIUM



Specifications

Article number	2.QP1111MB3R-AS
Dimensions (mm)	1100 x 1100 x 150
Weight (kg)	11.7
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1250
Racking load	250

1100 x 1100 mm

2.QP1111MB6R-AS

MEDIUM



Specifications


Article number	2.QP1111MB6R-AS
Dimensions (mm)	1100 x 1100 x 150
Weight (kg)	13.1
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1250
Racking load	250

QP1111HB3RR

HEAVY



Specifications

Article number	QP1111HB3RR
Dimensions (mm)	1100 x 1100 x 165
Weight (kg)	19.9
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1000

QP1111HB3RR-CD

HEAVY



Specifications

Article number	QP1111HB3RR-CD
Dimensions (mm)	1100 x 1100 x 165
Weight (kg)	21.5
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)


Static load	7500
Dynamic load	2000
Racking load	1000

1100 x 1100 mm

1100 x 1100 mm

QP1111HB6RR

HEAVY



Specifications


Article number	QP1111HB6RR
Dimensions (mm)	1100 x 1100 x 165
Weight (kg)	22.0
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

QP1111HB6RR-CD

HEAVY



Specifications

Article number	QP1111HB6RR-CD
Dimensions (mm)	1100 x 1100 x 165
Weight (kg)	24.1
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

1140 x 1140 mm

QP1140LB9FR

LIGHT



Specifications

Article number	QP1140LB9FR
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	7.2
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP1140LB3RR

LIGHT



Specifications

Article number	QP1140LB3RR
Dimensions (mm)	1140 x 1140 x 158
Weight (kg)	9.7
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QPRUN1140

STANDARD



Specifications

Article number	QPRUN1140
Dimensions (mm)	1140 x 125 x 18
Weight (kg)	0.6
Type	Standard runner
Pallet sizes (mm)	1140 x 1140

1140 x 1140 mm

2.QP1140MB3RR

MEDIUM



Specifications

Article number	2.QP1140MB3RR
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	15.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	200

3.QP1140MB3RR

MEDIUM



Specifications

Article number	3.QP1140MB3RR
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	15.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	200

2.QP1140MB6RR

MEDIUM



Specifications

Article number	2.QP1140MB6RR
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	16.9
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	200

1140 x 1140 mm

The indicated weights are theoretical; for the actual specifications, please refer to our website.

1140 x 1140 mm

3.QP1140MB6RR

MEDIUM



Specifications

Article number	3.QP1140MB6RR
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	16.9
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	200

1.QP1140MB3R-PAS

MEDIUM



Specifications

Article number	1.QP1140MB3R-PAS
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	13.6
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	300

3.QP1140MB3R-PAS

MEDIUM



Specifications

Article number	3.QP1140MB3R-PAS
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	13.6
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	300

1140 x 1140 mm

1.QP1140MB6R-PAS

MEDIUM



Specifications

Article number	1.QP1140MB6R-PAS
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	14.3
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	300

3.QP1140MB6R-PAS

MEDIUM



Specifications

Article number	3.QP1140MB6R-PAS
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	14.3
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	300

QP1140MB3R-PAS

MEDIUM



Specifications

Article number	QP1140MB3R-PAS
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	13.6
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	250

1140 x 1140 mm

QP1140MB3R-PAS-CP3

MEDIUM



Specifications

Article number	QP1140MB3R-PAS-CP3
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	13.6
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	300

QP1140MB6R-PAS

MEDIUM



Specifications

Article number	QP1140MB6R-PAS
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	14.3
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	250

QP1140MB6R-PAS-CP9

MEDIUM



Specifications

Article number	QP1140MB6R-PAS-CP9
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	14.3
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	300

QP1140MB6RR

MEDIUM



Specifications


Article number	QP1140MB6RR
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	16.9
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	200

QP1140HB3RR

HEAVY



Specifications

Article number	QP1140HB3RR
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	22.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

QP1140HB3RR-CD

HEAVY



Specifications

Article number	QP1140HB3RR-CD
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	24.7
Topdeck	Closed
Bottom support	3 runners


Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

1140 x 1140 mm

QP1140HB6RR

HEAVY



Specifications


Article number	QP1140HB6RR
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	25.1
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

QP1140HB6RR-CD

HEAVY



Specifications


Article number	QP1140HB6RR-CD
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	25.9
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1375

QP1140HB3RR-CP3

HEAVY



Specifications

Article number	QP1140HB3RR-CP3
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	21.9
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

1140 x 1140 mm

QP1140HB6RR-CP9

HEAVY



Specifications

Article number	QP1140HB6RR-CP9
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	24.6
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2200
Racking load	1250

1140 x 1140 mm

The indicated weights are theoretical; for the actual specifications, please refer to our website.

1200 x 800 mm

1.QP1208LB9FR

LIGHT



Specifications

Article number	1.QP1208LB9FR
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	5.1
Topdeck	Open
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

1.QP1208LB9FR-CD

LIGHT



Specifications

Article number	1.QP1208LB9FR-CD
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	6.3
Topdeck	Closed
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

2.QP1208LB9FR

LIGHT



Specifications

Article number	2.QP1208LB9FR
Dimensions (mm)	1200 x 800 x 149
Weight (kg)	5.4
Topdeck	Open
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

1200 x 800 mm

2.QP1208LB9FR-CD

LIGHT



Specifications

Article number	2.QP1208LB9FR-CD
Dimensions (mm)	1200 x 800 x 149
Weight (kg)	6.4
Topdeck	Closed
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

3.QP1208LB9FR

LIGHT



Specifications

Article number	3.QP1208LB9FR
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	5.4
Topdeck	Open
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

3.QP1208LB9FR-CD

LIGHT



Specifications

Article number	3.QP1208LB9FR-CD
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	6.6
Topdeck	Closed
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

1200 x 800 mm

3.QP1208LB3RR

LIGHT



Specifications

Article number	3.QP1208LB3RR
Dimensions (mm)	1200 x 800 x 160
Weight (kg)	7.2
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

3.QP1208LB3RR-CD

LIGHT



Specifications

Article number	3.QP1208LB3RR-CD
Dimensions (mm)	1200 x 800 x 158
Weight (kg)	8.4
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP1208LB9FR

LIGHT



Specifications

Article number	QP1208LB9FR
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	5.1
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP1208LB3RR

LIGHT



Specifications

Article number	QP1208LB3RR
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	7.3
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP1208LB3RR-CD

LIGHT



Specifications

Article number	QP1208LB3RR-CD
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	7.3
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

2.QP1208LB3RR

LIGHT



Specifications

Article number	2.QP1208LB3RR
Dimensions (mm)	1200 x 800 x 160
Weight (kg)	7.0
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

1200 x 800 mm

2.QP1208LB3RR-CD

LIGHT



Specifications

Article number	2.QP1208LB3RR-CD
Dimensions (mm)	1200 x 800 x 160
Weight (kg)	7.9
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP-RUN-L

LOW



Specifications

Article number	QP-RUN-L
Dimensions (mm)	1170 x 100 x 15
Weight (kg)	0.6
Type	Low runner
Pallet sizes (mm)	1200 x 800 / 1200 x 1000

1.QP1208MB3RR

MEDIUM



Specifications

Article number	1.QP1208MB3RR
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	11.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1250
Racking load	450

1200 x 800 mm

2.QP1208MB3RR

MEDIUM



Specifications

Article number	2.QP1208MB3RR
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	12.0
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1250
Racking load	450

2.QP1208MB3RR-CD

MEDIUM



Specifications

Article number	2.QP1208MB3RR-CD
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	13.8
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1250
Racking load	650

3.QP1208MB3RR

MEDIUM



Specifications

Article number	3.QP1208MB3RR
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	12.0
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	450

1200 x 800 mm

The indicated weights are theoretical; for the actual specifications, please refer to our website.

1200 x 800 mm

3.QP1208MB3RR-CD

MEDIUM



Specifications

Article number	3.QP1208MB3RR-CD
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	14.0
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	650

5.QP1208MB3RR

MEDIUM



Specifications

Article number	5.QP1208MB3RR
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	12.0
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	450

5.QP1208MB3RR-CD

MEDIUM



Specifications

Article number	5.QP1208MB3RR-CD
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	13.8
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)


Static load	5000
Dynamic load	1500
Racking load	750

1200 x 800 mm

5.QP1208MB3R-CD-AO

MEDIUM

NEW



Specifications

Article number	5.QP1208MB3R-CD-AO
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	14.8
Topdeck	Closed – Anti Slip
Bottom support	3 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	750

4.QP1208MB3RR

MEDIUM



Specifications

Article number	4.QP1208MB3RR
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	12.0
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	500

4.QP1208MB3RR-CD

MEDIUM



Specifications

Article number	4.QP1208MB3RR-CD
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	13.8
Topdeck	Closed
Bottom support	3 runners


Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	750

1200 x 800 mm

2.QP1208HB3RR

HEAVY



Specifications

Article number	2.QP1208HB3RR
Dimensions (mm)	1200 x 800 x 159
Weight (kg)	16.9
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1750
Racking load	1000

2.QP1208HB3RR-CD

HEAVY



Specifications


Article number	2.QP1208HB3RR-CD
Dimensions (mm)	1200 x 800 x 159
Weight (kg)	17.9
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1750
Racking load	1000

EUROPAL800RR

HEAVY



Specifications

Article number	EUROPAL800RR
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	23.0
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	800

H1-Europallet

HEAVY



Specifications

Article number	H1-Europallet
Dimensions (mm)	1200 x 800 x 160
Weight (kg)	18.0
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1250
Racking load	1000

QPH1208HR3R-ECOR

HEAVY



Specifications

Article number	QPH1208HR3R-ECOR
Dimensions (mm)	1200 x 800 x 160
Weight (kg)	19.0
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1750
Racking load	1750

QPH1208HP3RR-CDB

HEAVY



Specifications

Article number	QPH1208HP3RR-CDB
Dimensions (mm)	1200 x 800 x 160
Weight (kg)	18.0
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1000

1200 x 800 mm

QPH1208HP3RR-CDG

HEAVY



Specifications


Article number	QPH1208HP3RR-CDG
Dimensions (mm)	1200 x 800 x 160
Weight (kg)	18.0
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1000

QPH1208HP3RR-CDGR

HEAVY



Specifications

Article number	QPH1208HP3RR-CDGR
Dimensions (mm)	1200 x 800 x 160
Weight (kg)	18.0
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1750

QPH1208HR3RR-ECO

HEAVY



Specifications

Article number	QPH1208HR3RR-ECO
Dimensions (mm)	1200 x 800 x 160
Weight (kg)	18.0
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1000

1200 x 800 mm

QPW1208HP3RR-CD

HEAVY



Specifications

Article number	QPW1208HP3RR-CD
Dimensions (mm)	1200 x 800 x 160
Weight (kg)	18.0
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1250
Racking load	1000

1200 x 800 mm

The indicated weights are theoretical; for the actual specifications, please refer to our website.

1200 x 1000 mm

1.QP1210LB9FR

LIGHT



Specifications


Article number	1.QP1210LB9FR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	6.8
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

1.QP1210LB9FR-CD

LIGHT



Specifications

Article number	1.QP1210LB9FR-CD
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	8.9
Topdeck	Closed
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

2.QP1210LB9FR

LIGHT



Specifications

Article number	2.QP1210LB9FR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	6.8
Topdeck	Open
Bottom support	9 feet


Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

1200 x 1000 mm

2.QP1210LB9FR-CD

LIGHT



Specifications

Article number	2.QP1210LB9FR-CD
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	8.9
Topdeck	Closed
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

2.QP1210LB3RR

LIGHT



Specifications

Article number	2.QP1210LB3RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	8.5
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

2.QP1210LB3RR-CD

LIGHT



Specifications

Article number	2.QP1210LB3RR-CD
Dimensions (mm)	1200 x 1000 x 158
Weight (kg)	10.6
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

1200 x 1000 mm

N.QP1210LB9FR

LIGHT



Specifications

Article number	N.QP1210LB9FR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	6.6
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP1210LB9FR

LIGHT



Specifications

Article number	QP1210LB9FR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	6.8
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

N.QP1210LB9FR-CD

LIGHT



Specifications

Article number	N.QP1210LB9FR-CD
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	8.2
Topdeck	Closed
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

N.QP1210LB3RR

LIGHT



Specifications

Article number	N.QP1210LB3RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	8.5
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

N.QP1210LB3RR-CD

LIGHT



Specifications

Article number	N.QP1210LB3RR-CD
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	8.5
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP-RUN-L

LOW



Specifications

Article number	QP-RUN-L
Dimensions (mm)	1170 x 100 x 15
Weight (kg)	0.6
Type	Low runner
Pallet sizes (mm)	1200 x 800 / 1200 x 1000

1200 x 1000 mm

3.QP1210MB3RR

MEDIUM



Specifications

Article number	3.QP1210MB3RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	15.1
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	850

3.QP1210MB5RR

MEDIUM



Specifications

Article number	3.QP1210MB5RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	15.8
Topdeck	Open
Bottom support	5 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1000

4.QP1210MB3RR

MEDIUM



Specifications

Article number	4.QP1210MB3RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	14.0
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	800

1200 x 1000 mm

4.QP1210MB3RR-CD

MEDIUM



Specifications

Article number	4.QP1210MB3RR-CD
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	14.0
Topdeck	Closed
Bottom support	3 runners


Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	850

4.QP1210MB3R-CD-AO

MEDIUM

NEW



Specifications

Article number	4.QP1210MB3R-CD-AO
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	17.0
Topdeck	Closed – Anti Slip
Bottom support	3 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1000

4.QP1210MB5RR

MEDIUM



Specifications

Article number	4.QP1210MB5RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	15.7
Topdeck	Open
Bottom support	5 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1000


1200 x 1000 mm

The indicated weights are theoretical; for the actual specifications, please refer to our website.

1200 x 1000 mm

4.QP1210MB5RR-CD

MEDIUM



Specifications

Article number	4.QP1210MB5RR-CD
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	16.7
Topdeck	Closed
Bottom support	5 runners


Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1000

4.QP1210MB5R-CD-AO

MEDIUM

NEW



Specifications

Article number	4.QP1210MB5R-CD-AO
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	17.5
Topdeck	Closed – Anti Slip
Bottom support	5 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1000

2.QP1210MB3RR

MEDIUM



Specifications

Article number	2.QP1210MB3RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	15.6
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1250
Racking load	750

1200 x 1000 mm

2.QP1210MB3RR-CP1

MEDIUM



Specifications


Article number	2.QP1210MB3RR-CP1
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	15.6
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	750

2.QP1210MB3RR-CD

MEDIUM



Specifications

Article number	2.QP1210MB3RR-CD
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	15.7
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	1375

2.QP1210HB3RR

HEAVY



Specifications

Article number	2.QP1210HB3RR
Dimensions (mm)	1200 x 1000 x 158
Weight (kg)	20.3
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1250

1200 x 1000 mm

2.QP1210HB3RR-CD

HEAVY



Specifications


Article number	2.QP1210HB3RR-CD
Dimensions (mm)	1200 x 1000 x 158
Weight (kg)	24.1
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

2.QP1210HB6RR

HEAVY



Specifications

Article number	2.QP1210HB6RR
Dimensions (mm)	1200 x 1000 x 158
Weight (kg)	21.7
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

2.QP1210HB6RR-CD

HEAVY



Specifications

Article number	2.QP1210HB6RR-CD
Dimensions (mm)	1200 x 1000 x 158
Weight (kg)	25.2
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

3.QP1210HB3RR

HEAVY



Specifications

Article number	3.QP1210HB3RR
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	19.1
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

3.QP1210HB5RR

HEAVY



Specifications

Article number	3.QP1210HB5RR
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	20.6
Topdeck	Open
Bottom support	5 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

4.QP1210HB3RR

HEAVY



Specifications

Article number	4.QP1210HB3RR
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	19.3
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

1200 x 1000 mm

4.QP1210HB5RR

HEAVY



Specifications

Article number	4.QP1210HB5RR
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	20.3
Topdeck	Open
Bottom support	5 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

QP1210HP3R-AO

HEAVY



Specifications

Article number	QP1210HP3R-AO
Dimensions (mm)	1200 x 1000 x 165
Weight (kg)	22.6
Topdeck	Open – Anti Slip
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1250

QP1210HP6R-AO

HEAVY



Specifications

Article number	QP1210HP6R-AO
Dimensions (mm)	1200 x 1000 x 165
Weight (kg)	24.5
Topdeck	Open – Anti Slip
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

1200 x 1000 mm

RECYPAL1210RR

HEAVY



Specifications

Article number	RECYPAL1210RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	27.5
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	900

QPH1210HP3RR

HEAVY



Specifications


Article number	QPH1210HP3RR
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	22.0
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1250
Racking load	850

QPH1210HP3R-CDG

HEAVY



Specifications

Article number	QPH1210HP3R-CDG
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	21.5
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)


Static load	7500
Dynamic load	1500
Racking load	2000

1200 x 1000 mm

The indicated weights are theoretical; for the actual specifications, please refer to our website.

1200 x 1000 mm

QPH1210HP3RR-CDG HEAVY



Specifications

Article number	QPH1210HP3RR-CDG
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	21.5
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1250

QPW1210HP3RR-CD HEAVY



Specifications

Article number	QPW1210HP3RR-CD
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	21.0
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1250

QPH1210HR5RR-CD HEAVY



Specifications

Article number	QPH1210HR5RR-CD
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	22.5
Topdeck	Closed
Bottom support	5 runners

Load capacity (kg)

Static load	7500
Dynamic load	1250
Racking load	1000

1200 x 1000 mm

QPW1210HP5RR-CD HEAVY



Specifications

Article number	QPW1210HP5RR-CD
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	26.0
Topdeck	Closed
Bottom support	5 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

QPW1210HP5RR-CDG HEAVY



Specifications

Article number	QPW1210HP5RR-CDG
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	26.0
Topdeck	Closed
Bottom support	5 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

2.QP1210HB3RR-CP1 HEAVY



Specifications

Article number	2.QP1210HB3RR-CP1
Dimensions (mm)	1200 x 1000 x 158
Weight (kg)	20.5
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1375

1200 x 1000 mm

2.QP1210HB6RR-CP6 HEAVY



Specifications

Article number	2.QP1210HB6RR-CP6
Dimensions (mm)	1200 x 1000 x 158
Weight (kg)	21.5
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1375

QP1212LB9FR

LIGHT



Specifications

Article number	QP1212LB9FR
Dimensions (mm)	1200 x 1200 x 150
Weight (kg)	8.3
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP1212LB3RR

LIGHT



Specifications

Article number	QP1212LB3RR
Dimensions (mm)	1200 x 1200 x 158
Weight (kg)	8.2
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QPRUN1212

STANDARD



Specifications

Article number	QPRUN1212
Dimensions (mm)	1200 x 125 x 18
Weight (kg)	0.7
Type	Standard runner
Pallet sizes (mm)	1200 x 1200

1200 x 1200 mm

QP1212MB3RR

MEDIUM



Specifications

Article number	QP1212MB3RR
Dimensions (mm)	1200 x 1200 x 156
Weight (kg)	16.7
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	250

QP1212MB6RR

MEDIUM



Specifications


Article number	QP1212MB6RR
Dimensions (mm)	1200 x 1200 x 156
Weight (kg)	18.2
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	250

QP1212HB3RR

HEAVY



Specifications

Article number	QP1212HB3RR
Dimensions (mm)	1200 x 1200 x 165
Weight (kg)	25.1
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1375

1200 x 1200 mm

QP1212HB3RR-CD

HEAVY



Specifications


Article number	QP1212HB3RR-CD
Dimensions (mm)	1200 x 1200 x 165
Weight (kg)	25.9
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1375

QP1212HB6RR

HEAVY



Specifications

Article number	QP1212HB6RR
Dimensions (mm)	1200 x 1200 x 165
Weight (kg)	27.3
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1375

QP1212HB6RR-CD

HEAVY



Specifications

Article number	QP1212HB6RR-CD
Dimensions (mm)	1200 x 1200 x 165
Weight (kg)	28.8
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1375

1200 x 1200 mm

The indicated weights are theoretical; for the actual specifications, please refer to our website.

1220 x 1020 mm

QP4048MB3RR

MEDIUM



Specifications

Article number	QP4048MB3RR
Dimensions (mm)	1220 x 1020 x 150
Weight (kg)	17.2
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	750

QP4048MB3RR-CD

MEDIUM



Specifications

Article number	QP4048MB3RR-CD
Dimensions (mm)	1220 x 1020 x 150
Weight (kg)	17.8
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1375

QP4048MB6RR

MEDIUM



Specifications

Article number	QP4048MB6RR
Dimensions (mm)	1220 x 1020 x 150
Weight (kg)	15.1
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	750

1220 x 1020 mm

QP4048MB6RR-CD

MEDIUM



Specifications

Article number	QP4048MB6RR-CD
Dimensions (mm)	1220 x 1020 x 150
Weight (kg)	17.3
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1375

1300 x 1100 mm

2.QP1311HB3R-AS

HEAVY



Specifications

Article number	2.QP1311HB3R-AS
Dimensions (mm)	1300 x 1100 x 158
Weight (kg)	22.6
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

2.QP1311HB3R-SCD

HEAVY



Specifications


Article number	2.QP1311HB3R-SCD
Dimensions (mm)	1300 x 1100 x 158
Weight (kg)	24.1
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

2.QP1311HB6R-S

HEAVY



Specifications


Article number	2.QP1311HB6R-S
Dimensions (mm)	1300 x 1100 x 158
Weight (kg)	23.7
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

2.QP1311HB6R-SCD

HEAVY



Specifications

Article number	2.QP1311HB6R-SCD
Dimensions (mm)	1300 x 1100 x 158
Weight (kg)	24.1
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

4.QP1311HB3R

HEAVY



Specifications

Article number	4.QP1311HB3R
Dimensions (mm)	1300 x 1100 x 160
Weight (kg)	21.3
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

4.QP1311HB5R

HEAVY



Specifications

Article number	4.QP1311HB5R
Dimensions (mm)	1300 x 1100 x 160
Weight (kg)	21.5
Topdeck	Open
Bottom support	5 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

1300 x 1100 mm

QP-RUN-L

LOW



Specifications

Article number	QP-RUN-L
Dimensions (mm)	1170 x 100 x 15
Weight (kg)	0.6
Type	Low runner
Pallet sizes (mm)	1200 x 800 / 1200 x 1000

QP-RUN-H

HIGH



Specifications

Article number	QP-RUN-H
Dimensions (mm)	1170 x 100 x 30
Weight (kg)	1.1
Type	High runner
Pallet sizes (mm)	1200 x 800 / 1200 x 1000

Rectangular runners

QPRUN1111

STANDARD



Specifications

Article number	QPRUN1111
Dimensions (mm)	1100 x 125 x 18
Weight (kg)	0.6
Type	Standard runner
Pallet sizes (mm)	1100 x 1100

QPRUN1140

STANDARD



Specifications

Article number	QPRUN1140
Dimensions (mm)	1140 x 125 x 18
Weight (kg)	0.6
Type	Standard runner
Pallet sizes (mm)	1140 x 1140

QPRUN1212

STANDARD



Specifications

Article number	QPRUN1212
Dimensions (mm)	1200 x 125 x 18
Weight (kg)	0.7
Type	Standard runner
Pallet sizes (mm)	1200 x 1200

Square pallet runners

The indicated weights are theoretical; for the actual specifications, please refer to our website.

Your **notes**

Your **notes**

VERSION 10-2026-EN

Q-PALL BV
Edisonweg 9
NL-5466 AR Veghel
The Netherlands
Phone: +31 413 353 111
E-mail: info@qpall.com

qpall.com

Q-PALL®
PLASTIC PALLETS