# **Shortest Path - Calculations**

# 1 Green.

- 1.  $\mathcal{D} = 3168 \text{ ft}$   $\mathcal{S} = 35 \text{ mph} = 3080 \text{ ft/min}$   $\mathcal{I} = \frac{3168ft}{3080ft/min} = 1.02857 \text{ min}$  $\mathcal{F} = 4 - 1.02857 \text{ min} = 2.9714 \text{ min}$
- **2.**  $\mathcal{D} = 5808 \text{ ft}$   $\mathcal{S} = 25 \text{ mph} = 2200 \text{ ft/min}$   $\mathcal{I} = \frac{5808ft}{2200ft/min} = 2.64 \text{ min}$  $\mathcal{F} = 5 - 2.64 \text{ min} = 2.36 \text{ min}$
- 3.  $\mathcal{D}=2640$  ft  $\mathcal{S}=35$  mph = 3080 ft/min  $\mathcal{I}=\frac{2640ft}{3080ft/min}=.85714$  min  $\mathcal{F}=3-.85714$  min = 2.1429 min
- 4.  $\mathcal{D} = 11088 \text{ ft}$   $\mathcal{S} = 45 \text{ mph} = 3960 \text{ ft/min}$   $\mathcal{I} = \frac{11088ft}{3960ft/min} = 2.8 \text{ min}$  $\mathcal{F} = 4 - 2.8 \text{ min} = 1.2 \text{ min}$
- **5.**  $\mathcal{D}=3996$  ft  $\mathcal{S}=30$  mph = 2640 ft/min  $\mathcal{I}=\frac{3996ft}{2640ft/min}=1.5136364$  min  $\mathcal{F}=3-1.5136364$  min = 1.4863636 min
- **6.**  $\mathcal{D} = 2640 \text{ ft}$   $\mathcal{S} = 35 \text{ mph} = 3080 \text{ ft/min}$   $\mathcal{I} = \frac{2640ft}{3080ft/min} = .85714 \text{ min}$  $\mathcal{F} = 2 - .85714 \text{ min} = 1.1429 \text{ min}$
- 7.  $\mathcal{D} = 2112 \text{ ft}$   $\mathcal{S} = 25 \text{ mph} = 2200 \text{ ft/min}$   $\mathcal{I} = \frac{2112ft}{2200ft/min} = .96 \text{ min}$  $\mathcal{F} = 2 - .96 \text{ min} = 1.04 \text{ min}$
- 8.  $\mathcal{D} = 2112 \text{ ft}$   $\mathcal{S} = 20 \text{ mph} = 1760 \text{ ft/min}$   $\mathcal{I} = \frac{2112ft}{1760ft/min} = 1.2 \text{ min}$  $\mathcal{F} = 2 - 1.2 \text{ min} = .8 \text{ min}$

### **9.** $\mathcal{D} = 3168 \text{ ft}$

$$S = 20 \text{ mph} = 1760 \text{ ft/min}$$
  
 $I = \frac{3168ft}{1760ft/min} = 1.8 \text{ min}$ 

$$\mathcal{I} = \frac{3168ft}{1760ft/min} = 1.8 \text{ min}$$

$$\mathcal{F} = 3 - 1.8 \text{ min} = 1.2 \text{ min}$$

#### **10.** $\mathcal{D} = 5808 \text{ ft}$

$$\mathcal{S}=35~\mathrm{mph}=3080~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{5808ft}{3080ft/min} = 1.885714 \text{ min}$$

 $\mathcal{F} = 3 - 1.885714 \text{ min} = 1.1142857 \text{ min}$ 

## **11.** $\mathcal{D} = 70752 \text{ ft}$

$$S = 65 \text{ mph} = 5720 \text{ ft/min}$$

$$\mathcal{I} = \frac{70752ft}{5720ft/min} = 12.36923 \text{ min}$$

 $\mathcal{F} = 15 - 12.36923 \text{ min} = 2.630769 \text{ min}$ 

### **12.** $\mathcal{D} = 28512 \text{ ft}$

$$S = 65 \text{ mph} = 5720 \text{ ft/min}$$

$$\mathcal{I} = \frac{28512ft}{5720ft/min} = 4.984615 \text{ min}$$

 $\mathcal{F} = 6 - 4.984615 \text{ min} = 1.015385 \text{ min}$ 

### **13.** $\mathcal{D} = 17424 \text{ ft}$

$$S = 65 \text{ mph} = 5720 \text{ ft/min}$$

$$\mathcal{I} = \frac{17424ft}{5720ft/min} = 3.04615 \text{ min}$$

 $\mathcal{F} = 4 - 3.04615 \text{ min} = .95385 \text{ min}$ 

### **14.** D = 31680 ft

$$S = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$\mathcal{I} = \frac{31680ft}{4840ft/min} = 6.5454545 \text{ min}$$

 $\mathcal{F} = 7 - 6.5454545 \text{ min} = .45454545 \text{ min}$ 

## **15.** $\mathcal{D} = 12144 \text{ ft}$

$$S = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$\mathcal{I} = \frac{12144ft}{4840ft/min} = 2.5090909 \text{ min}$$

 $\mathcal{F} = 3 - 2.5090909 \text{ min} = .490909090 \text{ min}$ 

# **16.** $\mathcal{D} = 5280 \text{ ft}$

$$\mathcal{S}=35~\mathrm{mph}=3080~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{5280ft}{3080ft/min} = 1.714286 \text{ min}$$

 $\mathcal{F} = 3 - 1.714286 \text{ min} = 1.285714 \text{ min}$ 

### 17. $\mathcal{D} = 7392 \text{ ft}$

$$D_1 = 2640 \text{ ft}$$

$$S_1 = 35 \text{ mph} = 3080 \text{ ft/min}$$

$$S_1 = 35 \text{ mph} = 3080 \text{ ft/min}$$
  
 $I_1 = \frac{2640ft}{3080ft/min} = .85714 \text{ min}$ 

$$D_2 = 4752 \text{ ft}$$

$$S_2 = 45 \text{ mph} = 3960 \text{ ft/min}$$

$$\mathcal{I}_2 = \frac{4752ft}{3960ft/min} = 1.2 \text{ min}$$

$$\mathcal{I} = \mathcal{I}_1 + \mathcal{I}_2 = 2.05714 \text{ min } \mathcal{F} = 3 - 2.05714 \text{ min} = .94286 \text{ min}$$

### **18.** $\mathcal{D} = 23760 \text{ ft}$

$$\mathcal{D}_1 = 6864 \text{ ft } \mathcal{S}_1 = 45 \text{ mph} = 3960 \text{ ft/min}$$

$$\mathcal{I}_1 = \frac{6864 \text{ ft}}{3960 ft/\text{min}} = 1.7333 \text{ min } \mathcal{D}_2 = 1056 \text{ ft } \mathcal{S}_2 = 35 \text{ mph} = 3080 \text{ ft/min}$$
 $\mathcal{I}_2 = \frac{1056 \text{ ft}}{3080 \text{ ft/min}} = .34286 \text{ min } \mathcal{D}_3 = 9504 \text{ ft } \mathcal{S}_3 = 45 \text{ mph} = 3960 \text{ ft/min}$ 

$$\mathcal{I}_2 = \frac{1056 \, \text{ft}}{3080 \, \text{ft/min}} = .34286 \, \text{min} \, \mathcal{D}_3 = 9504 \, \text{ft} \, \mathcal{S}_3 = 45 \, \text{mph} = 3960 \, \text{ft/min}$$

$$\mathcal{I}_3 = \frac{1056 ft}{2000 \text{ ft/ft}} = 2.4 \text{ min } \mathcal{D}_4 = 6336 \text{ ft } \mathcal{S}_4 = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$\mathcal{I}_{3} = \frac{1056ft}{3960ft/min} = 2.4 \text{ min } \mathcal{D}_{4} = 6336 \text{ ft } \mathcal{S}_{4} = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$\mathcal{I}_{4} = \frac{6336ft}{4840ft/min} = 1.30909 \text{ min } \mathcal{I} = \mathcal{I}_{1} + \mathcal{I}_{2} + \mathcal{I}_{3} + \mathcal{I}_{4} = 1.733 + .34286 + 2.4 + 1.2022913 \text{ min } \mathcal{I}_{2} = \mathcal{I}_{3} + \mathcal{I}_{4} = 1.733 + .34286 + 2.4 + 1.2022913 \text{ min } \mathcal{I}_{3} = \mathcal{I}_{4} + \mathcal{I}_{4} = 1.733 + .34286 + 2.4 + 1.2022913 \text{ min } \mathcal{I}_{3} = \mathcal{I}_{4} + \mathcal{I}_{4} = 1.733 + .34286 + 2.4 + 1.2022913 \text{ min } \mathcal{I}_{4} = 1.2022913 \text{ min }$$

$$1.30909 = 5.7852813 \text{ min}$$
  
 $\mathcal{F} = 6 - 5.7852813 \text{ min} = .214719 \text{ min}$ 

**19.** 
$$\mathcal{D} = 14256 \text{ ft}$$

$$\mathcal{S}=35~\mathrm{mph}=3080~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{14256ft}{3080ft/min} = 4.62857 \text{ min}$$

$$\mathcal{F} = 5 - 4.62857 \text{ min} = .37142 \text{ min}$$

### **20.** $\mathcal{D} = 27984 \text{ ft}$

$$\mathcal{S} = 55~\mathrm{mph} = 4840~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{27984ft}{4840ft/min} = 5.7818 \text{ min}$$

$$\mathcal{F} = 6 - 5.7818 \text{ min} = .2182 \text{ min}$$

### **21.** $\mathcal{D} = 5280 \text{ ft}$

$$\mathcal{S}=35~\mathrm{mph}=3080~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{5280ft}{3080ft/min} = 1.714286 \text{ min}$$

$$\mathcal{F} = 3 - 1.714286 \text{ min} = 1.285714 \text{ min}$$

### **22.** $\mathcal{D} = 5280 \text{ ft}$

$$\mathcal{S}=25~\mathrm{mph}=2200~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{5280ft}{2200ft/min} = 2.4 \text{ min}$$

$$\mathcal{F} = 3 - 2.4 \text{ min} = .6 \text{ min}$$

#### **23.** $\mathcal{D} = 3168 \text{ ft}$

$$\mathcal{S} = 30 \text{ mph} = 2640 \text{ ft/min}$$

$$\mathcal{I} = \frac{3168ft}{2640ft/min} = 1.2 \text{ min}$$

$$\mathcal{F} = 2 - 1.2 \text{ min} = .8 \text{ min}$$

### **24.** $\mathcal{D} = 57024 \text{ ft}$

$$\mathcal{S} = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$\mathcal{I} = \frac{57024ft}{4840ft/min} = 11.781818 \text{ min}$$

$$\mathcal{F} = 12 - 11.781818 \text{ min} = .218182 \text{ min}$$

#### **25.** $\mathcal{D} = 2112 \text{ ft}$

$$\begin{array}{l} \mathcal{S} = 25 \; \text{mph} = 2200 \; \text{ft/min} \\ \mathcal{I} = \frac{2112 ft}{2200 ft/min} = .96 \; \text{min} \end{array}$$

$$\mathcal{I} = \frac{2112ft}{2200ft/min} = .96 \text{ min}$$

$$\mathcal{F} = 2 - .96 \text{ min} = .04 \text{ min}$$

### **26.** $\mathcal{D} = 4752 \text{ ft}$

$$\mathcal{S}=30~mph=2640~ft/min$$

$$\mathcal{I} = \frac{4752ft}{2640ft/min} = 1.8 \text{ min}$$

$$\mathcal{F} = 4 - 1.8 \text{ min} = 2.2 \text{ min}$$

### **27.** $\mathcal{D} = 7920 \text{ ft}$

$$S = 35 \text{ mph} = 3080 \text{ ft/min}$$

$$\mathcal{I} = \frac{7920ft}{3080ft/min} = 2.57143 \text{ min}$$

$$\mathcal{I} = \frac{7920ft}{3080ft/min} = 2.57143 \text{ min}$$

$$\mathcal{F} = 5 - 2.57143 \text{ min} = 2.42857 \text{ min}$$

### **28.** $\mathcal{D} = 4752 \text{ ft}$

$$S = 35 \text{ mph} = 3080 \text{ ft/min}$$

$$\mathcal{S} = 35 \ \text{mph} = 3080 \ \text{ft/min} \\ \mathcal{I} = \frac{4752 ft}{3080 ft/min} = 1.5429 \ \text{min}$$

$$\mathcal{F} = 4 - 1.5429 \text{ min} = 2.4571 \text{ min}$$

### **29.** $\mathcal{D} = 3168 \text{ ft}$

$$\mathcal{S}=20~mph=1760~ft/min$$

$$\mathcal{I} = \frac{3168ft}{1760ft/min} = 1.8 \text{ min}$$

$$\mathcal{F} = 2 - 1.8 \text{ min} = .2 \text{ min}$$

#### **30.** $\mathcal{D} = 7920 \text{ ft}$

$$S = 35 \text{ mph} = 3080 \text{ ft/min}$$

$$\mathcal{I} = \frac{1920 ft}{3080 ft/min} = 2.5714 \text{ min}$$

$$\mathcal{I} = \frac{7920ft}{3080ft/min} = 2.5714 \text{ min}$$
  
 $\mathcal{F} = 5 - 2.5714 \text{ min} = 2.4286 \text{ min}$ 

### **31.** $\mathcal{D} = 11616$ ft

$$S = 35 \text{ mph} = 3080 \text{ ft/min}$$

$$\mathcal{I} = \frac{\frac{11616ft}{3080ft/min}}{3080ft/min} = 3.7714 \text{ min}$$

$$\mathcal{F} = 8 - 3.7714 \text{ min} = 4.2286 \text{ min}$$

### **32.** $\mathcal{D} = 3696 \text{ ft}$

$$S = 30 \text{ mph} = 2640 \text{ ft/min}$$
  
 $I = \frac{3696 ft}{2640 ft/min} = 1.4 \text{ min}$ 

$$T = \frac{3696ft}{1} = 1.4 \text{ min}$$

$$\mathcal{F} = 3 - 1.4 \text{ min} = 1.6 \text{ min}$$

#### Orange. $\mathbf{2}$

#### 1. $\mathcal{D} = 3686 \text{ ft}$

S = 35 mph = 3080 ft/min

 $\mathcal{I} = \frac{3686ft}{3080ft/min} = 1.196753 \text{ min}$ 

 $\mathcal{F} = 5 - 1.196753 \text{ min} = 3.80324675 \text{ min}$ 

### **2.** $\mathcal{D} = 1584 \text{ ft}$

 $\mathcal{S}=30~\mathrm{mph}=2640~\mathrm{ft/min}$ 

 $\mathcal{I} = \frac{1584ft}{2640ft/min} = 0.6 \text{ min}$   $\mathcal{F} = 3 - 0.6 \text{ min} = 2.4 \text{ min}$ 

### 3. $\mathcal{D} = 4752 \text{ ft}$

 $\mathcal{S}=25~\mathrm{mph}=2200~\mathrm{ft/min}$ 

 $\mathcal{I} = rac{4752ft}{2200ft/min} = 2.16 ext{ min}$ 

 $\mathcal{F} = 7 - 2.16 \text{ min} = 4.84 \text{ min}$ 

### **4.** D = 5280 ft

S = 25 mph = 2200 ft/min

 $\mathcal{I} = \frac{5280ft}{2200ft/min} = 2.4 \text{ min}$ 

 $\mathcal{F} = 5 - 2.4 \text{ min} = 2.6 \text{ min}$ 

# **5.** $\mathcal{D} = 2640 \text{ ft}$

 $\mathcal{S}=20~\mathrm{mph}=1760~\mathrm{ft/min}$ 

 $\mathcal{I} = \frac{2640ft}{1760ft/min} = 1.5 \text{ min}$ 

 $\mathcal{F} = 3 - 1.5 \text{ min} = 1.5 \text{ min}$ 

#### **6.** $\mathcal{D} = 3168 \text{ ft}$

S = 35 mph = 3080 ft/min

 $\mathcal{I} = \frac{3168ft}{3080ft/min} = 1.028571 \text{ min}$ 

 $\mathcal{F} = 3 - 1.028571 \text{ min} = 1.971429 \text{ min}$ 

# **7.** $\mathcal{D} = 2112 \text{ ft}$

 $\mathcal{S}=35~\mathrm{mph}=3080~\mathrm{ft/min}$ 

 $\mathcal{I} = \frac{2112ft}{3080ft/min} = 0.6857143 \text{ min}$ 

 $\mathcal{F} = 3 - .6857143 \text{ min} = 2.314286 \text{ min}$ 

# **8.** $\mathcal{D} = 2640 \text{ ft}$

 $\mathcal{S}=20~\mathrm{mph}=1760~\mathrm{ft/min}$ 

 $\mathcal{I} = \frac{\frac{2640ft}{1760ft/min}}{1760ft/min} = 1.5 \text{ min}$ 

 $\mathcal{F} = 3 - 1.5 \text{ min} = 1.5 \text{ min}$ 

### **9.** $\mathcal{D} = 2112 \text{ ft}$

 $\begin{array}{l} \mathcal{S} = 20 \; \text{mph} = 1760 \; \text{ft/min} \\ \mathcal{I} = \frac{2112 ft}{1760 ft/min} = 1.5 \; \text{min} \end{array}$ 

$$\mathcal{F} = 3 - 1.5 \text{ min} = 1.5 \text{ min}$$

**10.** 
$$D = 2112 \text{ ft}$$

$$S = 25 \text{ mph} = 2200 \text{ ft/min}$$
  
 $I = \frac{2112ft}{2200ft/min} = .96 \text{ min}$ 

$$\mathcal{I} = \frac{2112ft}{2200ft/min} = .96 \text{ min}$$

$$\mathcal{F} = 3 - .96 \text{ min} = 2.04 \text{ min}$$

# **11.** $\mathcal{D} = 4224 \text{ ft}$

$$\mathcal{S}=35~\mathrm{mph}=3080~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{4224ft}{3080ft/min} = 1.371 \text{ min}$$

$$\mathcal{F} = 3 - 1.371 \text{ min} = 1.629 \text{ min}$$

**12.** 
$$\mathcal{D} = 4752 \text{ ft}$$

$$\mathcal{S}=35~\mathrm{mph}=3080~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{4752ft}{3080ft/min} = 1.54 \text{ min}$$

$$\mathcal{F} = 6 - 1.54 \text{ min} = 4.46 \text{ min}$$

# **13.** D = 18480 ft

$$\mathcal{S}=65~\mathrm{mph}=5720~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{18480ft}{5720ft/min} = 3.231 \text{ mir}$$

$$\mathcal{I} = \frac{18480ft}{5720ft/min} = 3.231 \text{ min}$$

$$\mathcal{F} = 6 - 3.231 \text{ min} = 2.769 \text{ min}$$

### **14.** $\mathcal{D} = 7392 \text{ ft}$

$$\mathcal{S}=40~\mathrm{mph}=3520~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{7392ft}{3520ft/min} = 2.1 \text{ min}$$

$$\mathcal{F} = 7 - 2.1 \text{ min} = 4.9 \text{ min}$$

# **15.** D = 5280 ft

$$\mathcal{S}=35~\mathrm{mph}=3080~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{5280ft}{3080ft/min} = 1.71 \text{ min}$$

$$\mathcal{F} = 4 - 1.71 \text{ min} = 2.29 \text{ min}$$

### **16.** $\mathcal{D} = 24288 \text{ ft}$

$$S = 65 \text{ mph} = 5720 \text{ ft/min}$$

$$\mathcal{I} = \frac{24288ft}{5720ft/min} = 4.246 \text{ min}$$

$$\mathcal{F} = 8 - 4.246 \text{ min} = 3.754 \text{ min}$$

# **17.** $\mathcal{D} = 79100 \text{ ft}$

$$S = 65 \text{ mph} = 5720 \text{ ft/min}$$

$$\mathcal{I} = \frac{79100ft}{5720ft/min} = 13.829 \text{ min}$$

$$\mathcal{F} = 24 - 13.829 \text{ min} = 10.171 \text{ min}$$

**18.** 
$$\mathcal{D} = 7392 \text{ ft}$$

$$S = 40 \text{ mph} = 3520 \text{ ft/min}$$

$$S = 40 \text{ mph} = 3520 \text{ ft/min}$$
  
 $\mathcal{I} = \frac{7392 ft}{3520 ft/min} = 2.1 \text{ min}$ 

$$\mathcal{F} = 6 - 2.1 \text{ min} = 3.9 \text{ min}$$

**19.** 
$$D = 2112$$
 ft

$$S = 25 \text{ mph} = 3520 \text{ ft/min}$$
  
 $I = \frac{2112ft}{3520ft/min} = .6 \text{ min}$ 

$$\mathcal{I} = \frac{2112ft}{3520ft/min} = .6 \text{ min}$$

$$\mathcal{F} = 3 - .6 \text{ min} = 2.4 \text{ min}$$

#### **20.** $\mathcal{D} = 2112 \text{ ft}$

$$\mathcal{S}=35~\mathrm{mph}=3080~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{2112ft}{3080ft/min} = .6857 \text{ min}$$

$$\mathcal{F} = 2 - .6857 \text{ min} = 1.314 \text{ min}$$

**21.** 
$$D = 3168$$
 ft

$$\mathcal{S}=25~\mathrm{mph}=3520~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{3168ft}{3520ft/min} = 0.9 \text{ min}$$

$$\mathcal{F} = 4 - .9 \text{ min} = 3.1 \text{ min}$$

# **22.** $\mathcal{D} = 4224 \text{ ft}$

$$S = 35 \text{ mph} = 3080 \text{ ft/min}$$

$$\mathcal{I} = \frac{4224ft}{3080ft/min} = 1.371 \text{ min}$$

$$S = 35 \text{ mph} = 3080 \text{ ft/min}$$
  
 $I = \frac{4224ft}{3080ft/min} = 1.371 \text{ min}$   
 $I = 6 - 1.371 \text{ min} = 4.629 \text{ min}$ 

#### **23.** $\mathcal{D} = 2640 \text{ ft}$

$$\mathcal{S} = 20 \text{ mph} = 2200 \text{ ft/min}$$
  
 $\mathcal{I} = \frac{2640ft}{2200ft/min} = 1.2 \text{ min}$   
 $\mathcal{F} = 3 - 1.2 \text{ min} = 1.8 \text{ min}$ 

$$\mathcal{I} = \frac{2640ft}{22200ft/r} = 1.2 \text{ min}$$

$$\mathcal{F} = 3 - 1.2 \text{ min} = 1.8 \text{ min}$$

# **24.** D = 2112 ft

$$\mathcal{S} = 20 \text{ mph} = 1760 \text{ ft/min}$$

$$\mathcal{I} = \frac{20112ft}{2200ft/min} = .96 \text{ min}$$

$$\mathcal{F} = 2 - .96 \text{ min} = 1.04 \text{ min}$$

### **25.** $\mathcal{D} = 5808 \text{ ft}$

$$S = 35 \text{ mph} = 3080 \text{ ft/min}$$

$$\mathcal{I} = \frac{5808ft}{3080ft/min} = 1.886 \text{ min}$$

$$\mathcal{F} = 8 - 1.886 \text{ min} = 6.114 \text{ min}$$

# **26.** $\mathcal{D} = 2640 \text{ ft}$

$$S = 30 \text{ mph} = 2640 \text{ ft/min}$$
  
 $I = \frac{2640 \text{ ft}}{2640 \text{ ft/min}} = 1 \text{ min}$ 

$$\mathcal{I} = \frac{2640ft}{2640ft/min} = 1 \text{ min}$$

$$\mathcal{F} = 5 - 1 \text{ min} = 4 \text{ min}$$

**27.** 
$$\mathcal{D} = 2640 \text{ ft}$$

$$S = 25 \text{ mph} = 2200 \text{ ft/min}$$

$$\begin{array}{l} \mathcal{S} = 25 \; \text{mph} = 2200 \; \text{ft/min} \\ \mathcal{I} = \frac{2640 ft}{2200 ft/min} = 1.2 \; \text{min} \end{array}$$

$$\mathcal{F}=5-1.2~\mathrm{min}=3.8~\mathrm{min}$$

**28.** 
$$D = 2112$$
 ft

$$S = 25 \text{ mph} = 2200 \text{ ft/min}$$
  
 $I = \frac{2112ft}{2200ft/min} = .96 \text{ min}$ 

$$\mathcal{I} = \frac{2112ft}{2200ft/min} = .96 \text{ min}$$

$$\mathcal{F} = 5 - .96 \text{ min} = 4.04 \text{ min}$$

#### **29.** $\mathcal{D} = 1584 \text{ ft}$

$$\mathcal{S}=20~\mathrm{mph}=1760~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{1584ft}{1760ft/min} = .9 \text{ min}$$

$$\mathcal{F} = 2 - .9 \text{ min} = 1.1 \text{ min}$$

**30.** 
$$\mathcal{D} = 2112 \text{ ft}$$

$$S = 25 \text{ mph} = 2200 \text{ ft/min}$$

$$S = 25 \text{ mph} = 2200 \text{ ft/min}$$
  
 $I = \frac{2112ft}{2200ft/min} = .96 \text{ min}$ 

$$\mathcal{F} = 2 - .96 \text{ min} = 1.04 \text{ min}$$

#### Red. 3

1. 
$$D = 528 \text{ ft}$$

$$S = 35 \text{ mph} = 3080 \text{ ft/min}$$

$$\mathcal{I} = \frac{528ft}{3080ft/min} = .1714286 \text{ min}$$

$$\mathcal{F} = 2 - .1714286 \text{ min} = 1.82857 \text{ min}$$

**2.** 
$$D = 1056$$
 ft

$$\mathcal{S}=20~mph=1760~ft/min$$

$$\mathcal{I} = \frac{1056ft}{1760ft/min} = .6 \text{ min}$$

$$\mathcal{F} = 2 - .6 \text{ min} = 1.4 \text{ min}$$

**3.** 
$$\mathcal{D} = 1056 \text{ ft}$$

$$\mathcal{S} = 20 \text{ mph} = 1760 \text{ ft/min}$$

$$\mathcal{I} = \frac{1056ft}{1760ft/min} = .1714286 \text{ min}$$

$$\mathcal{F} = 2 - .6 \text{ min} = 1.4 \text{ min}$$

**4.** 
$$D = 1056$$
 ft

$$S = 25 \text{ mph} = 2200 \text{ ft/min}$$
  
 $I = \frac{1056ft}{2200ft/min} = .48 \text{ min}$ 

$$\mathcal{I} = \frac{1056ft}{2200ft/min} = .48 \text{ min}$$

$$\mathcal{F} = 2 - .48 \text{ min} = 1.52 \text{ min}$$

**5.** 
$$\mathcal{D} = 13728 \text{ ft}$$

$$S = 65 \text{ mph} = 5720 \text{ ft/min}$$

$$\begin{array}{l} \mathcal{S} = 65 \; \text{mph} = 5720 \; \text{ft/min} \\ \mathcal{I} = \frac{13728ft}{5720ft/min} = 2.4 \; \text{min} \end{array}$$

$$\mathcal{F} = 9 - 2.4 \text{ min} = 6.6 \text{ min}$$

**6.** 
$$D = 3168$$
 ft

$$\mathcal{S}=65~\mathrm{mph}=5720~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{3168ft}{5720ft/min} = .5538461 \text{ min}$$

$$\mathcal{F} = 2 - .5538461 \text{ min} = 1.44615 \text{ min}$$

#### **7.** $\mathcal{D} = 2640 \text{ ft}$

$$\mathcal{S} = 65 \text{ mph} = 5720 \text{ ft/min}$$

$$\mathcal{I} = \frac{2640ft}{5720ft/min} = .4615384 \text{ min}$$

$$\mathcal{F} = 2 - .46153846 \text{ min} = 1.5384615 \text{ min}$$

# 8. $\mathcal{D} = 6864 \text{ ft}$

$$\mathcal{S}=65~\mathrm{mph}=5720~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{6864ft}{5720ft/min} = 1.2 \text{ min}$$
 $\mathcal{F} = 4 - 1.2 \text{ min} = 2.8 \text{ min}$ 

$$\mathcal{F} = 4 - 1.2 \text{ min} = 2.8 \text{ min}$$

## **9.** $\mathcal{D} = 3696 \text{ ft}$

$$\mathcal{S}=35~\mathrm{mph}=3080~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{3696ft}{3080ft/min} = 1.2 \text{ min}$$

$$\mathcal{I} = \frac{3696 ft}{3080 ft/min} = 1.2 \text{ min}$$
 $\mathcal{F} = 3 - 1.2 \text{ min} = 1.8 \text{ min}$ 

### **10.** $\mathcal{D} = 23760 \text{ ft}$

$$\mathcal{S}=65~\mathrm{mph}=5720~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{23760ft}{5720ft/min} = 4.1538 \text{ min}$$

$$\mathcal{F} = 12 - 4.1538 \text{ min} = 7.8462 \text{ min}$$

# **11.** $\mathcal{D} = 17424 \text{ ft}$

$$S = 65 \text{ mph} = 5720 \text{ ft/min}$$

$$T = \frac{17424ft}{1} = 3.0462$$
 mir

$$\mathcal{I} = \frac{17424ft}{5720ft/min} = 3.0462 \text{ min}$$

$$\mathcal{F} = 13 - 3.0462 \text{ min} = 9.9538 \text{ min}$$

### **12.** $\mathcal{D} = 2112 \text{ ft}$

$$S = 25 \text{ mph} = 2200 \text{ ft/min}$$

$$\mathcal{I} = \frac{2112ft}{2200ft/min} = .96 \text{ min}$$

$$\mathcal{F} = 2 - .96 \text{ min} = 1.04 \text{ min}$$

# **13.** $\mathcal{D} = 1584 \text{ ft}$

$$\mathcal{S}=65~\mathrm{mph}=5720~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{1584ft}{5720ft/min} = .2769 \text{ min}$$

$$\mathcal{F} = 1 - .2769 \text{ min} = .7231 \text{ min}$$

#### **14.** $\mathcal{D} = 528 \text{ ft}$

$$S = 25 \text{ mph} = 2200 \text{ ft/min}$$

$$S = 25 \text{ mph} = 2200 \text{ ft/min}$$
  
 $I = \frac{528ft}{2200ft/min} = .24 \text{ min}$ 

$$\mathcal{F} = 1 - .24 \text{ min} = .76 \text{ min}$$

**15.** 
$$D = 328 \text{ ft}$$

$$S = 25 \text{ mph} = 2200 \text{ ft/min}$$
  
 $I = \frac{328ft}{2200ft/min} = .1491 \text{ min}$ 

$$\mathcal{I} = \frac{328 J t}{2200 f t/min} = .1491 \text{ min}$$

$$\mathcal{F} = 1 - .1491 \text{ min} = .8509 \text{ min}$$

#### **16.** $\mathcal{D} = 528 \text{ ft}$

$$\mathcal{S}=25~\mathrm{mph}=2200~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{528ft}{2200ft/min} = .24 \text{ min}$$

$$F = 2 - .24 \text{ min} = 1.76 \text{ min}$$

# 17. $\mathcal{D} = 6864 \text{ ft}$

$$\mathcal{S} = 65 \text{ mph} = 5720 \text{ ft/min}$$

$$\mathcal{I} = \frac{6864ft}{5720ft/min} = 1.2 \text{ min}$$
 $\mathcal{F} = 5 - 1.2 \text{ min} = 3.8 \text{ min}$ 

$$\mathcal{F} = 5 - 1.2 \text{ min} = 3.8 \text{ min}$$

# **18.** D = 2112 ft

S = 35 mph = 3080 ft/min  

$$\mathcal{I} = \frac{2112 ft}{3080 ft/min} = .686 \text{ min}$$
T = 3 for min = 2.214 m

$$\mathcal{I} = \frac{2112ft}{3080ft/min} = .686 \text{ min}$$

$$\mathcal{F} = 3 - .686 \text{ min} = 2.314 \text{ min}$$

#### **19.** $\mathcal{D} = 528 \text{ ft}$

$$\mathcal{S} = 25 \text{ mph} = 2200 \text{ ft/min}$$

$$\mathcal{I} = \frac{528ft}{2200ft/min} = .24 \text{ min}$$

$$\mathcal{F} = 2 - .24 \text{ min} = 1.76 \text{ min}$$

# **20.** D = 3168 ft

$$S = 65 \text{ mph} = 5720 \text{ ft/min}$$

$$\mathcal{I} = \frac{3168ft}{5720ft/min} = .5538 \text{ min}$$

$$\mathcal{F} = 2 - .5538 \text{ min} = .4462 \text{ min}$$

### **21.** $\mathcal{D} = 36960 \text{ ft}$

$$S = 65 \text{ mph} = 5720 \text{ ft/min}$$

$$\mathcal{I} = \frac{36960ft}{5720ft/min} = 6.4615 \text{ min}$$

$$\mathcal{F} = 18 - 6.4615 \text{ min} = 11.5385 \text{ min}$$

# **22.** $\mathcal{D} = 8448 \text{ ft}$

$$S = 65 \text{ mph} = 5720 \text{ ft/min}$$

$$\mathcal{I} = \frac{8448ft}{5720ft/min} = 1.4769 \text{ min}$$

$$\mathcal{F} = 6 - 1.4769 \text{ min} = 4.5231 \text{ min}$$

#### **23.** $\mathcal{D} = 5280 \text{ ft}$

$$S = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$S = 55 \text{ mph} = 4840 \text{ ft/min}$$
  
 $I = \frac{5280 ft}{4840 ft/min} = 1.0909 \text{ min}$ 

$$\mathcal{F} = 4 - 1.0909 \text{ min} = 3.9091 \text{ min}$$

**24.** 
$$\mathcal{D} = 8448 \text{ ft}$$

$$S = 45 \text{ mph} = 3960 \text{ ft/min}$$

$$\mathcal{I} = \frac{8448ft}{3960ft/min} = 2.1333 \text{ min}$$

$$\mathcal{F} = 6 - 2.1333 \text{ min} = 3.8667 \text{ min}$$

#### **25.** $\mathcal{D} = 28512 \text{ ft}$

$$\mathcal{S} = 70 \text{ mph} = 6160 \text{ ft/min}$$

$$\mathcal{I} = \frac{\frac{28512ft}{6160ft/min}}{6160ft/min} = 4.629 \text{ min}$$

$$\mathcal{F} = 19 - 4.629 \text{ min} = 14.371 \text{ min}$$

# **26.** D = 7392 ft

$$\mathcal{S} = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$\mathcal{I} = \frac{7392ft}{4840ft/min} = 1.5273 \text{ min}$$

$$\mathcal{F} = 6 - 1.5273 \text{ min} = 4.4727 \text{ min}$$

# **27.** $\mathcal{D} = 6336$ ft

$$\mathcal{D}_1 = 2700 \text{ ft } \mathcal{S}_1 = 45 \text{ mph} = 3960 \text{ ft/min}$$

$$\mathcal{I}_1 = \frac{2700 \, \text{ft}}{3960 \, \text{ft}/\text{min}} = .6818 \, \text{min} \, \mathcal{D}_2 = 3636 \, \text{ft} \, \mathcal{S}_2 = 55 \, \text{mph} = 4840 \, \text{ft/min}$$

$$\mathcal{I}_2 = \frac{3636 \, \text{ft}}{4840 \, \text{ft/min}} = .7512 \, \text{min}$$

$$\mathcal{I}_2 = \frac{3636ft}{4840ft/min} = .7512 \text{ min}$$

$$\mathcal{I} = \mathcal{I}_1 + \mathcal{I}_2 = .6818 + .7512 = 1.433 \text{ min}$$

$$\mathcal{F} = 7 - 1.433 \text{ min} = 5.567 \text{ min}$$

### **28.** $\mathcal{D} = 31152 \text{ ft}$

$$\mathcal{S} = 55~\mathrm{mph} = 4840~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{31152ft}{4840ft/min} = 6.436 \text{ min}$$

$$\mathcal{F} = 21 - 6.436 \text{ min} = 14.564 \text{ min}$$

### **29.** $\mathcal{D} = 5280 \text{ ft}$

$$S = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$\mathcal{I} = \frac{5280ft}{4840ft/min} = 1.0909 \text{ min}$$

$$\mathcal{F} = 3 - 1.0909 \text{ min} = 1.9091 \text{ min}$$

### **30.** $\mathcal{D} = 1584 \text{ ft}$

$$S = 45 \text{ mph} = 3960 \text{ ft/min}$$

$$\mathcal{I} = \frac{1584ft}{3960ft/min} = .4 \text{ min}$$

$$\mathcal{F} = 2 - .4 \text{ min} = 1.6 \text{ min}$$

#### Brown. 4

- 1.  $\mathcal{D} = 30624 \text{ ft}$
- S = 55 mph = 4840 ft/min  $\mathcal{I} = \frac{30624ft}{4840ft/min} = 6.32737 \text{ min}$
- $\mathcal{F} = 45 6.32727 \text{ min} = 38.67272 \text{ min}$
- **2.**  $\mathcal{D} = 8448 \text{ ft}$
- S = 55 mph = 4840 ft/min
- $\mathcal{I} = \frac{8448ft}{4840ft/min} = 1.745455 \text{ min}$   $\mathcal{F} = 12 1.745455 \text{ min} = 10.254545 \text{ min}$
- **3.**  $\mathcal{D} = 2640 \text{ ft}$
- S = 55 mph = 4840 ft/min
- $\mathcal{I} = \frac{2640 \, ft}{4840 \, ft/min} = .54545 \, \text{min}$
- $\mathcal{F} = 4 .54545 \text{ min} = 1.45455 \text{ min}$
- **4.**  $\mathcal{D} = 16368 \text{ ft}$
- S = 55 mph = 4840 ft/min
- $\mathcal{I} = \frac{16368ft}{4840ft/min} = 3.381818 \text{ min}$   $\mathcal{F} = 27 3.381818 \text{ min} = 23.618182 \text{ min}$
- **5.** D = 7392 ft
- S = 55 mph = 4840 ft/min
- $\mathcal{I} = \frac{7392ft}{4840ft/min} = 1.52727273 \text{ min}$
- $\mathcal{F} = 11 1.527272723 \text{ min} = 9.47273 \text{ min}$
- **6.**  $\mathcal{D} = 13728 \text{ ft}$
- S = 65 mph = 5720 ft/min
- $\mathcal{I} = \frac{13728ft}{5720ft/min} = 2.4 \text{ min}$
- $\mathcal{F} = 25 2.4 \text{ min} = 23.6 \text{ min}$
- **7.** D = 377 ft
- $\mathcal{S}=35~\mathrm{mph}=3080~\mathrm{ft/min}$
- $\mathcal{I} = \frac{377ft}{3080ft/min} = .1224 \text{ min}$
- $\mathcal{F} = 1 .1224 \text{ min} = .8776 \text{ min}$
- **8.** D = 384 ft
- S = 45 mph = 3960 ft/min
- $\mathcal{I} = \frac{384ft}{3960ft/min} = .09697 \text{ min}$
- $\mathcal{F} = 1 .09697 \text{ min} = .90303 \text{ min}$
- **9.**  $\mathcal{D} = 367 \text{ ft}$
- $\mathcal{S} = 45 \text{ mph} = 3960 \text{ ft/min}$  $\mathcal{I} = \frac{367 ft}{3960 ft/min} = .0927 \text{ min}$

$$\mathcal{F} = 1 - .0927 \text{ min} = .9073 \text{ min}$$

**10.** 
$$\mathcal{D} = 3696 \text{ ft}$$

$$S = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$S = 55 \text{ mph} = 4840 \text{ ft/min}$$
  
 $I = \frac{3696ft}{4840ft/min} = .7636 \text{ min}$ 

$$\mathcal{F} = 5 - .7636 \text{ min} = 4.2364 \text{ min}$$

#### **11.** $\mathcal{D} = 1056 \text{ ft}$

$$S = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$\mathcal{I} = \frac{1056ft}{4840ft/min} = .2182 \text{ min}$$

$$\mathcal{F} = 2 - .2182 \text{ min} = 1.7818 \text{ min}$$

# **12.** $\mathcal{D} = 2112 \text{ ft}$

$$S = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$S = 55 \text{ mph} = 4840 \text{ ft/min}$$
  
 $I = \frac{2112ft}{4840ft/min} = .4364 \text{ min}$ 

$$\mathcal{F} = 3 - .4364 \text{ min} = 2.5636 \text{ min}$$

# **13.** $\mathcal{D} = 4224 \text{ ft}$

$$S = 75 \text{ mph} = 6600 \text{ ft/min}$$
  
 $I = \frac{4224ft}{6600ft/min} = .64 \text{ min}$ 

$$\mathcal{I} = \frac{4224ft}{6600ft/min} = .64 \text{ min}$$

$$\mathcal{F} = 6 - .64 \text{ min} = 5.36 \text{ min}$$

### **14.** $\mathcal{D} = 6864 \text{ ft}$

$$\mathcal{S} = 75 \text{ mph} = 6600 \text{ ft/min}$$

$$\mathcal{I} = \frac{6864ft}{6600ft/min} = 1.04 \text{ min}$$

$$\mathcal{F} = 11 - 1.04 \text{ min} = 9.96 \text{ min}$$

# **15.** D = 6864 ft

$$\mathcal{S} = 65 \text{ mph} = 5720 \text{ ft/min}$$

$$\tau = \frac{6864ft}{1} = 1.2 \text{ min}$$

$$\mathcal{I} = \frac{6864ft}{5720ft/min} = 1.2 \text{ min}$$
 $\mathcal{F} = 5 - 1.2 \text{ min} = 3.8 \text{ min}$ 

### **16.** $\mathcal{D} = 3168 \text{ ft}$

$$S = 75 \text{ mph} = 6600 \text{ ft/min}$$

$$\mathcal{I} = \frac{3168ft}{6600ft/min} = .48 \text{ min}$$

$$F = 5 - .48 \text{ min} = 4.52 \text{ min}$$

# 17. $\mathcal{D} = 3696 \text{ ft}$

$$S = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$\mathcal{S} = 55 \text{ mph} = 4840 \text{ ft/min}$$
  
 $\mathcal{I} = \frac{3696 ft}{4840 ft/min} = .7636 \text{ min}$ 

$$\mathcal{F} = 6 - .7636 \text{ min} = 5.2364 \text{ min}$$

#### **18.** $\mathcal{D} = 26928 \text{ ft}$

$$S = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$\begin{array}{l} \mathcal{S} = 55 \text{ mph} = 4840 \text{ ft/min} \\ \mathcal{I} = \frac{26928ft}{4840ft/min} = 5.5636 \text{ min} \end{array}$$

$$\mathcal{F} = 30 - 5.5636 \text{ min} = 24.4364 \text{ min}$$

**19.** 
$$\mathcal{D} = 6336 \text{ ft}$$

$$\mathcal{S} = 50~\mathrm{mph} = 4400~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{6336ft}{4400ft/min} = 1.44 \text{ min}$$

$$\mathcal{F} = 11 - 1.44 \text{ min} = 9.56 \text{ min}$$

#### **20.** $\mathcal{D} = 3168 \text{ ft}$

$$\mathcal{S}=25~\mathrm{mph}=2200~\mathrm{ft/min}$$

$$\mathcal{I} = \frac{3168ft}{2200ft/min} = 1.44 \text{ min}$$

$$\mathcal{F} = 8 - 1.44 \text{ min} = 6.56 \text{ min}$$

**21.** 
$$\mathcal{D} = 3168 \text{ ft}$$

$$\mathcal{S} = 75 \text{ mph} = 6600 \text{ ft/min}$$

$$\mathcal{I} = \frac{3168ft}{6600ft/min} = 0.48 \text{ min}$$

$$\mathcal{F} = 5 - .48 \text{ min} = 4.52 \text{ min}$$

# **22.** D = 213 ft

$$S = 75 \text{ mph} = 6600 \text{ ft/min}$$

$$\mathcal{I} = \frac{213ft}{6600ft/min} = .0323 \text{ min}$$

$$\mathcal{F} = 1 - .0323 \text{ min} = .9677 \text{ min}$$

### **23.** $\mathcal{D} = 2640 \text{ ft}$

$$S = 45 \text{ mph} = 3960 \text{ ft/min}$$
  
 $I = \frac{2640ft}{3960ft/min} = .6667 \text{ min}$ 

$$\mathcal{I} = \frac{2640ft}{20000ft} = .6667 \text{ min}$$

$$\mathcal{F} = 4 - .6667 \text{ min} = 3.3333 \text{ min}$$

# **24.** D = 9504 ft

$$\mathcal{S} = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$\mathcal{I} = \frac{9504ft}{4840ft/min} = 1.9636 \text{ min}$$

$$\mathcal{F} = 23 - 1.9636 \text{ min} = 21.0364 \text{ min}$$

### **25.** $\mathcal{D} = 11088 \text{ ft}$

$$S = 55 \text{ mph} = 4840 \text{ ft/min}$$

$$\tau$$
 11088 ft 2 2000 min

$$\mathcal{I} = \frac{11088ft}{4840ft/min} = 2.2909 \text{ min}$$
  
 $\mathcal{F} = 15 - 2.2909 \text{ min} = 12.7091 \text{ min}$ 

# **26.** $\mathcal{D} = 3696 \text{ ft}$

$$\mathcal{S} = 60 \text{ mph} = 5280 \text{ ft/min}$$

$$\mathcal{I} = \frac{3696ft}{5280ft/min} = .7 \text{ min}$$

$$\mathcal{F} = 5 - .7 \text{ min} = 4.3 \text{ min}$$

**27.** 
$$\mathcal{D} = 2640 \text{ ft}$$

$$S = 60 \text{ mph} = 5280 \text{ ft/min}$$
  
 $I = \frac{2640 ft}{5280 ft/min} = .5 \text{ min}$ 

$$\mathcal{I} = \frac{2640ft}{5000ft} = .5 \text{ min}$$

$$\mathcal{F} = 4 - .5 \text{ min} = 3.5 \text{ min}$$

**28.** 
$$D = 528 \text{ ft}$$

$$S = 60 \text{ mph} = 5280 \text{ ft/min}$$
 $I = \frac{5280 \text{ ft/min}}{5280 \text{ ft/min}} = .1 \text{ min}$ 
 $I = 1 - .1 \text{ min} = .9 \text{ min}$ 

$$\mathcal{I} = \frac{528ft}{5280ft/min} = .1 \text{ min}$$

$$\mathcal{F} = 1 - .1 \text{ min} = .9 \text{ min}$$

# **29.** D = 528 ft

$$S = 60 \text{ mps} = 5280 \text{ ft/min}$$
  
 $I = \frac{528ft}{5280ft/min} = .1 \text{ min}$   
 $I = 1 - .1 \text{ min} = .9 \text{ min}$ 

$$\mathcal{I} = \frac{528ft}{5220ft/min} = .1 \text{ min}$$

$$\mathcal{F} = 1 - .1 \text{ min} = .9 \text{ min}$$

**30.** 
$$\mathcal{D} = 7920 \text{ ft}$$

$$S = 45 \text{ mph} = 3960 \text{ ft/min}$$
  
 $I = \frac{7920ft}{3960ft/min} = 2 \text{ min}$   
 $F = 13 - 2 \text{ min} = 11 \text{ min}$ 

$$\mathcal{I} = \frac{7920ft}{3960ft/min} = 2 \text{ min}$$

$$F = 13 - 2 \text{ min} = 11 \text{ min}$$