

Web API Design with Spring Boot Week 2 Coding Assignment

Points possible: 70

Category	Criteria	% of Grade
Functionality	Does the code work?	25
Organization	Is the code clean and organized? Proper use of white space, syntax, and consistency are utilized. Names and comments are concise and clear.	25
Creativity	Student solved the problems presented in the assignment using creativity and out of the box thinking.	25
Completeness	All requirements of the assignment are complete.	25


Instructions: In Eclipse, or an IDE of your choice, write the code that accomplishes the objectives listed below. Ensure that the code compiles and runs as directed. Take screenshots of the code and of the running program (make sure to get screenshots of all required functionality) and paste them in this document where instructed below. Create a new repository on GitHub for this week's assignments and push this document, with your Java project code, to the repository. Add the URL for this week's repository to this document where instructed and submit this document to your instructor when complete.



Here's a friendly tip: as you watch the videos, code along with the videos. This will help you with the homework. When a screenshot is required, look for the icon:  You will keep adding to this project throughout this part of the course. When it comes time for the final project, use this project as a starter.

Project Resources: <https://github.com/promineotech/Spring-Boot-Course-Student-Resources>

Coding Steps:


- 1) In the project you started last week, use Lombok to add an info-level logging statement in the controller implementation method that logs the parameters that were input to the method. Remember to add the `@Slf4j` annotation to the class.
- 2) Start the application (not an integration test). Use a browser to navigate to the application passing the parameters required for your selected operation. (A browser, used in this manner, sends an HTTP GET request to the server.) Produce a screenshot showing the browser

navigation bar and the log statement that is in the IDE console showing that the controller method was reached (as in the video). 


- 3) With the application still running, use the browser to navigate to the OpenAPI documentation. Use the OpenAPI documentation to send a GET request to the server with a valid model and trim level. (You can get the model and trim from the provided `data.sql` file.) Produce a screenshot showing the `curl` command, the request URL, and the response headers. 
- 4) Run the integration test and show that the test status is green. Produce a screenshot of the test class and the status bar. 
- 5) Add a method to the test to return a list of expected Jeep (`model`) objects based on the model and trim level you selected. You can get the expected list of Jeeps from the file `src/test/resources/flyway/migrations/V1.1__Jeep_Data.sql`. So, for example, using the model Wrangler and trim level "Sport", the query should return two rows:

	Row 1	Row 2
Model ID	WRANGLER	WRANGLER
Trim Level	Sport	Sport
Num Doors	2	4
Wheel Size	17	17
Base Price	\$28,475.00	\$31,975.00

The method should be named `buildExpected()`, and it should return a `List` of `Jeep`. The video put this method into a support superclass but you can include it in the main test class if you want.


- 6) Write an `AssertJ` assertion in the test to assert that the actual list of jeeps returned by the server is the same as the expected list. Run the test. Produce a screenshot showing...
 - a) The test with the assertion.
 - b) The JUnit status bar (should be red).
 - c) The method returning the expected list of Jeeps. 
- 7) Add a service layer in your application as shown in the videos:
 - a) Add a package named `com.promineotech.jeep.service`.
 - b) In the new package, create an interface named `JeepSalesService`.
 - c) In the same package (service), create a class named `DefaultJeepSalesService` that implements the `JeepSalesService` interface. Add the class-level annotation, `@Service`.

- d) Inject the service interface into DefaultJeepSalesController using the @Autowired annotation. The instance variable should be private, and the variable should be named jeepSalesService.
- e) Define the fetchJeeps method in the interface. Implement the method in the service class. Call the method from the controller (make sure the controller returns the list of Jeeps returned by the service method). The method signature looks like this:

```
List<Jeep> fetchJeeps(JeepModel model, String trim);
```
- f) Add a Lombok info-level log statement in the service implementation showing that the service was called. Print the parameters passed to the method. Let the method return null for now.
- g) Run the test again. Produce a screenshot showing the service class implementation, the log line in the console, and the red status bar. 
- 8) Add the database dependencies described in the video to the POM file (MySQL driver and Spring Boot Starter JDBC). To find them, navigate to <https://mvnrepository.com/>. Search for mysql-connector-j and spring-boot-starter-jdbc. In the POM file you don't need version numbers for either dependency because the version is included in the Spring Boot Starter Parent.
- 9) Create application.yaml in src/main/resources. Add the spring.datasource.url, spring.datasource.username, and spring.datasource.password properties to application.yaml. The url should be the same as shown in the video (jdbc:mysql://localhost:3306/jeep). The password and username should match your setup. If you created the database under your root user, the username is "root", and the password is the root user password. If you created a "jeep" user or other user, use the correct username and password.

Be careful with the indentation! YAML allows hierarchical configuration but it reads the hierarchy based on the indentation level. The keyword "spring" MUST start in the first column. It should look similar to this when done:


```
spring:
  datasource:
    username: username
    password: password
    url: jdbc:mysql://localhost:3306/jeep
```

- 10) Start the application (the real application, not the test). Produce a screenshot that shows application.yaml and the console showing that the application has started with no errors. 
- 11) Add the H2 database as dependency. Search for the dependency in the Maven repository like you did above. Search for "h2" and pick the latest version. Again, you don't need the version number, but the scope should be set to "test".

12) Create `application-test.yaml` in `src/test/resources`. Add the setting `spring.datasource.url` that points to the H2 database. It should look like this:


```
spring:
  datasource:
    url: jdbc:h2:mem:jeep
```

You do not need to set the username and password because the in-memory H2 database does not require them.

Produce a screenshot showing `application-test.yaml`. 

Screenshots of Code:

Snippet showing controller method was reached properly



The screenshot shows an IDE console window with the following logs:

```
jeep-sales - JeepSales [Spring Boot App] C:\Users\smith\STS\sts-4.16.0.RELEASE\plugins\c
sPropertyDefaultsPostProcessor : For additional web related logg
bedded.tomcat.TomcatWebServer : Tomcat initialized with port(s)
atalina.core.StandardService : Starting service [Tomcat]
.catalina.core.StandardEngine : Starting Servlet engine: [Apach
[Tomcat].[localhost].[/] : Initializing Spring embedded We
letWebServerApplicationContext : Root WebApplicationContext: ini
OptionalLiveReloadServer : LiveReload server is running or
bedded.tomcat.TomcatWebServer : Tomcat started on port(s): 8080
eotech.jeep.JeepSales : Started JeepSales in 3.134 seco
[Tomcat].[localhost].[/] : Initializing Spring DispatcherS
rvlet.DispatcherServlet : Initializing Servlet 'dispatche
rvlet.DispatcherServlet : Completed initialization in 2 m
faultJeepSalesController : model=WRANGLER&trim=Sport
```

Below the console, a browser address bar is visible with the URL: `localhost:8080/jeeps?model=WRANGLER&trim=Sport`

Snippet of OpenAPI Curl command and request URL

Curl

```
curl -X 'GET' \
  'http://localhost:8080/jeeps?model=WRANGLER&trim=Sport' \
  -H 'accept: application/json'
```

Request URL

```
http://localhost:8080/jeeps?model=WRANGLER&trim=Sport
```

Snippet of OpenAPI showing Response Headers

Responses

Code	Description
200	A list of Jeeps is returned.

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "modelPK": 0,
  "modelId": "GRAND_CHERROKEE",
  "trimLevel": "string",
  "numDoors": 0,
  "wheelSize": 0,
  "basePrice": 0
}
```

Snippet of Integration test showing green status bar and test class

The screenshot shows an IDE window with the following elements:

- Left Panel:** A green status bar indicates the test run was successful. The text "Finished after 7.182 second" is visible.
- Code Editor:** The code for the `FetchJeepTest` class is shown. It includes imports for `org.springframework.test.web.servlet.MockMvc` and `org.assertj.core.api.Assertions`. The test class is annotated with `@SpringBootTest` and `@ActiveProfiles("test")`. It uses `MockMvc` to perform a GET request to the `/jeeps?model={modelId}&trim={trimLevel}` endpoint. The test asserts that the response is a 200 OK and contains a list of Jeeps.
- Bottom Panel:** The "Problems" tab is active, showing a message: "terminated FetchJeepTest [JUnit] C:\Users\smith\STS\sts-4.16.0.RELEASE\plugins\org.eclipse.justi.openjdkhc".


Integration test showing red and showing expected Jeeps


Finished after 7.072 seconds

Runs: 1/1




✖ Errors: 0


✖ Failures: 1

▼  FetchJeepTest [Runner: JUnit 5] (1.058 s)

 testThatJeepsAreReturnedWhenAValidModelAndTrimAreSupplied() (1.058 s)

≡ Failure Trace

 org.opentest4j.AssertionFailedError:



expected:

[Jeep(modelPK=null, modelId=WRANGLER, trimLevel=Sport, numDoors=2, wheelSize=17, basePrice=28475.00),
Jeep(modelPK=null, modelId=WRANGLER, trimLevel=Sport, numDoors=4, wheelSize=17, basePrice=31975.00)]

but was:

null

Snippet of failed test, service class implementation, and log line in console



Snippet showing Application running after adding jdbc dependencies and .yaml file

```

  ____  _
 / ___|| | | |
| |___| |_| |
 \___|__|__|_|

:: Spring Boot ::      (v2.7.4)

2022-10-07 12:42:04.541 INFO 16908 --- [main] com.promineotech.jeepp.JeeppSales : Starting JeeppSales using Java 17.0.4.1 on DE
2022-10-07 12:42:04.545 INFO 16908 --- [main] com.promineotech.jeepp.JeeppSales : No active profile set, falling back to 1 def
2022-10-07 12:42:05.998 INFO 16908 --- [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat initialized with port(s): 8080 (http)
2022-10-07 12:42:06.011 INFO 16908 --- [main] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2022-10-07 12:42:06.012 INFO 16908 --- [main] org.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/9.0.
2022-10-07 12:42:06.147 INFO 16908 --- [main] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationC
2022-10-07 12:42:06.147 INFO 16908 --- [main] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization c
2022-10-07 12:42:07.174 INFO 16908 --- [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port(s): 8080 (http) with
2022-10-07 12:42:07.188 INFO 16908 --- [main] com.promineotech.jeepp.JeeppSales : Started JeeppSales in 3.147 seconds (JVM runn
```

Snippet showing the application.yaml and application-test.yaml

```

application.yaml ×
1 spring:
2   datasource:
3     url: jdbc:mysql://localhost:3306/jeepp
4     username: jeepp
5     password: jeepp
6

application-test.yaml ×
1 spring:
2   datasource:
3     url: jdbc:h2:mem:jeepp
```

URL to GitHub Repository: [repository](#)