

FUZHOUNESE DICTIONARY SESSION HANDOFF

For a new Claude instance picking up this project. Full detail is in `claude/architecture.md`; this file is the operational "how to work here + current state + what's pending."

What it is / status

- **fuzhounese.org** — a LIVE community Fuzhounese ↔ English/Mandarin dictionary. Next.js (App Router, TypeScript) + Supabase (Postgres/Auth/Storage) + Tailwind, deployed on Vercel. Owner/creator: Noah Lee (noahlee519@gmail.com, noahdarwinlee.com).
- **Letterpress visual identity**: cool bone paper, lacquer-vermilion accent `#C22E1B` (dark `#E4614F`), ink text; Bricolage Grotesque (display) + Newsreader (serif body) + IBM Plex Mono (labels); hairline rules, hard edges, entries styled like dictionary entries. Light+dark via CSS-variable tokens keyed on `prefers-color-scheme` (no toggle).

⚠ HOW TO WORK IN THIS ENVIRONMENT (the repo folder is iCloud-synced — read this)

Repo: `/Users/noahlee/Desktop/dictionary/fuzhounese-dictionary` on device **noahs-macbook-air-local**, reachable via `mcp__remote-devices__*` (`device_bash`, `device_stage_files`, `device_commit_files`, `device_list_dir`). The folder is NOT auto-connected at session start — call `device_request_folder_access` on that path first.

- **iCloud placeholders cause "Resource deadlock avoided" (EDEADLK)** when you read/edit a not-yet-downloaded file via `device_bash`. Fix: `device_stage_files` it first — that hydrates it locally AND drops a copy under `/mnt/user-data/uploads/fuzhounese-dictionary/...` you can `Read`. Once hydrated, `device_bash` can read/overwrite it.
- **tsc on the mount fails** (`TS6053: @types/... not found`) — `node_modules` `.d.ts` files are un-hydrated placeholders. Don't chase it; verify in the sandbox instead (below).
- **Writing**: NEW files write fine via `device_bash`. Edits: `python3` heredoc doing exact-match string replace, or whole-file rewrite `cat > file <<'TSX' ... TSX` (QUOTE the delimiter so `TSX` `${}` /backticks survive). Always `grep` to confirm. `rm` on the mount is blocked — `mv` junk into `_to_delete/` (gitignored).
- **DO NOT run git on the mount**. `git add/commit` over iCloud EDEADLKs on placeholders and leaves a `.git/index.lock` you cannot remove (breaks the user's GitHub Desktop). **The user commits + pushes via GitHub Desktop**. Your job ends at editing files; hand the commit to Noah.
- **Deliver a generated file into the repo** (svg/png/pdf): `SendUserFile` it → use the returned `file_uuid` → `device_commit_files` to the target path (e.g. `.../public/x.svg`). Same for overwriting.

✓ VERIFY BEFORE THE USER PUSHES (their Vercel deploy will build it)

The sandbox CANNOT reach Google Fonts, so `next/font/google` fails at build — stub it for verification only:

1. `device_stage_files` every file under `src/` plus `package.json`, `package-lock.json`, `tsconfig.json`, `tailwind.config.ts`, `postcss.config.js`, `next.config.mjs`, `next-env.d.ts` (~35 files, one call).
2. `cp -r /mnt/user-data/uploads/fuzhounese-dictionary /home/claude/verify`
3. `cd verify && npm ci` (~2 min).
4. `npx tsc --noEmit` — validates the REAL `next/font` + all TSX. Expect exit 0.
5. Strip the three `next/font/google` imports + `const display/serif/mono` lines + the `className={...variable}` from `src/app/layout.tsx`, then `npx next build`. Expect exit 0, 12 routes. Dummy env: `NEXT_PUBLIC_SUPABASE_URL/ANON_KEY`, `SUPABASE_SERVICE_ROLE_KEY`, `NEXT_PUBLIC_SITE_URL`.
6. **Screenshots:** `npx next start -p 3000` with the same dummy env serves every route 200 (graceful DB-down state), then `npm i playwright` + a short `chromium.launch()` script screenshots at any viewport. This is the fastest way to check responsive/visual changes — no standalone HTML mock needed. (Stage `public/` too if the maps/headshot need to render.)

● PENDING USER ACTIONS

1. Run `supabase/word_requests.sql` in the Supabase SQL editor — the Request board's tables. DB migrations are NOT part of the deploy.
2. **Commit + push all session changes via GitHub Desktop** → Vercel auto-deploys.
 - ✓ DONE 2026-08-28: `@vercel/analytics` is now in `package.json` + lock.
 - Optional later: patch Next for its security advisory with `npm i next@14` (latest 14.x, non-breaking). Do **NOT** `npm audit fix --force`.
 - `noah@fuzhounese.org` email not set up yet; About currently links to noahlee519@gmail.com.

Routes / key files

- Routes: `/` (search + recent + stats counter), `/learn` (browse A-Z), `/request` (Words Wanted board: request-a-word / request-a-pronunciation + upvotes; `src/app/request/{page.tsx,actions.ts}`), `/entry/[id]`, `/submit` (+ `SubmitForm.tsx`), `/account`, `/admin` (+ `edit/[id]`), `/about`, `/auth/*`. Nav labels: Search · Learn · About · Request · + Add a word.
- Shared: `components/{Header,SearchBar,EntryCard,SignInButton,PageTransition}`. `PageTransition` re-keys on pathname → `.page-fade` fade-and-rise on each navigation. `lib/supabase/{client,server,admin}`, `lib/{auth,types,constants}`, `middleware.ts`.
- `SearchBar` is a **client component** (as of 2026-08-28): a `matchMedia("(max-width: 639px)")` effect swaps the placeholder between the long `FULL` string and the short `SHORT` one ("Search a word...") so the long copy doesn't overflow on phones. Edit the two consts at the top of the file to change either.
- Design: tokens in `src/app/globals.css` (`:root` light + `@media (prefers-color-scheme:dark)`), mapped in `tailwind.config.ts`

(`paper/surface/ink/inkSoft/inkFaint/rule/ruleStrong/accent(=lacquer)/accentSoft`; fonts `display/serif/mono`). Fonts self-hosted via `next/font` in `layout.tsx` (`adjustFontFallback:false` — Newsreader errored without it).

- Maps in `public/`: `fujian-map.svg` (Fujian province highlighted, Fuzhou marked in BLACK/ink for contrast, neighbors+Taiwan faint) and `diaspora-map.svg` (world; lacquer arcs from Fuzhou to NY/Malaysia/Singapore/Indonesia/Tokyo/London/Toronto/Sydney; ~10M speakers). Both self-theme via internal `<style>` + `@media prefers-color-scheme`. Generated with node `d3-geo` (`geoMercator` / `geoNaturalEarth1`) from `echarts-countries-js` (province-level) + `world-atlas` (world); scripts ran in `/home/claude/map`. County-level China boundaries were NOT obtainable (only province-level npm packages; do not fetch external map APIs per environment rules) — the Fujian map is province-level with Fuzhou labeled.
- `public/noah.jpg` (About headshot, 560px square).

Copy conventions (2026-08-28)

- **Em dashes are set tight — no spaces around them** in all user-facing prose (`-like this`). Noah's note: AI overindexes on em dashes, so prefer a comma when the dash isn't earning its place. Exceptions left alone deliberately: the `- or -` divider in `SubmitForm.tsx` and bare `-` `<option>` placeholders.
- About page voice: the body paragraphs are first person ("my grandmother"); the Creator bio at the bottom is third person ("Noah started this dictionary in 2021 to help preserve the dialect his family speaks.").

Deployment

- GitHub: PUBLIC repo `fuzhounesedictionary`; Vercel connected, auto-deploy on push to `main`. Domain `fuzhounese.org` (apex A `76.76.21.21`, `www` CNAME `cname.vercel-dns.com`), auto-SSL.
- Vercel env vars: the two `NEXT_PUBLIC_SUPABASE_*`, `SUPABASE_SERVICE_ROLE_KEY`, `NEXT_PUBLIC_SITE_URL=https://fuzhounese.org`. (`ADMIN_PASSWORD` sits in `.env.local` but is UNUSED by code.)
- Supabase → Auth → URL Configuration: Site URL `https://fuzhounese.org`; Redirect URLs include `https://fuzhounese.org/**`, `https://fuzhounesedictionary.vercel.app/**`, `http://localhost:3000/**`. (Google OAuth hands off to Supabase's own callback — no change needed there.)
- `.env.local` (secrets, incl. Supabase service-role key) is gitignored (`.env*.local`); repo is public so this matters.

More docs

- `claude/architecture.md` — full data model, RLS policies, FRs, feature history (Words Wanted, redesign), Words Wanted schema.
- `Fuzhounese-Dictionary-PRD.pdf` (repo root) — restyled v1.1 PRD.
- Feature-ideas dossier (Claude artifact, "Whizbang, defined"). Next candidates: public contributor profiles, quality-weighted leaderboard, word of the day, lip-synced audio avatar (over REAL

recordings — ElevenLabs cannot TTS Fuzhounese).

GENERATED 28 AUGUST 2026 · CLAUDE/HANDOFF.MD