8.6. Observaciones y hallazgos 37

9. CONCLUSIONES 38

9.1. Análisis de Impacto del Proyecto 38
9.1.1. A corto, mediano y largo plazo 38
9.1.2. Impacto en Ingeniería de Sistemas 38
9.1.3. Impacto en Contextos Globales, Económicos, Ambientales y Sociales 38
9.2. Conclusiones y Trabajo Futuro 38
9.2.1. Conclusiones 38
9.2.2. Trabajo futuro 38

10. REFERENCIAS 39

11. ANEXOS 42

11.1. MRCU - Matriz de Requerimientos y Casos de Uso 42
11.2. PMP Project Management Plan 42
11.3. SAD - Software Architecture Document 42
11.4. SDD - Software Design Document 42
11.5. SRS - Software Requirements Specifications 42
11.6. TD - Test Document 42
11.7. MU - Manual de Usuario 42
11.8. VFP - Versión Final Propuesta de Proyecto 42
11.9. Aplicación de escritorio 42

[7] C. Gauthier-Umaña, M. Valderrama, A. Múnera, y M. O. Nava-Mesa, BOARD-FTD-PACC: a graphical user interface for the synaptic and cross-frequency analysis derived from neural signals, Brain Informatics, vol. 10, art. 12, may. 2023, issn: 2198-4026, doi: 10.1186/s40708-023-00191-x. [En línea]. Disponible: https://link.springer.com/article/10.1186/s40708-023-00191-x.

[8] R. T. Canolty, E. Edwards, S. S. Dalal, M. Soltani, S. S. Nagarajan, H. E. Kirsch, M. S. Berger, N. M. Barbaro, y R. T. Knight, High gamma power is phase-locked to theta oscillations in human neocortex, Science, vol. 313, n.º 5793, pp. 1626 1628, sep. 2006, doi: 10.1126/science.1128115.

[9] T. E. Özkurt y A. Schnitzler, A critical note on the definition of phase-amplitude cross-frequency coupling, Journal of Neuroscience Methods, vol. 201, n.º 2, pp. 438 443, 2011, doi: 10.1016/j.jneumeth.2011.08.014.

[10] J. M. Lilly y S. C. Olhede, Generalized Morse wavelets as a superfamily of analytic wavelets, IEEE Transactions on Signal Processing, vol. 60, n.º 11, pp. 6036 6041, 2012, doi: 10.1109/TSP.2012.2210890.

[11] M. Vinck, M. van Wingerden, T. Womelsdorf, P. Fries, y C. M. A. Pennartz, The pairwise phase consistency: a bias-free measure of rhythmic neuronal synchronization, NeuroImage, vol. 51, n.º 1, pp. 112 122, 2010, doi: 10.1016/j.neuroimage.2010.01.073.

[12] J. Aru et al., Untangling cross-frequency coupling in neuroscience, Current Opinion in Neurobiology, vol. 31, pp. 51 61, 2015, doi: 10.1016/j.conb.2014.08.002.

from neural signals, Brain Informatics, vol. 10, art. 12, may. 2023, issn: 2198-4026, doi: 10.1186/s40708-023-00191-x. [En línea]. Disponible: https://link.springer.com/article/10.1186/s40708-023-00191-x.

[8] P. Morris y O. Calaway, "3.1 Foundations of Neural Communication,en General Psychology, ago. 2025. [En línea]. Disponible: https://acd.pressbooks.pub/generalpsychology/chapter/2192/.

[9] P. L. Nunez, .Electroencephalography (EEG),"Reference Module in Neuroscience and Biobehavioral Psychology, Elsevier, 2017, isbn: 9780128093245, doi: 10.1016/B978-0-12-809324-5.03049-2. [En línea]. Disponible: https://linkinghub.elsevier.com/retrieve/pii/B9780128093245030492.

[10] J. D. Kropotov, "Slow, Infra-Slow Potentials, and Delta Rhythms,en Quantitative EEG, Event-Related Potentials and Neurotherapy, Elsevier, 2009, pp. 11-28, isbn: 9780123745125, doi: 10.1016/B978-0-12-374512-5.00001-3. [En línea]. Disponible: https://linkinghub.elsevier.com/retrieve/pii/B9780123745125000013.

[11] "Normal EEG variants,en Handbook of Clinical Neurology, vol. 160, Elsevier, 2019, pp. 143-160, isbn: 9780444640321, doi: 10.1016/B978-0-444-64032-1.00009-6. [En línea]. Disponible: https://linkinghub.elsevier.com/retrieve/pii/B9780444640321000096.

[12] E. Combrisson, T. Nest, A. Brovelli, R. A. A. Ince, J. L. P. Soto, A. Guillot, y K. Jerbi, "Tensorpac: An open-source Python toolbox for tensor-based phase-amplitude coupling measurement in electrophysiological brain signals,"PLOS Computational Biology, vol. 16, n.º 10, art. e1008302, oct. 2020, issn: 1553-7358, doi: 10.1371/journal.pcbi.1008302. [En línea]. Disponible: https://doi.org/10.1371/journal.pcbi.1008302.

[13] M. Vinck, M. van Wingerden, T. Womelsdorf, P. Fries, y C. M. A. Pennartz, "The pairwise phase consistency: a bias-free measure of rhythmic neuronal synchronization,"NeuroImage, vol. 51, n.º1, pp. 112-122, may. 2010, issn: 1053-8119, doi: 10.1016/j.neuroimage.2010.01.073. [En línea]. Disponible: https://doi.org/10.1016/j.neuroimage.2010.01.073.

[14] M. Richards, Software Architecture Patterns, 2.ª ed. Sebastopol, CA, EE. UU.: O'Reilly Media, 2022. [En línea]. Disponible: https://www.oreilly.com/library/view/software-architecture-patterns/9781098134280/.

[15] EEGLAB. [En línea]. Disponible: https://sccn.ucsd.edu/eeglab/index.php.

[16] Getting started, FieldTrip. [En línea]. Disponible: https://www.fieldtriptoolbox.org/getting_started/.

[17] Introducción, Brainstorm. [En línea]. Disponible: https://neuroimage.usc.edu/brainstorm/Introduction.

[18] ISO/IEC/IEEE 29148:2018, "Systems and software engineering   Life cycle processes   Requirements engineering,"2.ª ed., International Organization for Standardization / International Electrotechnical Commission / Institute of Electrical and Electronics Engineers, nov. 2018. [En línea]. Disponible: https://www.iso.org/standard/72089.html.

[19] P. Eeles, Çapturing Architectural Requirements,Rational Software Corporation, nov. 2001. [En línea]. Disponible: https://www.ibm.com/developerworks/rational/library/4706.html.