Enter Trace Level: 1
At time: 0.000 rtinit0 called
Packet Sent at: 0.000 from: 0 to: 1 with contents: 0 1 3 7
Packet Sent at: 0.000 from: 0 to: 2 with contents: 0 1 3 7
Packet Sent at: 0.000 from: 0 to: 3 with contents: 0 1 3 7
At time: 0.000 rtinit1 called
Packet Sent at: 0.000 from: 1 to: 0 with contents: 1 0 1 9999
Packet Sent at: 0.000 from: 1 to: 2 with contents: 1 0 1 9999
At time: 0.000 rtinit2 called
Packet Sent at: 0.000 from: 2 to: 0 with contents: 3 1 0 2
Packet Sent at: 0.000 from: 2 to: 1 with contents: 3 1 0 2
Packet Sent at: 0.000 from: 2 to: 3 with contents: 3 1 0 2
At time: 0.000 rtinit3 called
Packet Sent at: 0.000 from: 3 to: 0 with contents: 7 9999 2 0
Packet Sent at: 0.000 from: 3 to: 2 with contents: 7 9999 2 0
At time: 0.125 rtupdate2 called
rtupdate2 received packet from node 0
Packet Sent at: 0.125 from: 2 to: 0 with contents: 3 1 0 2
Packet Sent at: 0.125 from: 2 to: 1 with contents: 3 1 0 2
Packet Sent at: 0.125 from: 2 to: 3 with contents: 3 1 0 2

```
   D2 | dst 0 dst 1 dst 2 dst 3
  ----|-------------------------------
src 0 | 0      1      3      5
src 1 | 1      0      1   9999
src 2 | 3      1      0      2
src 3 | 5   9999      2      0
```

At time: 0.587 rtupdate3 called
rtupdate3 received packet from node 0
Packet Sent at: 0.587 from: 3 to: 0 with contents: 7 8 2 0
Packet Sent at: 0.587 from: 3 to: 2 with contents: 7 8 2 0

```
   D3 | dst 0 dst 1 dst 2 dst 3
  ----|-------------------------------
src 0 | 0      1      3      7
src 1 | 1      0   9999      8
src 2 | 3   9999      0      2
src 3 | 7      8      2      0
```

At time: 0.610 rtupdate2 called
rtupdate2 received packet from node 1
Packet Sent at: 0.610 from: 2 to: 0 with contents: 2 1 0 2
Packet Sent at: 0.610 from: 2 to: 1 with contents: 2 1 0 2
Packet Sent at: 0.610 from: 2 to: 3 with contents: 2 1 0 2

```
  D2 | dst 0 dst 1 dst 2 dst 3
 ----|------------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 0.746 rtupdate0 called
rtupdate0 received packet from node 1
Packet Sent at: 0.746 from: 0 to: 1 with contents: 0 1 2 7
Packet Sent at: 0.746 from: 0 to: 2 with contents: 0 1 2 7
Packet Sent at: 0.746 from: 0 to: 3 with contents: 0 1 2 7

```
  D0 | dst 0 dst 1 dst 2 dst 3
 ----|------------------------------
src 0 | 0      1      2      7
src 1 | 1      0      1      8
src 2 | 2      1      0   9999
src 3 | 7      8   9999      0
```

At time: 0.811 rtupdate3 called
rtupdate3 received packet from node 2
Packet Sent at: 0.811 from: 3 to: 0 with contents: 4 3 2 0
Packet Sent at: 0.811 from: 3 to: 2 with contents: 4 3 2 0

```
  D3 | dst 0 dst 1 dst 2 dst 3
 ----|------------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 0.962 rtupdate2 called
rtupdate2 received packet from node 3

```
  D2 | dst 0 dst 1 dst 2 dst 3
 ----|------------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 1.019 rtupdate2 called
rtupdate2 received packet from node 3

```
  D2 | dst 0 dst 1 dst 2 dst 3
 ----|------------------------------
```

```
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 1.080 rtupdate1 called
rtupdate1 received packet from node 0
Packet Sent at: 1.080 from: 1 to: 0 with contents: 1 0 1 8
Packet Sent at: 1.080 from: 1 to: 2 with contents: 1 0 1 8

```
  D1 | dst 0 dst 1 dst 2 dst 3
  ----|-----------------------------
src 0 | 0      1      2      7
src 1 | 1      0      1      8
src 2 | 2      1      0   9999
src 3 | 7      8   9999      0
```

At time: 1.201 rtupdate2 called
rtupdate2 received packet from node 0

```
  D2 | dst 0 dst 1 dst 2 dst 3
  ----|-----------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 1.225 rtupdate0 called
rtupdate0 received packet from node 2
Packet Sent at: 1.225 from: 0 to: 1 with contents: 0 1 2 4
Packet Sent at: 1.225 from: 0 to: 2 with contents: 0 1 2 4
Packet Sent at: 1.225 from: 0 to: 3 with contents: 0 1 2 4

```
  D0 | dst 0 dst 1 dst 2 dst 3
  ----|-----------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 1.701 rtupdate3 called
rtupdate3 received packet from node 2

```
  D3 | dst 0 dst 1 dst 2 dst 3
  ----|-----------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
```

```
src 2 |  2        1        0        2
src 3 |  4        3        2        0
```

At time: 1.827 rtupdate0 called
rtupdate0 received packet from node 3

```
  D0 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
src 0 |  0        1        2        4
src 1 |  1        0        1        3
src 2 |  2        1        0        2
src 3 |  4        3        2        0
```

At time: 2.276 rtupdate0 called
rtupdate0 received packet from node 2

```
  D0 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
src 0 |  0        1        2        4
src 1 |  1        0        1        3
src 2 |  2        1        0        2
src 3 |  4        3        2        0
```

At time: 2.491 rtupdate3 called
rtupdate3 received packet from node 2

```
  D3 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
src 0 |  0        1        2        4
src 1 |  1        0        1        3
src 2 |  2        1        0        2
src 3 |  4        3        2        0
```

At time: 2.718 rtupdate2 called
rtupdate2 received packet from node 3

```
  D2 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
src 0 |  0        1        2        4
src 1 |  1        0        1        3
src 2 |  2        1        0        2
src 3 |  4        3        2        0
```

At time: 2.736 rtupdate3 called
rtupdate3 received packet from node 0

```
  D3 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
```

```
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 2.769 rtupdate1 called
rtupdate1 received packet from node 2
Packet Sent at: 2.769 from: 1 to: 0 with contents: 1 0 1 3
Packet Sent at: 2.769 from: 1 to: 2 with contents: 1 0 1 3

```
   D1 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 3.187 rtupdate1 called
rtupdate1 received packet from node 2

```
   D1 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 3.190 rtupdate1 called
rtupdate1 received packet from node 2

```
   D1 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 3.464 rtupdate0 called
rtupdate0 received packet from node 3

```
   D0 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 3.772 rtupdate3 called
rtupdate3 received packet from node 0

```
   D3 | dst 0 dst 1 dst 2 dst 3
  ----|-----------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 3.869 rtupdate2 called
rtupdate2 received packet from node 1

```
   D2 | dst 0 dst 1 dst 2 dst 3
  ----|-----------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 4.006 rtupdate1 called
rtupdate1 received packet from node 0

```
   D1 | dst 0 dst 1 dst 2 dst 3
  ----|-----------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 4.289 rtupdate2 called
rtupdate2 received packet from node 0

```
   D2 | dst 0 dst 1 dst 2 dst 3
  ----|-----------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
src 3 | 4      3      2      0
```

At time: 5.175 rtupdate0 called
rtupdate0 received packet from node 2

```
   D0 | dst 0 dst 1 dst 2 dst 3
  ----|-----------------------------
src 0 | 0      1      2      4
src 1 | 1      0      1      3
src 2 | 2      1      0      2
```

```
src 3 |  4        3        2        0
```

At time: 5.565 rtupdate1 called
rtupdate1 received packet from node 0
```
   D1 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
src 0 |  0        1        2        4
src 1 |  1        0        1        3
src 2 |  2        1        0        2
src 3 |  4        3        2        0
```

At time: 5.766 rtupdate2 called
rtupdate2 received packet from node 1
```
   D2 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
src 0 |  0        1        2        4
src 1 |  1        0        1        3
src 2 |  2        1        0        2
src 3 |  4        3        2        0
```

At time: 5.885 rtupdate0 called
rtupdate0 received packet from node 3
```
   D0 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
src 0 |  0        1        2        4
src 1 |  1        0        1        3
src 2 |  2        1        0        2
src 3 |  4        3        2        0
```

At time: 7.712 rtupdate0 called
rtupdate0 received packet from node 1
```
   D0 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
src 0 |  0        1        2        4
src 1 |  1        0        1        3
src 2 |  2        1        0        2
src 3 |  4        3        2        0
```

At time: 8.247 rtupdate0 called
rtupdate0 received packet from node 1
```
   D0 | dst 0 dst 1 dst 2 dst 3
  ----|------------------------------
src 0 |  0        1        2        4
```

```
src 1 |  1      0      1      3
src 2 |  2      1      0      2
src 3 |  4      3      2      0
```

Simulator terminated at t=8.247465, no packets in medium

Process finished with exit code 0