




IR GLASSES EVT A – CONTROL




文件: power.kicad\_sch



文件: left.kicad\_sch



文件: right.kicad\_sch



文件: decoupling.kicad\_sch

Prototype – mechanical and optical validation required

**cc\_glasses**

Sheet: /

File: ir\_glasses.kicad\_sch

**Title: IR Glasses – control**

Size: A3 Date: 2026-09-06


Rev: EVT A

KiCad E.D.A. 10.0.6

Id: 1/5

20 mA/ch; one LED at a time. BLANK pulled high during reset.

TIA: PD cathode at virtual ground, anode at AGND; output rises with light.



Prototype – mechanical and optical validation required

cc\_glasses

Sheet: /power/  
File: power.kicad\_sch

**Title: IR Glasses – power**

|          |                  |
|----------|------------------|
| Size: A3 | Date: 2026-09-06 |
|----------|------------------|


KiCad E.D.A. 10.0.6

Rev: EVT A

Id: 2/5

LEFT EYE – 8 optical cells / 8 independent TIAs

Receive opposite cell: 1->5, 2->6, 3->7, 4->8 (and reverse).



Prototype – mechanical and optical validation required

cc\_glasses

Sheet: /left/

File: left.kicad\_sch

Title: IR Glasses – left

Size: A3

Date: 2026-09-06


Rev: EVT A

KiCad E.D.A. 10.0.6

Id: 3/5

RIGHT EYE – 8 optical cells / 8 independent TIAs

Receive opposite cell: 1->5, 2->6, 3->7, 4->8 (and reverse).



Prototype – mechanical and optical validation required

cc\_glasses

Sheet: /right/

File: right.kicad\_sch

Title: IR Glasses – right


Size: A3

Date: 2026-09-06

Rev: EVT A

KiCad E.D.A. 10.0.6

Id: 4/5



Prototype – mechanical and optical validation required

**cc\_glasses**

Sheet: /decoupling/

File: decoupling.kicad\_sch

**Title: IR Glasses – decoupling**

Size: A3

Date: 2026-09-06

Rev: EVT A

KiCad E.D.A. 10.0.6

Id: 5/5