


Directory Enumeration — cheat sheet

Multithreaded web directory and file brute-forcer. Finds hidden paths, admin panels, and exposed files.



Step 1 — Install & Run

```
pip install -r requirements.txt
```

```
# Basic scan
```

```
python3 dir_enum.py -u http://target.com -w wordlist.txt
```

```
# With extensions
```

```
python3 dir_enum.py -u http://target.com -w wordlist.txt -e .php,.html,.bak
```

```
# Save results
```

```
python3 dir_enum.py -u http://target.com -w wordlist.txt -o found.txt
```

Step 2 — Flags

Flag	Description	Default
-u	Target URL (required)	—
-w	Wordlist file path (required)	—
-t	Number of threads	20
-e	Extensions to append (.php,.html)	none
-s	Status codes to show	200,204,301,302,307,401,403
-o	Save results to file	none
-v	Verbose — show all responses	off

Step 3 — Wordlists

Use well-known security wordlists for best results:

```
# Built into Kali / Parrot
/usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt
/usr/share/seclists/Discovery/Web-Content/common.txt

# Download SecLists
git clone https://github.com/danielmiessler/SecLists
```

Step 4 — Reading Results

```
[200] http://target.com/admin      (1.2KB)
[301] http://target.com/uploads -> /uploads/
[403] http://target.com/.htaccess
[200] http://target.com/login.php   (4.8KB)
```

Status	Meaning	Action
200	Page exists and is accessible	Investigate the content
301/302	Redirect — note the destination	Follow the redirect
403	Exists but access denied	Try other techniques to access
401	Authentication required	Try default creds

Key idea: start with a small wordlist (common.txt, ~4k entries) for a fast overview, then run a larger list (medium, ~220k) for thorough coverage. Add extensions relevant to the tech stack (-e .php for PHP apps).