


Net Intel — cheat sheet

Passive network intelligence tool. Analyzes pcap files or live traffic to extract credentials, map devices, and flag suspicious patterns.



Step 1 — Install Dependencies

```
# macOS
brew install wireshark
pip install -r requirements.txt

# Linux
sudo apt install tshark
pip install -r requirements.txt
```

Step 2 — Two Modes

```
# Analyze an existing pcap file
python3 net_intel.py pcap -f capture.pcap
python3 net_intel.py pcap -f capture.pcapng -o report.txt

# Live capture (requires root)
sudo python3 net_intel.py live -i eth0
sudo python3 net_intel.py live -i wlan0 -t 60 -o report.txt
```

-t sets capture duration in seconds. Omit for indefinite capture (Ctrl+C to stop).

Step 3 — Credential Extraction

Automatically extracts cleartext credentials from:

Protocol	What it extracts
HTTP Basic Auth	Username + password from Authorization header
FTP	USER and PASS commands
Telnet	Username and password from session
SMTP AUTH	SMTP authentication credentials
HTTP POST	login/password fields from form submissions

Step 4 — Device Map

IP	MAC	Vendor	Hostname	Ports
10.10.10.5	AA:BB:CC:11:22:33	Dell Inc	DESKTOP-01	22,80,3389
10.10.10.12	AA:BB:CC:44:55:66	Apple Inc	MacBook-Pro	—

Step 5 & 6 — DNS Tracking & Suspicious Flags

Every DNS query and response is logged. Suspicious patterns flagged automatically:

Flag	What it means
DNS tunneling	Unusually large DNS queries — data may be exfiltrated via DNS
DGA domains	Random-looking domain names — sign of malware C2
Cleartext cookies	Session cookies visible in HTTP traffic (no HTTPS)

Key idea: for live capture, use promiscuous mode on the interface for best coverage. Credentials only appear from unencrypted protocols — HTTPS traffic requires a MITM setup to inspect.