

APPLICATION PROGRAMMING

LAB FILE

Shubham Kumar

11912069

Information Technology

INDEX

1. Creating HTML Web page forms.
2. Creating home page using HTML
3. Creating XHTML and CSS and understanding it's use in creating web pages
4. Setting up and configuration of XAMPP server.
5. Understanding PHP
6. Understanding JavaScript
7. Creating a Web page with back end in PHP and front end in JavaScript

Problem 1

Creating HTML Web Page Forms

```
<!DOCTYPE html>
<html>
<head>
  <title>Form Exercise: slides</title>
</head>
<body>
<h1>Register</h1>
First Name:<input type="text" placeholder="First" required="true"><br><br>
Last Name:<input type="text" placeholder="Last" required="true">
<p>
  Male<input type="radio" name="Gender">
  Female<input type="radio" name="Gender">
  Others<input type="radio" name="Gender">
</p>
<p>
  Email:<input type="email" required><br><br>
  Password:<input type="password" pattern="{5,10}" title="Must contain 5 to 10 characters only" required>
</p>
<p>
  Birthday:<input type="date">
</p>
<p>
  I agree to terms and condition <input type="checkbox">
</p>
<button onclick="window.location.href = 'mainform.html';">Sign Up</button>
</body>
</html>
```

Output:

Register

First Name:

Last Name:

Male ☐ Female ☐ Others ☐

Email:

Password:

Birthday: 

I agree to terms and condition ☐

Problem 2

Creating Home Page using HTML

Problem 3

Creating XHTML and CSS and understanding it's use in creating web pages

```
<!DOCTYPE html>
<html>

<frameset rows="24%,5%,41%,30%" frameborder="no" scrolling="no">
  <frame src="imp.html">
  <frame src="buttons.html">
  <frame src="column.html">
  <frame src="contact.html">
</frameset>
<head>
  <title></title>
</head>
<body>
</body>
</html>
```

imp.html

```
<!DOCTYPE html>
<html>
<head>
  <title>IIIT Sonepat</title>
</head>
<body>
  <center></center>
</body>
</html>
```

column.html

```
<!DOCTYPE html>
<html>
  <frameset cols="33%,33%,33%">
    <frame src="news.html">
    <frame src="welcome.html">
    <frame src="regis.html">
  </frameset>
  <head>
    <title></title>
  </head>
  <body>

  </body>
</html>>
```

buttons.html

```
<!DOCTYPE html>
<html>
<body style="background-color: #33334d">
  <select>
    <option style="background-color: #007a99">HOME</option>
    <option>About IIIT Sonapat</option>
    <option>Vision & Mission</option>
    <option>Director's MMessage</option>
    <option>Governance</option>
    <option>IIIT (PPP) Act</option>
  </select>
  <select>
    <option style="background-color: #007a99">Academics</option>
    <option>Academic Programs</option>
    <option>Syllabus</option>
    <option>Academic Guideline</option>
    <option>Fee & Expenses</option>
    <option>Time-Table</option>
  </select>
  <select>
    <option style="background-color: #007a99">Admission</option>
    <option>Overview</option>
    <option>Notificationns</option>
    <option>Helpline</option>
  </select>
  <select>
    <option style="background-color: #007a99">Life @ IIITS</option>
    <option>Events</option>
    <option>Facilities & Service</option>
    <option>Hostel</option>
    <option>Anti-Ragging</option>
    <option>Sports</option>
  </select>
  <select>
    <option style="background-color: #007a99">Placements</option>
  </select>
  <select>
    <option style="background-color: #007a99">Tenders</option>
  </select>
</body>
</html>
```

news.html

```
<!DOCTYPE html>
<html>
<meta content="width=device-width, initial-scale=1.0">
<head>
  <title>Institute News</title>
</head>
<body>
  <h2>Latest News</h2>
  <marquee><pre>Results of First Semester Declared
  <a href="http://iiitsonapat.ac.in/storage/Institute-Hostel-fee-even-Sem.pdf" target="-top" style="color-rendering: red" style="color: black">
  <marquee><pre>Institute and Hostel Fee of Even Semester
  <a href="http://iiitsonapat.ac.in/tenders" target="-top" style="color-rendering: red "><marquee><pre>Expression of Interest<b>(EOI)</b> for
  hiring of premises for IIIT Sonapat</pre></marquee>
  <a href="http://iiitsonapat.ac.in/storage/fee%20submission%20notice.pdf" target="-top" style="color-rendering: red" style="color: black"><
  marquee><pre>Hostel Fees submission notice
  </pre></marquee>

  <a href="http://iiitsonapat.ac.in/storage/notifications/Orientation%20Programme%202019.pdf" target="-top" style="color-rendering: red" style=
  "color: black"><marquee><pre>Orientation Program 2019
  </pre></marquee></a>

</body>
</html>
```

welcome.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Form Exercise: slides</title>
</head>
<body>
<h2>Register</h2>
Username:<input type="text" placeholder="" required="true">
<p>
  Male<input type="radio" name="Gender">
  Female<input type="radio" name="Gender">
  Others<input type="radio" name="Gender">
</p>
<p style="display: inline">E-mail:<pre style="display: inline">  </pre><input type="email" required></p>
Password : <input type="password" pattern="{5,10}" title="Must contain 5 to 10 characters only" required>

<p>
  Birthday:<input type="date">
</p>
<p>
  <pre><input type="checkbox">I agree to terms and condition
  <button>Sign Up</button> </pre>
</p>
</body>
```

regis.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Form Exercise: slides</title>
</head>
<body>
<h2>Register</h2>
Username:<input type="text" placeholder="" required="true">
<p>
  Male<input type="radio" name="Gender">
  Female<input type="radio" name="Gender">
  Others<input type="radio" name="Gender">
</p>
<p style="display: inline">E-mail:<pre style="display: inline">  </pre><input type="email" required></p>
Password : <input type="password" pattern="{5,10}" title="Must contain 5 to 10 characters only" required>

<p>
  Birthday:<input type="date">
</p>
<p>
  <pre><input type="checkbox">I agree to terms and condition
  <button>Sign Up</button> </pre>
</p>
</body>
```


contact.html

```
<!DOCTYPE html>
<html>
<head>
  <title>contact</title>
</head>
<body style="background-color: #33334d">
  <div align="left">
    <h2 ><font color="#ffe6e6"> <u> Contact Us</u> </font></h2>
    <p align="justify">
      <font color="#ffe6e6">Email US at:shubham080501@gmail.com
      <br>
      Call us at :+916387365812</font>
      
    </p>
    <h3><font color="#ffe6e6">How to reach :</font></h3>
    <font color="#ffe6e6">IIIT Sonapat is located at IIT Delhi Techno Park, Rajiv Gandhi Education City Rai, Sonapat.
  <br>
  Sonapat is a railway junction on the Delhi-Panipat-Ambala section of the Northern Railway. It is about 40 kms. from ISBT Delhi and 56 Km from Panipat
  a well known historical place on Sher Shah Suri Marg.</font>
</div>
</body>
</html>
```

Output:



HOME

Academics

Admission

Life @ IIITS

Placements

Tenders

Latest News

emester

ring of premises for IIIT Sonapat

Welcome to IIIT Sonapat

Indian Institute of Information Technology, Sonapat (IIIT, Sonapat) is one of the Indian Institutes of Information Technology located at Sonapat, Haryana. The academic session of IIIT Sonapat started from its mentor Institute National Institute of Technology, Kurukshetra from year 2014. IIIT Sonapat is a joint venture of the Ministry of Human Resource Development, Government of India, the Govt. of Haryana, with Industries in Public-Private Partnership model and has been declared as the Institute of national importance.

[READ MORE>](#)

Register

Username:

Male ☐ Female ☐ Others ☐

E-mail:

Password :

Birthday: dd-mm-yyyy

☐ I agree to terms and condition


Sign Up

Contact Us

Email US at:shubham080501@gmail.com
Call us at :+916387365812



How to reach :

IIIT Sonapat is located at IIT Delhi Techno Park, Rajiv Gandhi Education City Rai, Sonapat.
Sonapat is a railway junction on the Delhi-Panipat-Ambala section of the Northern Railway. It is about 40 kms. from ISBT Delhi and 56 Km from Panipat a well known historical place on Sher Shah Suri Marg.



Problem 4

Setting up and configuration of XAMPP server




Problem 5

Understanding PHP

```
<!DOCTYPE html>
<html>
<head></head>
<body>
<h1>First 20 Prime Numbers</h1>
<?php
    function prime($n)
    {
        for ($i = 2; $i <= $n/2; $i++)
            if ($n % $i == 0)
                return 0;
        return 1;
    }
    $c = 1;
    for($i = 2;$c <= 20; $i++)
    if (prime($i) == 1)
    {
        echo "$i,";
        $c=$c+1;
    }
?>
</body>
</html>
```

Output:



First 20 Prime Numbers


2,3,5,7,11,13,17,19,23,29,31,37,41,43,47,53,59,61,67,71,

Problem 6

Understanding Javascript

```
<!DOCTYPE html>
<html>
<head>
  <title>Square</title>
</head>
<body>
<script>
  function square()
  {
    return (x*x);
  }
  document.write("<h1>Square of numbers from 1 to 25</h1>");
  for (var x=1;x<=25;x++)
  { document.write("The square of " + x+" is "+square(x)+"<br>");
  }
</script>
</body>
</html>
```

Output:



Square of numbers from 1 to 25

The square of 1 is 1
The square of 2 is 4
The square of 3 is 9
The square of 4 is 16
The square of 5 is 25
The square of 6 is 36
The square of 7 is 49
The square of 8 is 64
The square of 9 is 81
The square of 10 is 100
The square of 11 is 121
The square of 12 is 144
The square of 13 is 169
The square of 14 is 196
The square of 15 is 225
The square of 16 is 256
The square of 17 is 289
The square of 18 is 324
The square of 19 is 361
The square of 20 is 400
The square of 21 is 441
The square of 22 is 484
The square of 23 is 529
The square of 24 is 576
The square of 25 is 625

Problem 8

Creating a Web page with back end in PHP and front end in JavaScript

Html file

```
<html>
<head>
<title>Registration Form</title>
<link rel="stylesheet" href="form.css">
<script type="text/javascript" src="form.js">
</script>
</head>
<body>
  <div class="bc">
    <table width="100%">
      <th class="bc"><h1>Registration Form</h1></th>
      <th></th>
    </table>
  </div>
  <form method="POST" action="http://localhost/AP/form.php" name="regform" onsubmit="return validate()">
  <fieldset>
    <div class="abc">
      <table width="100%">
        <th><label width="50%">Username:</label>
        <input type="text" placeholder="Enter your username here" name="username" ></th>
        <th><label>Password:</label>
        <input type="password" placeholder="Enter your password here" name="password" id="a1"></th>
      </table>
    <br>
  </div>
  </fieldset>
  <hr>
  <fieldset>
    <legend><b>Personal details<b></legend>
    <table width="100%">
      <th><label>First Name:</label>
      <input type="text" placeholder="Type your first name here" id="a2"></th>
      <th><label>Last Name:</label>
      <input type="text" placeholder="Type your last name here" >
      </th>
    </table>
    <label class="abcd">Gender</label>
    <input type="radio" name="ab" value="male">Male
    <input type="radio" name="ab" value="female">Female
    <input type="radio" name="ab" value="others">Others
  <br>
  </fieldset>
  <hr>
  <fieldset>
    <legend><b>Contact Info<b></legend>
    <table width="100%">
      <th><label>E-mail:</label>
      <input type="email" id="a3" placeholder="Enter your e-mail here"></th>
      <th><label>Mobile No:</label>
      <input type="text" id="a4" placeholder="Enter your mobile number"></th>
    </table>
  <br>
  <fieldset>
    <legend><b>Address<b></legend>
    <table width="100%">
      <th><label>Permanent Address:</label>
      <br>
      <textarea name="name" rows="5" cols="40" id="a5" placeholder="Type your permanent address here"></textarea></th>
      <th><label>Correspondence Address:</label>
      <br>
      <textarea name="name" rows="5" cols="40" placeholder="Type your correspondence address here"></textarea></th>
    </table>
  </fieldset>
  </fieldset>
  <table width="100%">
    <th><input type="submit" value="Submit" name="submit"></th>
    <th><input type="reset" value="Clear"></th>
  </table>
</form>
</body>
</html>
```

Php file

```

</fieldset>
<table width="100%">
<th><input type="submit" value="Submit" name="submit"></th>
<th><input type="reset" value="Clear"></th>
</table>
</form>
</body>
</html>

```

CSS File

```

body{box-sizing: border-box;
border: 3px solid green;
border-radius: 2px;
background-color: aqua}
legend{color: SlateBLUE;}
.abc{text-align: center;
margin: auto;}
input[type=text],input[type=Password],input[type=email],textarea{background-color: lightgrey;}
input[type=radio]{margin-left:70px; }
.abcd{margin-left: 200px;}
input[type=submit],input[type=reset]{background-color: mediumseagreen;;
width:40%;
height: 30px;}
.bc{ text-align: center;
background-color: tomato;}

```

Javascript File

```

function validate()
{ var b= document.getElementById('a2').value;
var c= document.getElementsByName('ab').value;
var d=document.getElementById('a3').value;
var e= document.getElementById('a4').value;
var f=document.getElementById('a5').value;
if(b==" " || b==0)
{
alert("Please Enter First Name");
return false;
}
if(c==" " || c==0)
{ alert("Please Select Gender");
return false;}
if(d==" " || d==0)
{ alert("Please Enter a Valid E-mail");
return false;}
if(d==" " || d==0 || d.length<10)
{ alert("Please Enter a Valid Number");
return false;}
if(c==" ")
{ alert("Please Enter a valid address");
return false;}
}

```

Output:

Registration Form		 Coderzz Life with programming
Username: <input type="text" value="Enter your username here"/>		Password: <input type="password" value="Enter your password here"/>
Personal details		
First Name: <input type="text" value="Type your first name here"/>		Last Name: <input type="text" value="Type your last name here"/>
Gender <input type="radio"/> Male <input type="radio"/> Female <input type="radio"/> Others		
Contact Info		
E-mail: <input type="text" value="Enter your e-mail here"/>		Mobile No: <input type="text" value="Enter your mobile number"/>
Address		
Permanent Address: <input type="text" value="Type your permanent address here"/>		Correspondence Address: <input type="text" value="Type your correspondence address here"/>
<input type="button" value="Submit"/>		<input type="button" value="Clear"/>