You said:

⚠

⚠

which one you think?

ChatGPT said:

Pick 3.

Reason: “unexpected drift” means the on-disk files aren’t what the tool *thinks* it just edited. If you choose 1, you might overwrite legit newer work (or merge-conflict fallout) blindly. If you choose 2, you’re now patching against an unknown baseline. 3 re-establishes ground truth first.

Also: your run failed earlier because `pytest` isn’t installed in the Python you’re invoking (`No module named pytest`). That’s separate, but you’ll want to fix it after the file-drift issue is resolved.

📦 Copy/paste (PowerShell) — drift triage + ground truth

```
# 1) From repo root
Set-Location e:\signal_agent

# 2) Confirm what git thinks changed
git status --porcelain=v1

# 3) Show EXACT diffs for the two flagged files + the social_offload file
git diff -- app\utils\io_contract.py
```

```
git diff -- tests\integration\test_social_offload_concurrency.py

git diff -- app\agents\social_offload\social_offload.py


# 4) Show what HEAD has (so you can compare to working tree)

git show HEAD:app/utils/io_contract.py

git show HEAD:tests/integration/test_social_offload_concurrency.py

git show HEAD:app/agents/social_offload/social_offload.py


# 5) Quick fingerprint of working tree files (lets you see if they change
again)

Get-FileHash app\utils\io_contract.py -Algorithm SHA256

Get-FileHash tests\integration\test_social_offload_concurrency.py
-Algorithm SHA256

Get-FileHash app\agents\social_offload\social_offload.py -Algorithm SHA256
```

How to decide after you see the diff

- If the diffs show garbage / partial edits / duplicated blocks / obvious corruption → choose 1 (overwrite) *only after* you stash/copy current versions.
- If the diffs show legit prior work you care about → choose 2 (patch minimally).
- If the diffs show unexpected changes you can't account for → stop and do a hard reset of just those files back to HEAD, then re-apply the intended patch cleanly.

📦 Copy/paste — safe "revert just those files" (non-destructive backup first)

```
Set-Location e:\signal_agent


# Backup current versions to a local folder

New-Item -ItemType Directory -Force .\_drift_backup | Out-Null

Copy-Item app\utils\io_contract.py .\_drift_backup\io_contract.py

Copy-Item tests\integration\test_social_offload_concurrency.py
.\_drift_backup\test_social_offload_concurrency.py

Copy-Item app\agents\social_offload\social_offload.py
.\_drift_backup\social_offload.py
```

```
# Restore the three files from HEAD (only these files)
git restore --source=HEAD -- app\utils\io_contract.py
git restore --source=HEAD --
tests\integration\test_social_offload_concurrency.py
git restore --source=HEAD -- app\agents\social_offload\social_offload.py


git status --porcelain=v1
```

📦 Copy/paste — fix pytest for that python.exe

```
# Uses the same python that codex is calling
C:\Users\mrcol\AppData\Local\Python\pythoncore-3.12-64\python.exe -m pip
install --upgrade pip
C:\Users\mrcol\AppData\Local\Python\pythoncore-3.12-64\python.exe -m pip
install pytest
```

If you paste the `git diff` for the two flagged files here (even just the first ~80 lines around the weird parts), I'll tell you decisively whether 1 or 2 is safer *after* the ground-truth check.

You said:

⚠️

⚠️

Exit code: 1
(.venv) PS E:\signal_agent> # 1) From repo root
(.venv) PS E:\signal_agent> Set-Location e:\signal_agent
(.venv) PS E:\signal_agent>
(.venv) PS E:\signal_agent> # 2) Confirm what git thinks changed
(.venv) PS E:\signal_agent> git status --porcelain=v1
 M app/agent.py

```
 M app/hq/capture/__pycache__/decay.cpython-312.pyc
 M app/hq/capture/__pycache__/instability.cpython-312.pyc
 M app/hq/capture/__pycache__/promote.cpython-312.pyc
 M app/hq/capture/__pycache__/router.cpython-312.pyc
 M app/hq/capture/__pycache__/stress.cpython-312.pyc
 M app/hq/capture/decay.py
 M app/hq/capture/instability.py
 M app/hq/capture/promote.py
 M app/hq/capture/router.py
 M app/hq/capture/stress.py
 M constraints/spines/misc/incoming/bundle_20260217_76f8fc62e3be.md
 M data/INDEX_ARTIFACTS.md
 M data/artifact_registry.jsonl
 M data/capture/routing_log.jsonl
 M tests/__pycache__/test_capture_falsification.cpython-312.pyc
 M tests/test_capture_falsification.py
?? .venv/
?? app/__pycache__/agent.cpython-312.pyc
?? app/agents/social_offload/
?? app/hq/dashboard/
?? app/utils/__pycache__/
?? app/utils/io_contract.py
?? constraints/packs/domain/facebook_pack.yaml
?? constraints/packs/domain/linkedin_pack.yaml
?? constraints/packs/domain/reddit_pack.yaml
?? constraints/packs/domain/substack_pack.yaml
?? constraints/packs/domain/x_pack.yaml
?? constraints/packs/domain/youtube_pack.yaml
?? constraints/spines/ai_stability_diagnostic/
?? constraints/spines/content_publishing/
?? constraints/spines/misc/incoming/bundle_20260216_76f8fc62e3be__4f83a31920b4742ec69125067ce759569a2ca65674348713c52c9daa0998f7e1.md
?? constraints/spines/misc/incoming/bundle_20260217_2a392509e932.md
?? constraints/spines/misc/incoming/bundle_20260217_2e976b234d10.md
?? constraints/spines/misc/incoming/bundle_20260217_488ba2a2d32d.md
?? constraints/spines/misc/incoming/bundle_20260217_684fa7abc682.md
?? constraints/spines/misc/incoming/bundle_20260217_abf87199e910.md
?? constraints/spines/misc/incoming/bundle_20260217_ae69171d85e4.md
?? constraints/spines/misc/incoming/bundle_20260217_b2392bc22434.md
```

?? constraints/spines/misc/incoming/bundle_20260217_ca741f388624.md
?? constraints/spines/misc/incoming/bundle_20260217_f72d8c705a60.md
?? constraints/spines/misc/incoming/bundle_20260217_fd65578e336b.md
?? constraints/spines/misc/incoming/bundle_20260220_76f8fc62e3be.md
?? daily_ops.ps1
?? data/capture/archive/
?? data/capture/instability_state.json
?? data/capture/promoted/
?? data/capture/promotion_log.jsonl
?? data/capture/raw/
?? data/docs/processed/.tmp_1f9d04dd58604d78c3c9142a14ef3eb44592d3a5b55a283150300af8e62b4150_1771318714593
?? data/docs/processed/bundle_20260217_0b0ba285a694__0ccbf3e0c4d4520f16f189cad860eba01a03461317cc589dee176816b68a4fa7.md
?? data/docs/processed/bundle_20260217_0b246b450f2b__3861a93726e718e5105e9affab08585ecae9da17964b78edc8e2bf5c63ae8f3c.md
?? data/docs/processed/bundle_20260217_147c4f114b15__186fa632c7e9819a80ed2f43316f24041ec1f140c5372b1760d529382208a7c3.md
?? data/docs/processed/bundle_20260217_171f5bf62626__c564e24c500b22df45f14411866b0f9d5fde7d6469b2f15002aee28efe0175e8.md
?? data/docs/processed/bundle_20260217_1847826616a2__5d61322253c5268a656cc9c78a6106347838b18887b77a0a7c4a681a5eab9e7d.md
?? data/docs/processed/bundle_20260217_1adc218606de__b2c9ca92efbdc4a0871aa24bc35784c9a904e5d28bb295e03c20bfd125062120.md
?? data/docs/processed/bundle_20260217_1e3825f1dd3b__5a522fee95325f2de5c086b6bba3919685f524fa7ac69b1077449018b2595e92.md
?? data/docs/processed/bundle_20260217_205a01994854__44c282379986fb1f8fe7b2df0c26e3139d6eceb092b2d33fcdf8a7abeb971d0d.md
?? data/docs/processed/bundle_20260217_280e5d8481aa__4112cebafb6cb169bb6b232ac361cccf1b0a86d85db3f2b4f87f88bb53b78dfd.md

??
data/docs/processed/bundle_20260217_2823da584d1a__7ccb2482ded1ccaface2114a
eab34662e132c455426e1c78fa4af2aeafc70e30.md
??
data/docs/processed/bundle_20260217_2a392509e932__3f17e4d534fb80f4796d05eff3
03fc902ce408a426d0066c476242e5d421c076.md
??
data/docs/processed/bundle_20260217_2ceb53d24095__5736eeb1b1c159958c3e4da
d53cd10c2168d056a8e931eabd4828a588df9cc5e.md
??
data/docs/processed/bundle_20260217_2fe007337269__1e4a4ce495f3749b2e5c5172
1fe6e17a80900d38a6c9ccb308a9229b7bd9c63a.md
??
data/docs/processed/bundle_20260217_36cf4a7da767__92e1ce33783af77a521605c7
760a8518da890d239bda45c6e31e5569c8adc7ae.md
??
data/docs/processed/bundle_20260217_3a612b387385__9f016d40a2f849c4219ef3553
9ff35c7d72b0bcc7855b2564d6db5dc904a7412.md
??
data/docs/processed/bundle_20260217_3b4fa34ca53a__6952bcbff0769d5741cd4924b
5a9a7d17b19814ac248e70baa3bd06ef0d8caaf.md
??
data/docs/processed/bundle_20260217_3bac41af646f__3025b43872835e8bad39cb7e
6c22eef45846cceb02766e0579888a95d81c7795.md
??
data/docs/processed/bundle_20260217_3c4d2c7850ea__f5f9e34b426c330a2e42df8ef
1c1c8d15cb487d480e40cae3a62baacf2260a33.md
??
data/docs/processed/bundle_20260217_58dcfc16ff4b__71485e83558feef509bfac316a
1da0e719ebac34d4ea04b15cc0872e8b0c4425.md
??
data/docs/processed/bundle_20260217_5a16c28f7997__f9c3ffbd544f1454e3b0b594c1
8b7297032cc00b52c3fefa25279c7a15697348.md
??
data/docs/processed/bundle_20260217_684fa7abc682__e5ac0a8f10ab9f5e0e79f798e
ec75182aabee977ce3ec338e8a8c5bba29a3f1a.md
??
data/docs/processed/bundle_20260217_89f259f87abf__fe281d836093db08f9dc11febf0
c7bccc5dcb1fc56191f0d551433b266edcbe5.md

??
data/docs/processed/bundle_20260217_8d4be697c3a8__ab49f673c15daae6028f490def0e97c173ac28daaa0fceebbc171534c9f78667.md
??
data/docs/processed/bundle_20260217_90f66a67c7e9__85d18cace3a71e47a808ae2d5dcb808ee5badecf24b416f34472b4d12165ec5b.md
??
data/docs/processed/bundle_20260217_9475f5d37a30__ee87c9b89e08e0bcf96be3f51ab7dd97be18bbf3a325dd2856a116cacbcbb2d1.md
??
data/docs/processed/bundle_20260217_957e5b1e5091__cfcc21ec4bc6b18e5558b3a196ec674c636e5c765658e2c520e77c2f3e75a4ca.md
??
data/docs/processed/bundle_20260217_99915971d463__433dbfc502e027a424ea720274272944f8129af687130b72e7cfe5fd024c7f7f.md
??
data/docs/processed/bundle_20260217_9d82cd9b49c0__d181495ba92625cd624dab5437207b327257a2429ec3f0d1b339481afb041ee3.md
??
data/docs/processed/bundle_20260217_ada6a7554d2f__ee84ac28709194385d51ecd67214e1215d23ca2d60c9d4b32f6a12c91448ce98.md
??
data/docs/processed/bundle_20260217_b0840a629c71__d33d6e4ff9d9ae8dd136f3ca7faba0dbe2dab4226f5e2375a6b04415b86d2044.md
??
data/docs/processed/bundle_20260217_b1357fb9e379__9dba42a69eee9ad5b6f8a231788abe506bfe0636ec950114bcc67286c2dc69ac.md
??
data/docs/processed/bundle_20260217_b2392bc22434__69e5c34e542ffb803d9ff944acb3c4d1e2289b1dc187f8a3cac5093189ed93eb.md
??
data/docs/processed/bundle_20260217_b5acb6f41dad__5cf9fb86e7d18af2bcd720f9b449549a683d3603455c4991f2c1e6f47f160ca8.md
??
data/docs/processed/bundle_20260217_c5e974ad6313__6e7f3ce01d10db92730cb40f4b19d20360b2269a3a538d4f6b3d7ba1028970c6.md
??
data/docs/processed/bundle_20260217_c5f15091d84b__884b5500427507d67c7b87fdd216f6a0933d5100c94e0a1bc8d0e4d6459b462b.md

??
data/docs/processed/bundle_20260217_c8ae47cdbf5a__a0520c68539d1dc3841aebafb
81eb26c2525bde4b1b5312d25bd492d5b819679.md
??
data/docs/processed/bundle_20260217_ca741f388624__dd95cb4ed28ada215d303059
79b830dfb9bb1f8acd5bd102f803c299c9b73c12.md
??
data/docs/processed/bundle_20260217_cb5d1ae6c659__c6ba49e6da1011f98af45dcc6
3367a3d73c1f4bc4ff3218c38fc0303ad560adc.md
??
data/docs/processed/bundle_20260217_cbcc364f5b36__23278c39394232f2e0566ebc0
0b9c994023f9b1e6e9cd1fad6e585cc18f9df1c.md
??
data/docs/processed/bundle_20260217_d3bfd3d5425f__f2c30e25e5704ca61b5daf5fd6
4406f1bfb92cfbaed9c5136576f5bebfbeb537.md
??
data/docs/processed/bundle_20260217_d58705994f29__bdbb51fa85a9b16cab81bc03
016f49b94b7167eff0cad75e31101470f4f3f63f.md
??
data/docs/processed/bundle_20260217_d58d6cb77cf4__c01aefee7ba50535317c167fff
bb89e2147505236a62135402699c0a4a6faa57.md
??
data/docs/processed/bundle_20260217_d8c802543007__6c6c7aaa6dbc608b69dd1c07
62a379b8ae3d2dfe506bcd7ba53dafea13d7c3f9.md
??
data/docs/processed/bundle_20260217_daf4ffbcae6d__faec0cbcc373a4fcd412d6c6f1e
6a44bf25f875726c98aa106dff5e7a1235df9.md
??
data/docs/processed/bundle_20260217_dd027b1b4a3d__7ab8a68347c262838a1b513
4b59394634fe7e5b16db5f0d4200037531c802b69.md
??
data/docs/processed/bundle_20260217_dd9725c2618a__a510f787a4acecc27009a2ad
64e963b1562156d2aec6e4ea66546ffce1f480bf.md
??
data/docs/processed/bundle_20260217_e0f9fd520d71__bd13c704eedf2616a3193b8cd
975e44e949cd9e2bdfced00bebf8ede65f6a125.md
??
data/docs/processed/bundle_20260217_e12669ca8dbc__6e97f754014f1b6589d8026d
5dc338354b362835700c8b121bf3057a00ef9990.md

?? data/docs/processed/bundle_20260217_e3bf82ff9871__8ea1995131924130f6ab11b7df1ca76a69c064c5fc952585950f5e15cce21a72.md
?? data/docs/processed/bundle_20260217_e414f5674167__74a7d62ed44ada20e741439eb3bc62ff0799e108031c2532f2a3de65b7eecad4.md
?? data/docs/processed/bundle_20260217_e76b0fd77e60__bb51ea5157ffa87570e19115af21fef335f955aede60a076c0f30f347d671a54.md
?? data/docs/processed/bundle_20260217_e85731116e62__0cc0b71f479a794958994629330271243e141bcb2628fe6eff519fe104f7bc93.md
?? data/docs/processed/bundle_20260217_ec153cadf47c__aa4bfba4d994e51fd319f1e687ac1b714a84caead30dbdeaf58c163ecf8ea657.md
?? data/docs/processed/bundle_20260217_f8579d3df701__5b46469cf8885cc05097e5b37acea305355b3671f73bb88c70f7bf01caf3bedf.md
?? data/docs/processed/bundle_20260217_f956a753fc43__f1988353509159cbd2edfdf833971ae8a49bc57ce77008b65a0c6d535e7ae801.md
?? data/logs/
?? data/social_offload/
?? data/state/
?? debug_engine.py
?? debug_resolve.py
?? docs/OPERATIONAL_CORE_v1.md
?? docs/capture_layer_v0_3_fix1_validation_report.md
?? docs/capture_layer_v0_3_fix1_walkthrough.md
?? logs/
?? out1.txt
?? out2.txt
?? tests/__pycache__/test_agent_resilience.cpython-312-pytest-9.0.2.pyc
?? tests/__pycache__/test_agent_resilience.cpython-312.pyc
?? tests/__pycache__/test_capture_adversarial.cpython-312-pytest-9.0.2.pyc
?? tests/__pycache__/test_capture_falsification.cpython-312-pytest-9.0.2.pyc
?? tests/__pycache__/test_capture_layer.cpython-312-pytest-9.0.2.pyc
?? tests/__pycache__/test_dsl.cpython-312-pytest-9.0.2.pyc
?? tests/__pycache__/test_dsl.cpython-312.pyc
?? tests/__pycache__/test_enforcement.cpython-312-pytest-9.0.2.pyc

```
?? tests/__pycache__/test_enforcement.cpython-312.pyc
?? tests/__pycache__/test_meme_offload.cpython-312-pytest-9.0.2.pyc
?? tests/__pycache__/test_meme_offload.cpython-312.pyc
?? tests/__pycache__/test_pack_hash.cpython-312-pytest-9.0.2.pyc
?? tests/__pycache__/test_pack_hash.cpython-312.pyc
?? tests/__pycache__/test_policy_engine.cpython-312-pytest-9.0.2.pyc
?? tests/__pycache__/test_policy_engine.cpython-312.pyc
?? tests/__pycache__/test_reprojection.cpython-312-pytest-9.0.2.pyc
?? tests/__pycache__/test_reprojection.cpython-312.pyc
?? tests/__pycache__/test_reprojection_v2.cpython-312-pytest-9.0.2.pyc
?? tests/__pycache__/test_reprojection_v2.cpython-312.pyc
?? tests/fixtures/
?? tests/integration/
?? tools/__pycache__/
?? tools/capture_validate_fix1.py
?? winget_info.txt
?? winget_out.txt
(.venv) PS E:\signal_agent>
(.venv) PS E:\signal_agent> # 3) Show EXACT diffs for the two flagged files + the
social_offload file
(.venv) PS E:\signal_agent> git diff -- app\utils\io_contract.py
(.venv) PS E:\signal_agent> git diff --
tests\integration\test_social_offload_concurrency.py
(.venv) PS E:\signal_agent> git diff -- app\agents\social_offload\social_offload.py
(.venv) PS E:\signal_agent>
(.venv) PS E:\signal_agent> # 4) Show what HEAD has (so you can compare to working
tree)
(.venv) PS E:\signal_agent> git show HEAD:app/utils/io_contract.py
fatal: path 'app/utils/io_contract.py' exists on disk, but not in 'HEAD'
(.venv) PS E:\signal_agent> git show
HEAD:tests/integration/test_social_offload_concurrency.py
fatal: path 'tests/integration/test_social_offload_concurrency.py' exists on disk, but not in
'HEAD'
(.venv) PS E:\signal_agent> git show HEAD:app/agents/social_offload/social_offload.py
fatal: path 'app/agents/social_offload/social_offload.py' exists on disk, but not in 'HEAD'
(.venv) PS E:\signal_agent>
(.venv) PS E:\signal_agent> # 5) Quick fingerprint of working tree files (lets you see if
they change again)
(.venv) PS E:\signal_agent> Get-FileHash app\utils\io_contract.py -Algorithm SHA256
```

```
Algorithm       Hash                                                   Path
---------       ----                                                   ----
SHA256          7DDC9F428D5568473E61DE3F3FF51E6485C7D2FE5323623596F7D8191D3CA4FE
E:\signal_agent\app\utils\io_contract.py


(.venv) PS E:\signal_agent> Get-FileHash
tests\integration\test_social_offload_concurrency.py -Algorithm SHA256

Algorithm       Hash                                                   Path
---------       ----                                                   ----
SHA256          BE8355B78414973A54D5A8062202623A61F74662DC672C8D097D72AA79586C90
E:\signal_agent\tests\integration\test_social_offload_concurrency.py


(.venv) PS E:\signal_agent> Get-FileHash app\agents\social_offload\social_offload.py
-Algorithm SHA256

Algorithm       Hash                                                   Path
---------       ----                                                   ----
SHA256          3EA9A60D946909DEA4D4AC4E0CAB457F307DDC5B415B36613DB4B28483E57EF0
E:\signal_agent\app\agents\social_offload\social_offload.py


(.venv) PS E:\signal_agent>
```

ChatGPT said:

This output actually answers the “which one” question decisively:

What’s happening

- `git diff -- app\utils\io_contract.py` shows nothing because the file is untracked (`?? app/utils/io_contract.py`).
- `git show HEAD:app/utils/io_contract.py` fails because that path does not exist in HEAD (again: untracked).

- Same for `tests/integration/test_social_offload_concurrency.py` and `app/agents/social_offload/social_offload.py`: they're new, untracked files, so HEAD has no baseline to compare against.

So Codex's "unexpected drift" warning is basically: "I expected to be editing tracked files, but the working set I'm reading doesn't match that mental model." In Git terms: these aren't tracked yet, so 'expected vs current' cannot be computed against HEAD.

Therefore: choose 2 (keep current contents and patch around them)

Why:

- 1 (overwrite) is pointless/dangerous here because there is no tracked "correct" version to overwrite *from*. You'd be overwriting your only copy of new files.
- 3 (show diff) can't work "expected vs current" against HEAD, because HEAD has nothing. The only meaningful "diff" would be against an *internal expected template* inside Codex—not repo truth.

What you should do next (tight + deterministic)

1. Stabilize repo state by ignoring noise (`.pyc`, logs, data outputs, `.venv`, etc.). Right now `git status` is polluted; that makes any "drift" detector freak out.
2. Stage/commit the new social_offload files (or at least stage them) so the tool has a stable baseline next run.
3. Then rerun Codex and it won't get confused.

📦 Copy/paste — create a minimal `.gitignore` to kill the noise

```
Set-Location E:\signal_agent


@"
# Python
__pycache__/
*.pyc


# Virtual env
.venv/
```

```
# Local runs / outputs
logs/
data/
out*.txt
winget_*.txt

# OS
.DS_Store
Thumbs.db
"@ | Set-Content -Encoding UTF8 .gitignore
```

📦 Copy/paste — stage only what matters (new feature)

```
Set-Location E:\signal_agent

git add .gitignore
git add app/agents/social_offload/ app/utils/io_contract.py
tests/integration/test_social_offload_concurrency.py
git add constraints/packs/domain/*_pack.yaml

git status --porcelain=v1
```

If `git status` now looks sane, do either:

- commit (best baseline), or
- just keep staged and proceed.

📦 Copy/paste — commit baseline (recommended)

```
Set-Location E:\signal_agent
git commit -m "Add social_offload agent + IO contract + integration test +
domain packs"
```

One more thing: your earlier `pytest` problem

Your shell now shows `(.venv)` and a bunch of `pytest-9.0.2` cache files, so pytest is probably installed in the venv, but Codex may be invoking system pythoncore (the one that said “No module named pytest”).

If you want Codex to run tests reliably, make sure it runs venv python:

📦 Copy/paste — run pytest via venv explicitly

```
Set-Location E:\signal_agent
.\.venv\Scripts\python.exe -m pytest -vv
```

If that works, the fix is: configure Codex/Antigravity to use `.\.venv\Scripts\python.exe` (or always call pytest via that path).

Net: Pick 2, then stage/commit + `.gitignore` so the “drift” detector has an actual baseline.

You said:

Algorithm Hash Path
--- --- ---
SHA256 7DDC9F428D5568473E61DE3F3FF51E6485C7D2FE5323623596F7D8191D3CA4FE E:\signal_agent\app\utils\io_contract.py

(.venv) PS E:\signal_agent> Get-FileHash tests\integration\test_social_offload_concurrency.py -Algorithm SHA256

Algorithm Hash Path
--- --- ---
SHA256 BE8355B78414973A54D5A8062202623A61F74662DC672C8D097D72AA79586C90 E:\signal_agent\tests\integration\test_social_offload_concurrency.py

(.venv) PS E:\signal_agent> Get-FileHash app\agents\social_offload\social_offload.py -Algorithm SHA256

```
Algorithm       Hash                                                   Path
---------       ----                                                   ----
SHA256          3EA9A60D946909DEA4D4AC4E0CAB457F307DDC5B415B36613DB4B28483E57EF0
E:\signal_agent\app\agents\social_offload\social_offload.py


(.venv) PS E:\signal_agent> Set-Location E:\signal_agent
(.venv) PS E:\signal_agent>
(.venv) PS E:\signal_agent> @"
>> # Python
>> __pycache__/
>> *.pyc
>>
>> # Virtual env
>> .venv/
>>
>> # Local runs / outputs
>> logs/
>> data/
>> out*.txt
>> winget_*.txt
>>
>> # OS
>> .DS_Store
>> Thumbs.db
>> "@ | Set-Content -Encoding UTF8 .gitignore
(.venv) PS E:\signal_agent> Set-Location E:\signal_agent
(.venv) PS E:\signal_agent>
(.venv) PS E:\signal_agent> git add .gitignore
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time
Git touches it
(.venv) PS E:\signal_agent> git add app/agents/social_offload/ app/utils/io_contract.py
tests/integration/test_social_offload_concurrency.py
warning: in the working copy of 'app/agents/social_offload/social_offload.py', LF will be
replaced by CRLF the next time Git touches it
warning: in the working copy of 'app/utils/io_contract.py', LF will be replaced by CRLF
the next time Git touches it
```

```
warning: in the working copy of 'tests/integration/test_social_offload_concurrency.py', LF
will be replaced by CRLF the next time Git touches it
(.venv) PS E:\signal_agent> git add constraints/packs/domain/*_pack.yaml
(.venv) PS E:\signal_agent>
(.venv) PS E:\signal_agent> git status --porcelain=v1
A  .gitignore
 M app/agent.py
A  app/agents/social_offload/social_offload.py
A  app/agents/social_offload/templates/facebook/post.jinja
A  app/agents/social_offload/templates/linkedin_post.jinja
A  app/agents/social_offload/templates/reddit/post.jinja
A  app/agents/social_offload/templates/substack/post.jinja
A  app/agents/social_offload/templates/x/post.jinja
A  app/agents/social_offload/templates/youtube/script.jinja
 M app/hq/capture/__pycache__/decay.cpython-312.pyc
 M app/hq/capture/__pycache__/instability.cpython-312.pyc
 M app/hq/capture/__pycache__/promote.cpython-312.pyc
 M app/hq/capture/__pycache__/router.cpython-312.pyc
 M app/hq/capture/__pycache__/stress.cpython-312.pyc
 M app/hq/capture/decay.py
 M app/hq/capture/instability.py
 M app/hq/capture/promote.py
 M app/hq/capture/router.py
 M app/hq/capture/stress.py
A  app/utils/io_contract.py
A  constraints/packs/domain/facebook_pack.yaml
A  constraints/packs/domain/linkedin_pack.yaml
A  constraints/packs/domain/reddit_pack.yaml
A  constraints/packs/domain/substack_pack.yaml
A  constraints/packs/domain/x_pack.yaml
A  constraints/packs/domain/youtube_pack.yaml
 M constraints/spines/misc/incoming/bundle_20260217_76f8fc62e3be.md
 M data/INDEX_ARTIFACTS.md
 M data/artifact_registry.jsonl
 M data/capture/routing_log.jsonl
 M tests/__pycache__/test_capture_falsification.cpython-312.pyc
A  tests/integration/test_social_offload_concurrency.py
 M tests/test_capture_falsification.py
?? app/hq/dashboard/
?? constraints/spines/ai_stability_diagnostic/
```

```
?? constraints/spines/content_publishing/
?? constraints/spines/misc/incoming/bundle_20260216_76f8fc62e3be__4f83a31920b4742ec69125067ce759569a2ca65674348713c52c9daa0998f7e1.md
?? constraints/spines/misc/incoming/bundle_20260217_2a392509e932.md
?? constraints/spines/misc/incoming/bundle_20260217_2e976b234d10.md
?? constraints/spines/misc/incoming/bundle_20260217_488ba2a2d32d.md
?? constraints/spines/misc/incoming/bundle_20260217_684fa7abc682.md
?? constraints/spines/misc/incoming/bundle_20260217_abf87199e910.md
?? constraints/spines/misc/incoming/bundle_20260217_ae69171d85e4.md
?? constraints/spines/misc/incoming/bundle_20260217_b2392bc22434.md
?? constraints/spines/misc/incoming/bundle_20260217_ca741f388624.md
?? constraints/spines/misc/incoming/bundle_20260217_f72d8c705a60.md
?? constraints/spines/misc/incoming/bundle_20260217_fd65578e336b.md
?? constraints/spines/misc/incoming/bundle_20260220_76f8fc62e3be.md
?? daily_ops.ps1
?? debug_engine.py
?? debug_resolve.py
?? docs/OPERATIONAL_CORE_v1.md
?? docs/capture_layer_v0_3_fix1_validation_report.md
?? docs/capture_layer_v0_3_fix1_walkthrough.md
?? tests/fixtures/
?? tests/integration/test_social_offload_regression.py
?? tests/integration/verify_social_offload_contract.py
?? tools/capture_validate_fix1.py
(.venv) PS E:\signal_agent> Set-Location E:\signal_agent
(.venv) PS E:\signal_agent> git commit -m "Add social_offload agent + IO contract + integration test + domain packs"
[feat/capture_layer_v0.1 edcfeef] Add social_offload agent + IO contract + integration test + domain packs
 16 files changed, 750 insertions(+)
 create mode 100644 .gitignore
 create mode 100644 app/agents/social_offload/social_offload.py
 create mode 100644 app/agents/social_offload/templates/facebook/post.jinja
 create mode 100644 app/agents/social_offload/templates/linkedin_post.jinja
 create mode 100644 app/agents/social_offload/templates/reddit/post.jinja
 create mode 100644 app/agents/social_offload/templates/substack/post.jinja
 create mode 100644 app/agents/social_offload/templates/x/post.jinja
 create mode 100644 app/agents/social_offload/templates/youtube/script.jinja
 create mode 100644 app/utils/io_contract.py
```

```
 create mode 100644 constraints/packs/domain/facebook_pack.yaml
 create mode 100644 constraints/packs/domain/linkedin_pack.yaml
 create mode 100644 constraints/packs/domain/reddit_pack.yaml
 create mode 100644 constraints/packs/domain/substack_pack.yaml
 create mode 100644 constraints/packs/domain/x_pack.yaml
 create mode 100644 constraints/packs/domain/youtube_pack.yaml
 create mode 100644 tests/integration/test_social_offload_concurrency.py
(.venv) PS E:\signal_agent> Set-Location E:\signal_agent
(.venv) PS E:\signal_agent> .\.venv\Scripts\python.exe -m pytest -vv
============================================================================
= test session starts
============================================================================
=
platform win32 -- Python 3.12.10, pytest-9.0.2, pluggy-1.6.0 --
E:\signal_agent\.venv\Scripts\python.exe
cachedir: .pytest_cache
rootdir: E:\signal_agent
plugins: anyio-4.12.1
collected 90 items

tests/integration/test_social_offload_regression.py::test_social_offload_passing_append
s_ok_log_and_advances_output PASSED                                      [  1%]
tests/integration/test_social_offload_regression.py::test_social_offload_failing_appends
_fault_log_and_creates_no_output PASSED                                  [  2%]
tests/test_agent_resilience.py::TestAgentResilience::test_deterministic_jitter PASSED
[  3%]
tests/test_capture_adversarial.py::TestCaptureAdversarial::test_decay_policy PASSED
[  4%]
tests/test_capture_adversarial.py::TestCaptureAdversarial::test_instability_spikes
PASSED                                                                   [  5%]
tests/test_capture_adversarial.py::TestCaptureAdversarial::test_near_duplicate_perturb
ations PASSED                                                            [  6%]
tests/test_capture_adversarial.py::TestCaptureAdversarial::test_router_assigns_spine
PASSED                                                                   [  7%]
tests/test_capture_adversarial.py::TestCaptureAdversarial::test_tf_token_capping
PASSED                                                                   [  8%]
tests/test_capture_falsification.py::TestCaptureFalsification::test_2_stage_decay
PASSED                                                                   [ 10%]
tests/test_capture_falsification.py::TestCaptureFalsification::test_bridge_doc_isolation
PASSED                                                                   [ 11%]
```

```
tests/test_capture_falsification.py::TestCaptureFalsification::test_instability_severity
PASSED                                                                   [ 12%]
tests/test_capture_falsification.py::TestCaptureFalsification::test_router_hash PASSED
[ 13%]
tests/test_capture_layer.py::TestCaptureCreatesFileAndLogs::test_empty_input_creates
_placeholder PASSED                                                      [ 14%]
tests/test_capture_layer.py::TestCaptureCreatesFileAndLogs::test_telemetry_logged
PASSED                                                                   [ 15%]
tests/test_capture_layer.py::TestCaptureCreatesFileAndLogs::test_text_capture
PASSED                                                                   [ 16%]
tests/test_capture_layer.py::TestCaptureCreatesFileAndLogs::test_url_capture PASSED
[ 17%]
tests/test_capture_layer.py::TestCaptureDoesNotTouchArtifactRegistry::test_no_registry
_modification PASSED                                                     [ 18%]
tests/test_capture_layer.py::TestPromoteCreatesBundleFromSimilarInputs::test_dissimil
ar_docs_stay_separate PASSED                                             [ 20%]
tests/test_capture_layer.py::TestPromoteCreatesBundleFromSimilarInputs::test_dry_run
_no_bundle_created PASSED                                                [ 21%]
tests/test_capture_layer.py::TestPromoteCreatesBundleFromSimilarInputs::test_similar_
docs_cluster PASSED                                                      [ 22%]
tests/test_capture_layer.py::TestPromoteLogsLineage::test_lineage_logged PASSED
[ 23%]
tests/test_capture_layer.py::TestPromoteResumableNoDuplicateBundle::test_no_duplic
ate_bundles PASSED                                                       [ 24%]
tests/test_capture_layer.py::TestCaptureStatus::test_status_counts PASSED
[ 25%]
tests/test_dsl.py::TestDSL::test_and_or_not PASSED
[ 26%]
tests/test_dsl.py::TestDSL::test_disallowed_regex_token PASSED
[ 27%]
tests/test_dsl.py::TestDSL::test_empty_predicate_true PASSED
[ 28%]
tests/test_dsl.py::TestDSL::test_eq PASSED
[ 30%]
tests/test_dsl.py::TestDSL::test_gt_numeric PASSED
[ 31%]
tests/test_dsl.py::TestDSL::test_in PASSED
[ 32%]
tests/test_dsl.py::TestDSL::test_invalid_accessor_root_fails PASSED
[ 33%]
```

```
tests/test_dsl.py::TestDSL::test_matches PASSED
[ 34%]
tests/test_enforcement.py::TestEnforcement::test_backoff_scaling PASSED
[ 35%]
tests/test_enforcement.py::TestEnforcement::test_concurrency_throttle PASSED
[ 36%]
tests/test_enforcement.py::TestEnforcement::test_failure_halt_panic PASSED
[ 37%]
tests/test_enforcement.py::TestEnforcement::test_load_shedding PASSED
[ 38%]
tests/test_meme_offload.py::TestDeterministicMemeId::test_different_inputs_different_i
d PASSED                                                                 [ 40%]
tests/test_meme_offload.py::TestDeterministicMemeId::test_id_is_hex PASSED
[ 41%]
tests/test_meme_offload.py::TestDeterministicMemeId::test_id_length PASSED
[ 42%]
tests/test_meme_offload.py::TestDeterministicMemeId::test_same_inputs_same_id
PASSED                                                                   [ 43%]
tests/test_meme_offload.py::TestLimitEnforcement::test_limit_caps_output PASSED
[ 44%]
tests/test_meme_offload.py::TestDenyRules::test_disallowed_terms_detected PASSED
[ 45%]
tests/test_meme_offload.py::TestDenyRules::test_named_person_detected PASSED
[ 46%]
tests/test_meme_offload.py::TestDenyRules::test_no_disallowed_terms PASSED
[ 47%]
tests/test_meme_offload.py::TestDenyRules::test_no_named_person PASSED
[ 48%]
tests/test_meme_offload.py::TestReprojectionFail::test_deny_disallowed_term_raises
PASSED                                                                   [ 50%]
tests/test_meme_offload.py::TestReprojectionFail::test_deny_named_person_raises
PASSED                                                                   [ 51%]
tests/test_meme_offload.py::TestReprojectionFail::test_kernel_phi1_increments_on_fail
PASSED                                                                   [ 52%]
tests/test_meme_offload.py::TestRenderer::test_render_infographic SKIPPED (Pillow
not installed)                                                           [ 53%]
tests/test_meme_offload.py::TestRenderer::test_render_two_panel SKIPPED (Pillow
not installed)                                                           [ 54%]
tests/test_meme_offload.py::TestRendererImportPath::test_render_meme_callable
PASSED                                                                   [ 55%]
```

```
tests/test_meme_offload.py::TestStablePackHash::test_hash_consistency PASSED
[ 56%]
tests/test_meme_offload.py::TestSpecVersionStrictness::test_canonical_version_accept
ed PASSED                                                                [ 57%]
tests/test_meme_offload.py::TestSpecVersionStrictness::test_default_is_canonical
PASSED                                                                   [ 58%]
tests/test_meme_offload.py::TestSpecVersionStrictness::test_empty_rejected PASSED
[ 60%]
tests/test_meme_offload.py::TestSpecVersionStrictness::test_semver_rejected PASSED
[ 61%]
tests/test_meme_offload.py::TestSpecVersionStrictness::test_validate_missing_pack_h
ash PASSED                                                               [ 62%]
tests/test_meme_offload.py::TestSpecVersionStrictness::test_validate_missing_pack_id
PASSED                                                                   [ 63%]
tests/test_meme_offload.py::TestSpecVersionStrictness::test_validate_missing_pack_v
ersion PASSED                                                            [ 64%]
tests/test_meme_offload.py::TestSpecVersionStrictness::test_validate_passes_with_all_
fields PASSED                                                            [ 65%]
tests/test_meme_offload.py::TestSpecVersionStrictness::test_wrong_string_rejected
PASSED                                                                   [ 66%]
tests/test_meme_offload.py::TestTelemetryIncludesPackMetadata::test_meme_offload_
start_has_provenance PASSED                                              [ 67%]
tests/test_meme_offload.py::TestTelemetryIncludesPackMetadata::test_rule_ids_are_de
terministic_order PASSED                                                 [ 68%]
tests/test_meme_offload.py::TestProviderExpansionRequiresPolicyGate::test_expansio
n_disabled_by_default PASSED                                             [ 70%]
tests/test_meme_offload.py::TestProviderExpansionRequiresPolicyGate::test_expansio
n_disabled_without_rule PASSED                                           [ 71%]
tests/test_meme_offload.py::TestProviderExpansionRequiresPolicyGate::test_expansio
n_enabled_with_empty_predicate PASSED                                    [ 72%]
tests/test_meme_offload.py::TestKernelSignalsMemeExpansion::test_no_false_drift_in_
rule_only_mode PASSED                                                    [ 73%]
tests/test_meme_offload.py::TestKernelSignalsMemeExpansion::test_phi1_increments_
on_constraint_violation PASSED                                           [ 74%]
tests/test_meme_offload.py::TestKernelSignalsMemeExpansion::test_regime_stable_wi
thout_violations PASSED                                                  [ 75%]
tests/test_pack_hash.py::TestPackHash::test_pack_hash_excludes_metadata_hash
PASSED                                                                   [ 76%]
tests/test_pack_hash.py::TestPackHash::test_pack_hash_is_deterministic PASSED
[ 77%]
```

```
tests/test_policy_engine.py::TestDSL::test_basic_ops PASSED
[ 78%]
tests/test_policy_engine.py::TestDSL::test_dsl_violation_bad_op PASSED
[ 80%]
tests/test_policy_engine.py::TestDSL::test_logic_ops PASSED
[ 81%]
tests/test_policy_engine.py::TestDSL::test_regex_matches PASSED
[ 82%]
tests/test_policy_engine.py::TestDSL::test_regex_safety PASSED
[ 83%]
tests/test_policy_engine.py::TestPolicyEngine::test_emergency_override PASSED
[ 84%]
tests/test_policy_engine.py::TestPolicyEngine::test_limit_aggregation PASSED
[ 85%]
tests/test_policy_engine.py::TestPolicyEngine::test_scope_priority PASSED
[ 86%]
tests/test_reprojection.py::TestReprojection::test_boundary_max_claims_triggers_fail
PASSED                                                                   [ 87%]
tests/test_reprojection.py::TestReprojection::test_disallowed_phrase_triggers_fail
PASSED                                                                   [ 88%]
tests/test_reprojection.py::TestReprojection::test_extract_sections_parses_markdown_h
eaders PASSED                                                            [ 90%]
tests/test_reprojection.py::TestReprojection::test_reproject_checkpoint_integration
PASSED                                                                   [ 91%]
tests/test_reprojection.py::TestReprojection::test_soft_score_warn_threshold PASSED
[ 92%]
tests/test_reprojection_v2.py::TestReprojectionV2::test_v2_deny_rule_triggers_fail
PASSED                                                                   [ 93%]
tests/test_reprojection_v2.py::TestReprojectionV2::test_v2_limit_rule_enforced
PASSED                                                                   [ 94%]
tests/test_reprojection_v2.py::TestReprojectionV2::test_v2_wrong_capability_ignored
PASSED                                                                   [ 95%]
tools/test_resilience.py::test_deterministic_jitter PASSED
[ 96%]
tools/test_resilience.py::test_telemetry_call_chain PASSED
[ 97%]
tools/test_resilience.py::test_attempts_counting_only_real_calls PASSED
[ 98%]
tools/test_resilience.py::test_circuit_half_open_logic PASSED
[100%]
```

```
=============================================================================== warnings summary ===============================================================================
tests/test_agent_resilience.py: 12 warnings
  E:\signal_agent\app\agent.py:39: DeprecationWarning: datetime.datetime.utcnow() is deprecated and scheduled for removal in a future version. Use timezone-aware objects to represent datetimes in UTC: datetime.datetime.now(datetime.UTC).
    event["timestamp"] = datetime.utcnow().isoformat()

-- Docs: https://docs.pytest.org/en/stable/how-to/capture-warnings.html
========================================================== 88 passed, 2 skipped, 12 warnings in 7.19s ==========================================================
(.venv) PS E:\signal_agent>
```

ChatGPT said:

Good. You turned a “drift” situation into a tracked baseline and proved the stack is coherent:

- New files are now tracked (commit `edcfeef`).
- `pytest` ran under venv python and the suite is green (`88 passed, 2 skipped`).
- The earlier Codex stop condition was effectively a git-baseline absence + noisy working tree problem, not real corruption.

Now do three cleanup moves so this doesn’t recur.

---

1) Fix the CRLF/LF warnings (make it deterministic)

Those warnings are harmless, but they’ll keep showing up and can create “diff churn” later.

Pick one standard and enforce it.

Option A (recommended on Windows): keep CRLF in working tree, normalize in repo

📦 Copy/paste

```
Set-Location E:\signal_agent


@"
# Normalize line endings in repo; allow Windows working tree CRLF
* text=auto


# Force LF for source files in repo
*.py   text eol=lf
*.md   text eol=lf
*.yaml text eol=lf
*.yml  text eol=lf
*.jinja text eol=lf
*.j2   text eol=lf
"@ | Set-Content -Encoding UTF8 .gitattributes


git add .gitattributes
git commit -m "Add .gitattributes for deterministic line endings"
```

---

2) Your `.gitignore` is too broad (it currently ignores data/)

Right now you're tracking files under `data/` (modified ones show up), but your new `.gitignore` ignores `data/`. That's a trap: future `data/*` changes become invisible/unaddable, and you'll get confusing behavior.

If `data/` is meant to be generated, stop tracking it and ignore it.

If `data/` contains core artifacts, don't ignore it—ignore only subfolders that are generated.

Given your repo already tracks `data/INDEX_ARTIFACTS.md`, `data/artifact_registry.jsonl`, etc., the safer move is: don't ignore all of `data/`. Ignore only run outputs.

📦 Copy/paste — tighten `.gitignore`

```
Set-Location E:\signal_agent


@"
# Python
__pycache__/
*.pyc

# Virtual env
.venv/

# Local runs / outputs (keep repo data/ tracked; ignore only generated subpaths)
logs/
data/logs/
data/state/
data/social_offload/
data/capture/raw/
data/capture/archive/
data/capture/promoted/
data/docs/processed/.tmp_*

out*.txt
winget_*.txt
```

```
# OS
.DS_Store
Thumbs.db
"@ | Set-Content -Encoding UTF8 .gitignore

git add .gitignore
git commit -m "Tighten .gitignore to avoid masking tracked data/"
```

---

3) Make Codex always use the venv python (so “pytest not installed” never returns)

You proved `.\.venv\Scripts\python.exe -m pytest -vv` works. So the deterministic rule is: never call `python` bare.

If you want a simple “one command” for Codex / you:

📦 Copy/paste — add a repo-local test runner

```
Set-Location E:\signal_agent

@"
param(
 [string[]]`$Args
)
& .\.venv\Scripts\python.exe -m pytest -vv @Args
exit `$LASTEXITCODE
"@ | Set-Content -Encoding UTF8 .\tools\test.ps1

git add tools/test.ps1
git commit -m "Add deterministic pytest runner using venv python"
```

Then you (and Codex) can run:

```
.\tools\test.ps1
```

Optional: the warnings summary

`datetime.utcnow()` deprecation isn't breaking anything, but if you want to harden it later, change to `datetime.now(timezone.utc)` in `app/agent.py`.

If you want, paste the top of `app/agent.py` around line ~39 and I'll give you the exact patch.

You said:

```
ensure_parent_dir(self.path)
 48 +        self._fh = open(self.path, "a+b")
 49 +        if self._fh.tell() == 0:
 50 +            self._fh.write(b"\0")
 51 +            self._fh.flush()
 52 +            os.fsync(self._fh.fileno())
 53 +
 54 +        for attempt in range(self.retries):
 55              try:
 42 -                tmp_path.unlink()
 56 +                self._try_lock_nonblocking()
 57 +                return self
 58              except OSError:
 44 -                pass
 45 -        raise e
 46 -
 47 -    return {"final_path": final_path, "tmp_path": tmp_path}
 59 +                if attempt == self.retries - 1:
 60 +                    raise TimeoutError(f"Unable to acquire lock: {self.path}")
 61 +                time.sleep(self.base_sleep_s * (attempt + 1))
 62 +        raise TimeoutError(f"Unable to acquire lock: {self.path}")
 63 +
 64 +    def __exit__(self, exc_type, exc, tb) -> None:
 65 +        try:
 66 +            self._unlock()
```

```
67 +        finally:
68 +            if self._fh is not None:
69 +                self._fh.close()
70 +                self._fh = None
71
72 +    def _try_lock_nonblocking(self) -> None:
73 +        if self._fh is None:
74 +            raise RuntimeError("Lock handle not initialized")
75
50 -def append_jsonl_atomic(jsonl_path: Path, record: Dict[str, Any], lock_path: Path
| None = None, retries: int = 30, base_sleep_s: float = 0.02) ->
    None:
51 -    """
52 -    Appends a JSON record to a JSONL file using a basic lockfile for concurrency.
53 -    Supports Windows where fcntl is not available.
54 -    """
55 -    jsonl_path.parent.mkdir(parents=True, exist_ok=True)
76 +        if os.name == "nt":
77 +            import msvcrt
78 +
79 +            self._fh.seek(0)
80 +            msvcrt.locking(self._fh.fileno(), msvcrt.LK_NBLCK, 1)
81 +            return
82 +
83 +        import fcntl
84 +
85 +        fcntl.flock(self._fh.fileno(), fcntl.LOCK_EX | fcntl.LOCK_NB)
86 +
87 +    def _unlock(self) -> None:
88 +        if self._fh is None:
89 +            return
90 +
91 +        if os.name == "nt":
92 +            import msvcrt
93 +
94 +            self._fh.seek(0)
95 +            msvcrt.locking(self._fh.fileno(), msvcrt.LK_UNLCK, 1)
96 +            return
97 +
98 +        import fcntl
```

```
 99 +
100 +        fcntl.flock(self._fh.fileno(), fcntl.LOCK_UN)
101 +
102 +
103 +def append_jsonl_atomic(
104 +    jsonl_path: Path,
105 +    record: dict,
106 +    lock_path: Path | None = None,
107 +    retries: int = 30,
108 +    base_sleep_s: float = 0.02,
109 +) -> None:
110 +    jsonl_path = Path(jsonl_path)
111 +    ensure_parent_dir(jsonl_path)
112 +
113      if lock_path is None:
114          lock_path = jsonl_path.with_suffix(jsonl_path.suffix + ".lock")
 58 -
 59 -    for attempt in range(retries):
 60 -        try:
 61 -            # Atomic lock acquisition using open(..., x) - fails if exists
 62 -            fd = os.open(str(lock_path), os.O_CREAT | os.O_EXCL |
os.O_WRONLY)
 63 -            os.close(fd)
 64 -            break
 65 -        except FileExistsError:
 66 -            if attempt == retries - 1:
 67 -                raise TimeoutError(f"Failed to acquire lock {lock_path} after {retries}
attempts.")
 68 -            time.sleep(base_sleep_s)
 69 -
 70 -    try:
 71 -        # Now we have the lock, append to file
 72 -        with open(jsonl_path, "a", encoding="utf-8") as f:
 73 -            f.write(json.dumps(record) + "\n")
 74 -            f.flush()
 75 -            os.fsync(f.fileno())
 76 -    finally:
 77 -        # Release lock
 78 -        try:
 79 -            lock_path.unlink(missing_ok=True)
```

```
 80 -        except OSError:
 81 -            pass
115 +    lock_path = Path(lock_path)
116 +    ensure_parent_dir(lock_path)
117 +
118 +    line = json.dumps(record, separators=(",", ":"), ensure_ascii=False) + "\n"
119 +    payload = line.encode("utf-8")
120 +
121 +    with _FileLock(lock_path, retries=retries, base_sleep_s=base_sleep_s):
122 +        with open(jsonl_path, "ab+") as f:
123 +            f.seek(0, os.SEEK_END)
124 +            start_pos = f.tell()
125 +            try:
126 +                written = f.write(payload)
127 +                if written != len(payload):
128 +                    raise OSError(f"Short write for {jsonl_path}: wrote {written} of
{len(payload)} bytes")
129 +                f.flush()
130 +                os.fsync(f.fileno())
131 +            except Exception:
```

• Deleted e:/signal_agent/tests/integration/test_social_offload_concurrency.py (+0 -67)

```
  1 -import json
  2 -import subprocess
  3 -import sys
  4 -import tempfile
  5 -from concurrent.futures import ThreadPoolExecutor, as_completed
  6 -from pathlib import Path
  7 -
  8 -REPO_ROOT = Path(__file__).resolve().parents[2]
  9 -SOCIAL_OFFLOAD_SCRIPT = REPO_ROOT / "app" / "agents" / "social_offload"
/ "social_offload.py"
 10 -PACK_PATH = REPO_ROOT / "constraints" / "packs" / "domain" /
"linkedin_pack.yaml"
 11 -PASSING_FIXTURE = REPO_ROOT / "tests" / "fixtures" / "social_offload" /
"core_artifact.md"
 12 -
 13 -
```

```
14 -def run_worker(out_dir: Path, log_path: Path) ->
subprocess.CompletedProcess[str]:
15 -    cmd = [
16 -        sys.executable,
17 -        str(SOCIAL_OFFLOAD_SCRIPT),
18 -        "--artifact", str(PASSING_FIXTURE),
19 -        "--channel", "linkedin",
20 -        "--out", str(out_dir),
21 -        "--log", str(log_path),
22 -        "--pack", str(PACK_PATH),
23 -    ]
24 -    return subprocess.run(cmd, cwd=str(REPO_ROOT), text=True,
capture_output=True, check=False)
25 -
26 -
```

Would you like to make the following edits?

e:/signal_agent/tests/integration/test_social_offload_concurrency.py (+0 -67)

```
1 -import json
2 -import subprocess
3 -import sys
4 -import tempfile
5 -from concurrent.futures import ThreadPoolExecutor, as_completed
6 -from pathlib import Path
7 -
8 -REPO_ROOT = Path(__file__).resolve().parents[2]
9 -SOCIAL_OFFLOAD_SCRIPT = REPO_ROOT / "app" / "agents" / "social_offload"
/ "social_offload.py"
10 -PACK_PATH = REPO_ROOT / "constraints" / "packs" / "domain" /
"linkedin_pack.yaml"
11 -PASSING_FIXTURE = REPO_ROOT / "tests" / "fixtures" / "social_offload" /
"core_artifact.md"
12 -
13 -
14 -def run_worker(out_dir: Path, log_path: Path) ->
subprocess.CompletedProcess[str]:
15 -    cmd = [
```

```
16 -        sys.executable,
17 -        str(SOCIAL_OFFLOAD_SCRIPT),
18 -        "--artifact", str(PASSING_FIXTURE),
19 -        "--channel", "linkedin",
20 -        "--out", str(out_dir),
21 -        "--log", str(log_path),
22 -        "--pack", str(PACK_PATH),
23 -    ]
24 -    return subprocess.run(cmd, cwd=str(REPO_ROOT), text=True,
capture_output=True, check=False)
25 -
26 -
27 -def run_concurrency_test() -> None:
28 -    # Use a real temp directory wrapper
[… 71 lines] ctrl + a view all

› 1. Yes, proceed (y)
  2.6Yes, and don't ask again for these files (a)
  3.6No, and tell Codex what to do differently (esc)

  Press enter to confirm or esc to cancel
```

ok this is where my cli is at. i havent done anyhting with it since ive done all that other stuff we just did in powershell

ChatGPT said:

Do not hit `y`. Hit `esc`.

What Codex is proposing right now includes deleting `tests/integration/test_social_offload_concurrency.py`. You just committed that file and your suite passed. A deletion here is almost certainly Codex “correcting” based on a stale plan, not repo reality.

After you press `esc`, you want to *re-anchor Codex to the current git state* and then give it a narrow, deterministic instruction: only apply the `io_contract.py` lock improvements, and do not touch tests unless a test fails.

📦 Copy/paste — exact CLI steps (safe)

```
ESC


# then in PowerShell (or the same shell, if you can):
cd E:\signal_agent
git status --porcelain=v1
git log -1 --oneline


# show Codex the current baseline + forbid deletes
# (paste this as your next Codex instruction)


You are on branch feat/capture_layer_v0.1 with commit edcfeef and pytest
is green (88 passed, 2 skipped).
Do NOT delete or modify any integration tests.
Do NOT remove tests/integration/test_social_offload_concurrency.py.
Task: apply ONLY the io_contract.py change (file-lock improvements) in a
minimal patch.
After patch: run .\.venv\Scripts\python.exe -m pytest -vv.
If any tests fail, fix only what is required to make tests pass.
```

Why `esc` is the right move

- The diff snippet you pasted shows two unrelated actions: (a) rewriting the atomic append + lock behavior, and (b) deleting the concurrency test.
- Deleting the test is the classic “make the suite pass by removing the test” failure mode. You already have a passing suite; keep the test.

If Codex keeps trying to delete that test

You hard-block it by staging it as “must remain” and forcing any deletion to be obvious.

📦 Copy/paste — guardrail

```
cd E:\signal_agent
```

```
git restore --staged tests/integration/test_social_offload_concurrency.py 2>$null

git add --intent-to-add tests/integration/test_social_offload_concurrency.py

git status --porcelain=v1
```

(That doesn't lock it, but it makes the file's presence explicit in your workflow.)

If you want, paste the full proposed patch for `app/utils/io_contract.py` (not the whole file—just the diff) and I'll sanity-check whether the lock semantics are safe on Windows (msvcrt byte-range locking has sharp edges).

You said:

⚠

ok im here. give me axact prompt for codex cli

ChatGPT said:

📦 Codex CLI prompt (paste verbatim)

```
You are operating inside repo: E:\signal_agent on Windows.


Context:

- I already committed the social_offload agent + IO contract + concurrency test + domain packs.

- Pytest is green when run via venv: .\.venv\Scripts\python.exe -m pytest -vv (88 passed, 2 skipped).

- Your last proposed patch attempted to DELETE tests/integration/test_social_offload_concurrency.py. That is forbidden.


Hard rules:
```

```
1) DO NOT delete, rename, or modify ANY files under tests/integration/
(including test_social_offload_concurrency.py).

2) DO NOT change app/agents/social_offload/* or constraints/packs/domain/*
in this task.

3) Only touch app/utils/io_contract.py (and, if absolutely required to
pass tests, the smallest additional change elsewhere — but you must ask
before touching anything besides io_contract.py).

4) No "fix" by removing tests. Ever.


Task:

- Implement a robust cross-platform file lock in app/utils/io_contract.py
for append_jsonl_atomic.

- Keep semantics: atomic append of a single JSON line; fsync;
deterministic JSON encoding; bounded retry/backoff; no unbounded waits.

- Windows must work using msvcrt (non-blocking lock of 1 byte is
acceptable); POSIX can use fcntl.flock.

- Ensure the lockfile is created if missing; do not leave stale lockfiles;
release lock in all paths.


Verification:

- After edits, run: .\.venv\Scripts\python.exe -m pytest -vv

- If ANY test fails, fix only io_contract.py until green. If you believe
another file must change, stop and ask.


Output:

- Show a concise diff for app/utils/io_contract.py.

- Show pytest command output summary (pass/fail + failing test names if
any).
```

If Codex proposes touching or deleting `tests/integration/*` again, immediately cancel and tell it: “Tests are immutable in this task; revert and proceed with io_contract.py only.”

You said:

⚠

ChatGPT said:

Nice — this is the exact outcome you wanted:

- No test deletions
- Only io_contract atomic append path changed
- Pytest green

Now you just need to do the “ship it” steps: inspect the real diff (not the abbreviated summary), sanity-check two edge cases, then commit.

2 sanity checks before commit

1. Lock correctness on Windows

- `msvcrt.locking(..., LK_NBLCK, 1)` works *only if the file has at least 1 byte*. The implementation you showed earlier (writing a `\0` if empty) is the right fix. Confirm that’s still in the actual file.

2. Atomicity semantics

- You’re writing in `ab+`, seeking to end, recording `start_pos`, writing bytes, fsync.
- On exception you seek/truncate back to `start_pos`. Good.
- This makes “partial line” rollback best-effort on the same process. (If the process crashes mid-write, the lock prevents concurrent writers but can’t prevent OS-level partial write; your truncate-on-exception covers non-crash errors.)

Do this now

📦 Copy/paste — verify full diff + confirm the “1 byte lockfile” guard exists

```
cd E:\signal_agent


git diff -- app\utils\io_contract.py
```

```
# Quick grep for the critical guard (should exist if using msvcrt byte-lock)
Select-String -Path app\utils\io_contract.py -Pattern "msvcrt\.locking","b""\\0""","tell\(\) == 0","LK_NBLCK","LK_UNLCK"
```

If you see:

- `if self._fh.tell() == 0: self._fh.write(b"\0") ...` ✅
- `msvcrt.locking(..., LK_NBLCK, 1)` and unlock counterpart ✅
  then you're good.

Commit it

📦 Copy/paste — commit

```
cd E:\signal_agent
git add app\utils\io_contract.py
git commit -m "Harden append_jsonl_atomic with cross-platform nonblocking file lock"
```

One optional hardening (only if you care)

If your lock path is `something.jsonl.lock`, you're locking a separate lockfile, not the JSONL itself. That's fine. Just ensure the lockfile is never deleted (you're not deleting it anymore), which avoids stale-delete races. Good.

If you paste the `git diff -- app\utils\io_contract.py` output, I'll do a final quick scan for any subtle Windows pitfalls (newline encoding, file handle lifetime, unlock behavior on exception paths).

You said:

⚠️

ChatGPT said:

Perfect — that grep output confirms the two critical Windows invariants:

- `if self._fh.tell() == 0: self._fh.write(b"\0")` ✅ (ensures the file has 1 byte so byte-range locking is valid)
- `msvcrt.locking(... LK_NBLCK, 1)` and `LK_UNLCK` ✅ (non-blocking acquire + proper release)

So you're clear to commit.

📦 Copy/paste — commit exactly this change

```
cd E:\signal_agent

git add app\utils\io_contract.py

git commit -m "Harden append_jsonl_atomic with cross-platform nonblocking file lock"
```

One small optional refinement (not required)

Your first `Select-String` call failed because `-Pattern` parsing didn't like the comma-separated string list. The correct PowerShell form is the array you ended up using:

📦 Copy/paste — reusable grep

```
Select-String -Path app\utils\io_contract.py -Pattern @('msvcrt\.locking','b"\0"','tell\(\) == 0','LK_NBLCK','LK_UNLCK')
```

If you run `git status --porcelain=v1` after the commit and paste it, I'll tell you what's safe to commit next vs what's pure runtime noise (pyc/log/data churn).

You said:

⚠️

⚠️

ChatGPT said:

Good — that commit is done cleanly.

- Commit: `d16a59b`
- File: `app/utils/io_contract.py`
- The Windows lock guard is present (`tell()==0` + `write(b"\0")`)
- Lock/unlock calls are present (`LK_NBLCK` / `LK_UNLCK`)

Next step is just: make sure your working tree is clean and then decide what (if anything) to commit next.

📦 Copy/paste — confirm clean + show what's left

```
cd E:\signal_agent

git status --porcelain=v1

git log -3 --oneline
```

What I expect you'll see (based on earlier status)

- A bunch of `__pycache__/*.pyc` noise
- Possibly `data/*` churn from running capture
- Maybe `logs/*` files

If you still see `.pyc` or `.venv/` showing up, that means your `.gitignore` either isn't committed yet, or it's too permissive/too broad. We'll handle it in one of two ways:

A) If those files are untracked (??): your `.gitignore` will hide them after it's committed.

B) If those files are tracked (M): `.gitignore` won't help; we have to untrack them once with `git rm --cached`.

When you paste the `git status --porcelain=v1` output, I'll tell you exactly which lines are safe to:

- ignore,
- untrack,
- or commit as part of the next deterministic step.

You said:

Windows PowerShell

```
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements!
https://aka.ms/PSWindows

PS C:\Users\mrcol> cd E:\signal_agent
PS E:\signal_agent> git status --porcelain=v1
 M app/agent.py
 M app/agents/social_offload/social_offload.py
 M app/hq/capture/__pycache__/decay.cpython-312.pyc
 M app/hq/capture/__pycache__/instability.cpython-312.pyc
 M app/hq/capture/__pycache__/promote.cpython-312.pyc
 M app/hq/capture/__pycache__/router.cpython-312.pyc
 M app/hq/capture/__pycache__/stress.cpython-312.pyc
 M app/hq/capture/decay.py
 M app/hq/capture/instability.py
 M app/hq/capture/promote.py
 M app/hq/capture/router.py
 M app/hq/capture/stress.py
 M constraints/spines/misc/incoming/bundle_20260217_76f8fc62e3be.md
 M data/INDEX_ARTIFACTS.md
 M data/artifact_registry.jsonl
 M data/capture/routing_log.jsonl
 M tests/__pycache__/test_capture_falsification.cpython-312.pyc
 M tests/test_capture_falsification.py
?? .tmp/
?? app/hq/dashboard/
?? constraints/spines/ai_stability_diagnostic/
?? constraints/spines/content_publishing/
?? constraints/spines/misc/incoming/bundle_20260216_76f8fc62e3be__4f83a31920b4742ec69125067ce759569a2ca65674348713c52c9daa0998f7e1.md
?? constraints/spines/misc/incoming/bundle_20260217_2a392509e932.md
?? constraints/spines/misc/incoming/bundle_20260217_2e976b234d10.md
?? constraints/spines/misc/incoming/bundle_20260217_488ba2a2d32d.md
?? constraints/spines/misc/incoming/bundle_20260217_684fa7abc682.md
?? constraints/spines/misc/incoming/bundle_20260217_abf87199e910.md
?? constraints/spines/misc/incoming/bundle_20260217_ae69171d85e4.md
?? constraints/spines/misc/incoming/bundle_20260217_b2392bc22434.md
?? constraints/spines/misc/incoming/bundle_20260217_ca741f388624.md
```

?? constraints/spines/misc/incoming/bundle_20260217_f72d8c705a60.md
?? constraints/spines/misc/incoming/bundle_20260217_fd65578e336b.md
?? constraints/spines/misc/incoming/bundle_20260220_76f8fc62e3be.md
?? constraints/spines/misc/incoming/bundle_20260221_76f8fc62e3be.md
?? daily_ops.ps1
?? data/capture/instability_state.json
?? data/capture/promotion_log.jsonl
?? data/docs/processed/bundle_20260217_0b0ba285a694__0ccbf3e0c4d4520f16f189cad860eba01a03461317cc589dee176816b68a4fa7.md
?? data/docs/processed/bundle_20260217_0b246b450f2b__3861a93726e718e5105e9affab08585ecae9da17964b78edc8e2bf5c63ae8f3c.md
?? data/docs/processed/bundle_20260217_147c4f114b15__186fa632c7e9819a80ed2f43316f24041ec1f140c5372b1760d529382208a7c3.md
?? data/docs/processed/bundle_20260217_171f5bf62626__c564e24c500b22df45f14411866b0f9d5fde7d6469b2f15002aee28efe0175e8.md
?? data/docs/processed/bundle_20260217_1847826616a2__5d61322253c5268a656cc9c78a6106347838b18887b77a0a7c4a681a5eab9e7d.md
?? data/docs/processed/bundle_20260217_1adc218606de__b2c9ca92efbdc4a0871aa24bc35784c9a904e5d28bb295e03c20bfd125062120.md
?? data/docs/processed/bundle_20260217_1e3825f1dd3b__5a522fee95325f2de5c086b6bba3919685f524fa7ac69b1077449018b2595e92.md
?? data/docs/processed/bundle_20260217_205a01994854__44c282379986fb1f8fe7b2df0c26e3139d6eceb092b2d33fcdf8a7abeb971d0d.md
?? data/docs/processed/bundle_20260217_280e5d8481aa__4112cebafb6cb169bb6b232ac361cccf1b0a86d85db3f2b4f87f88bb53b78dfd.md
?? data/docs/processed/bundle_20260217_2823da584d1a__7ccb2482ded1ccaface2114aeab34662e132c455426e1c78fa4af2aeafc70e30.md
?? data/docs/processed/bundle_20260217_2a392509e932__3f17e4d534fb80f4796d05eff303fc902ce408a426d0066c476242e5d421c076.md

??
data/docs/processed/bundle_20260217_2ceb53d24095__5736eeb1b1c159958c3e4da
d53cd10c2168d056a8e931eabd4828a588df9cc5e.md
??
data/docs/processed/bundle_20260217_2fe007337269__1e4a4ce495f3749b2e5c5172
1fe6e17a80900d38a6c9ccb308a9229b7bd9c63a.md
??
data/docs/processed/bundle_20260217_36cf4a7da767__92e1ce33783af77a521605c7
760a8518da890d239bda45c6e31e5569c8adc7ae.md
??
data/docs/processed/bundle_20260217_3a612b387385__9f016d40a2f849c4219ef3553
9ff35c7d72b0bcc7855b2564d6db5dc904a7412.md
??
data/docs/processed/bundle_20260217_3b4fa34ca53a__6952bcbff0769d5741cd4924b
5a9a7d17b19814ac248e70baa3bd06ef0d8caaf.md
??
data/docs/processed/bundle_20260217_3bac41af646f__3025b43872835e8bad39cb7e
6c22eef45846cceb02766e0579888a95d81c7795.md
??
data/docs/processed/bundle_20260217_3c4d2c7850ea__f5f9e34b426c330a2e42df8ef
1c1c8d15cb487d480e40cae3a62baacf2260a33.md
??
data/docs/processed/bundle_20260217_58dcfc16ff4b__71485e83558feef509bfac316a
1da0e719ebac34d4ea04b15cc0872e8b0c4425.md
??
data/docs/processed/bundle_20260217_5a16c28f7997__f9c3ffbd544f1454e3b0b594c1
8b7297032cc00b52c3fefa25279c7a15697348.md
??
data/docs/processed/bundle_20260217_684fa7abc682__e5ac0a8f10ab9f5e0e79f798e
ec75182aabee977ce3ec338e8a8c5bba29a3f1a.md
??
data/docs/processed/bundle_20260217_89f259f87abf__fe281d836093db08f9dc11febf0
c7bccc5dcb1fc56191f0d551433b266edcbe5.md
??
data/docs/processed/bundle_20260217_8d4be697c3a8__ab49f673c15daae6028f490d
ef0e97c173ac28daaa0fceebbc171534c9f78667.md
??
data/docs/processed/bundle_20260217_90f66a67c7e9__85d18cace3a71e47a808ae2d
5dcb808ee5badecf24b416f34472b4d12165ec5b.md

??
data/docs/processed/bundle_20260217_9475f5d37a30__ee87c9b89e08e0bcf96be3f51ab7dd97be18bbf3a325dd2856a116cacbcbb2d1.md
??
data/docs/processed/bundle_20260217_957e5b1e5091__cfcc21ec4bc6b18e5558b3a196ec674c636e5c765658e2c520e77c2f3e75a4ca.md
??
data/docs/processed/bundle_20260217_99915971d463__433dbfc502e027a424ea720274272944f8129af687130b72e7cfe5fd024c7f7f.md
??
data/docs/processed/bundle_20260217_9d82cd9b49c0__d181495ba92625cd624dab5437207b327257a2429ec3f0d1b339481afb041ee3.md
??
data/docs/processed/bundle_20260217_ada6a7554d2f__ee84ac28709194385d51ecd67214e1215d23ca2d60c9d4b32f6a12c91448ce98.md
??
data/docs/processed/bundle_20260217_b0840a629c71__d33d6e4ff9d9ae8dd136f3ca7faba0dbe2dab4226f5e2375a6b04415b86d2044.md
??
data/docs/processed/bundle_20260217_b1357fb9e379__9dba42a69eee9ad5b6f8a231788abe506bfe0636ec950114bcc67286c2dc69ac.md
??
data/docs/processed/bundle_20260217_b2392bc22434__69e5c34e542ffb803d9ff944acb3c4d1e2289b1dc187f8a3cac5093189ed93eb.md
??
data/docs/processed/bundle_20260217_b5acb6f41dad__5cf9fb86e7d18af2bcd720f9b449549a683d3603455c4991f2c1e6f47f160ca8.md
??
data/docs/processed/bundle_20260217_c5e974ad6313__6e7f3ce01d10db92730cb40f4b19d20360b2269a3a538d4f6b3d7ba1028970c6.md
??
data/docs/processed/bundle_20260217_c5f15091d84b__884b5500427507d67c7b87fdd216f6a0933d5100c94e0a1bc8d0e4d6459b462b.md
??
data/docs/processed/bundle_20260217_c8ae47cdbf5a__a0520c68539d1dc3841aebafb81eb26c2525bde4b1b5312d25bd492d5b819679.md
??
data/docs/processed/bundle_20260217_ca741f388624__dd95cb4ed28ada215d30305979b830dfb9bb1f8acd5bd102f803c299c9b73c12.md

??
data/docs/processed/bundle_20260217_cb5d1ae6c659__c6ba49e6da1011f98af45dcc63367a3d73c1f4bc4ff3218c38fc0303ad560adc.md
??
data/docs/processed/bundle_20260217_cbcc364f5b36__23278c39394232f2e0566ebc00b9c994023f9b1e6e9cd1fad6e585cc18f9df1c.md
??
data/docs/processed/bundle_20260217_d3bfd3d5425f__f2c30e25e5704ca61b5daf5fd64406f1bfb92cfbaed9c5136576f5bebfbeb537.md
??
data/docs/processed/bundle_20260217_d58705994f29__bdbb51fa85a9b16cab81bc03016f49b94b7167eff0cad75e31101470f4f3f63f.md
??
data/docs/processed/bundle_20260217_d58d6cb77cf4__c01aefee7ba50535317c167fffbb89e2147505236a62135402699c0a4a6faa57.md
??
data/docs/processed/bundle_20260217_d8c802543007__6c6c7aaa6dbc608b69dd1c0762a379b8ae3d2dfe506bcd7ba53dafea13d7c3f9.md
??
data/docs/processed/bundle_20260217_daf4ffbcae6d__faec0cbcc373a4fcd412d6c6f1e6a44bf25f875726c98aa106dff5e7a1235df9.md
??
data/docs/processed/bundle_20260217_dd027b1b4a3d__7ab8a68347c262838a1b5134b59394634fe7e5b16db5f0d4200037531c802b69.md
??
data/docs/processed/bundle_20260217_dd9725c2618a__a510f787a4acecc27009a2ad64e963b1562156d2aec6e4ea66546ffce1f480bf.md
??
data/docs/processed/bundle_20260217_e0f9fd520d71__bd13c704eedf2616a3193b8cd975e44e949cd9e2bdfced00bebf8ede65f6a125.md
??
data/docs/processed/bundle_20260217_e12669ca8dbc__6e97f754014f1b6589d8026d5dc338354b362835700c8b121bf3057a00ef9990.md
??
data/docs/processed/bundle_20260217_e3bf82ff9871__8ea1995131924130f6ab11b7df1ca76a69c064c5fc952585950f5e15cce21a72.md
??
data/docs/processed/bundle_20260217_e414f5674167__74a7d62ed44ada20e741439eb3bc62ff0799e108031c2532f2a3de65b7eecad4.md

```
?? data/docs/processed/bundle_20260217_e76b0fd77e60__bb51ea5157ffa87570e19115af21fef335f955aede60a076c0f30f347d671a54.md
?? data/docs/processed/bundle_20260217_e85731116e62__0cc0b71f479a794958994629330271243e141bcb2628fe6eff519fe104f7bc93.md
?? data/docs/processed/bundle_20260217_ec153cadf47c__aa4bfba4d994e51fd319f1e687ac1b714a84caead30dbdeaf58c163ecf8ea657.md
?? data/docs/processed/bundle_20260217_f8579d3df701__5b46469cf8885cc05097e5b37acea305355b3671f73bb88c70f7bf01caf3bedf.md
?? data/docs/processed/bundle_20260217_f956a753fc43__f1988353509159cbd2edfdf833971ae8a49bc57ce77008b65a0c6d535e7ae801.md
?? debug_engine.py
?? debug_resolve.py
?? docs/OPERATIONAL_CORE_v1.md
?? docs/capture_layer_v0_3_fix1_validation_report.md
?? docs/capture_layer_v0_3_fix1_walkthrough.md
?? tests/fixtures/
?? tests/integration/test_social_offload_regression.py
?? tests/integration/verify_social_offload_contract.py
?? tools/capture_validate_fix1.py
PS E:\signal_agent> git log -3 --oneline
```

ChatGPT said:

You're not clean. But it's cleanly classifiable.

What's happening

1. Tracked junk (shows as `M`): the `.pyc` files + your `data/*.jsonl` logs are already tracked in git. `.gitignore` won't stop those until you untrack them once.
2. Legit code changes (also `M`):

- `app/agent.py`
- `app/agents/social_offload/social_offload.py`
- `app/hq/capture/*.py`
- `tests/test_capture_falsification.py`

  These are real; we should review diffs before committing.

3. Generated artifacts (shows as `??`):

- `data/docs/processed/*`, `constraints/spines/misc/incoming/bundle_*`, `.tmp/` etc.
  These should almost certainly be ignored (unless you intentionally version them).

Step 1 — fix `.gitignore` (minimal + correct)

📦 Copy/paste

```
cd E:\signal_agent


@"
# Python
__pycache__/
*.pyc
*.pyo
*.pyd

# Virtual env
.venv/

# Local scratch
.tmp/
*.tmp

# Local outputs (do not commit)
data/
logs/
out*.txt
winget_*.txt
```

```
# OS
.DS_Store
Thumbs.db
"@ | Set-Content -Encoding UTF8 .gitignore

git add .gitignore
```

This stops new junk from becoming untracked noise.

Step 2 — untrack the already-tracked junk (safe operation)

This does not delete files from disk; it only removes them from git tracking.

📦 Copy/paste

```
cd E:\signal_agent

git rm -r --cached app/hq/capture/__pycache__
git rm -r --cached tests/__pycache__
git rm -r --cached data
git rm -r --cached logs 2>$null

git add .gitignore
```

If `logs` wasn't tracked, that `git rm` line might error; the `2>$null` eats it.

Step 3 — verify status collapses to "real code only"

📦 Copy/paste

```
cd E:\signal_agent
git status --porcelain=v1
```

After this, you should mainly see:

- `M app/agent.py`
- `M app/agents/social_offload/social_offload.py`
- `M app/hq/capture/*.py`
- `M tests/test_capture_falsification.py`
  …and the `??` processed bundles should disappear (ignored), along with `data/*` and `.pyc`.

Step 4 — do NOT commit blindly; inspect the real diffs

Once status is clean of junk, run:

📦 Copy/paste

```
cd E:\signal_agent

git diff -- app/agent.py app/agents/social_offload/social_offload.py
app/hq/capture/decay.py app/hq/capture/instability.py
app/hq/capture/promote.py app/hq/capture/router.py
app/hq/capture/stress.py tests/test_capture_falsification.py
```

Paste that diff output (or screenshots). I'll tell you exactly what to keep vs revert, and then we'll do a single bounded commit for the remaining intended changes.

(Also: your `git log -3 --oneline` didn't print—run it again after Step 3 if you want, but status/diffs matter more right now.)

You said:

Pytest Summary

- Command run: .\.venv\Scripts\python.exe -m pytest -vv
- Result: 88 passed, 2 skipped, 12 warnings (green)

No failing test names in the final run.

› cd E:\signal_agent

git diff -- app\utils\io_contract.py

• I'll run those exact checks in E:\signal_agent and return the key output lines.

```
└ diff --git a/app/utils/io_contract.py b/app/utils/io_contract.py
  index b668cd6..efe98c4 100644
```

• git diff ran successfully; Select-String failed due PowerShell pattern argument parsing. I'm rerunning just the grep with explicit pattern array.

• Ran Set-Location E:\signal_agent; Select-String -Path app\utils\io_contract.py -Pattern @('msvcrt\.locking','b"\\0"','tell\(\) ==
```
  │ 0','LK_NBLCK','LK_UNLCK')
  └
    app\utils\io_contract.py:49:        if self._fh.tell() == 0:
    … +3 lines
```

```
  Select-String matches:

  - app\utils\io_contract.py:49 if self._fh.tell() == 0:
  - app\utils\io_contract.py:50 self._fh.write(b"\0")
  - app\utils\io_contract.py:80 msvcrt.locking(self._fh.fileno(), msvcrt.LK_NBLCK, 1)
  - app\utils\io_contract.py:95 msvcrt.locking(self._fh.fileno(), msvcrt.LK_UNLCK, 1)

  git add app\utils\io_contract.py
  git commit -m "Harden append_jsonl_atomic with cross-platform nonblocking file lock"


     1 file changed, 129 insertions(+), 73 deletions(-)
```

• Committed.

- Commit: d16a59b
- Message: Harden append_jsonl_atomic with cross-platform nonblocking file lock
- Files: app/utils/io_contract.py (1 file changed, 129 insertions, 73 deletions)

› Select-String -Path app\utils\io_contract.py -Pattern @('msvcrt\.locking','b"\0"','tell\(\) == 0','LK_NBLCK','LK_UNLCK')

• Ran Set-Location E:\signal_agent; Select-String -Path app\utils\io_contract.py -Pattern @('msvcrt\.locking','b"\0"','tell\(\) == 0','LK_NBLCK','LK_UNLCK')
└
app\utils\io_contract.py:49: if self._fh.tell() == 0:
… +2 lines

• app\utils\io_contract.py:49: if self._fh.tell() == 0:
app\utils\io_contract.py:80: msvcrt.locking(self._fh.fileno(), msvcrt.LK_NBLCK, 1)
app\utils\io_contract.py:95: msvcrt.locking(self._fh.fileno(), msvcrt.LK_UNLCK, 1)

› cd E:\signal_agent
git status --porcelain=v1
git log -3 --oneline

• Ran Set-Location E:\signal_agent; git status --porcelain=v1; git log -3 --oneline
└ M app/agent.py
M app/agents/social_offload/social_offload.py
… +101 lines
2d5d2f3 Add deterministic pytest runner using venv python

915111d Tighten .gitignore to avoid masking tracked data/

- M app/agent.py
  M app/agents/social_offload/social_offload.py
  M app/hq/capture/__pycache__/decay.cpython-312.pyc
  M app/hq/capture/__pycache__/instability.cpython-312.pyc
  M app/hq/capture/__pycache__/promote.cpython-312.pyc
  M app/hq/capture/__pycache__/router.cpython-312.pyc
  M app/hq/capture/__pycache__/stress.cpython-312.pyc
  M app/hq/capture/decay.py
  M app/hq/capture/instability.py
  M app/hq/capture/promote.py
  M app/hq/capture/router.py
  M app/hq/capture/stress.py
  M constraints/spines/misc/incoming/bundle_20260217_76f8fc62e3be.md
  M data/INDEX_ARTIFACTS.md
  M data/artifact_registry.jsonl
  M data/capture/routing_log.jsonl
  M tests/__pycache__/test_capture_falsification.cpython-312.pyc
  M tests/test_capture_falsification.py
  ?? .tmp/
  ?? app/hq/dashboard/
  ?? constraints/spines/ai_stability_diagnostic/
  ?? constraints/spines/content_publishing/
  ?? constraints/spines/misc/incoming/bundle_20260216_76f8fc62e3be__4f83a31920b4742ec69125067ce759569a2ca65674348713c52c9daa0998f7e1.md
  ?? constraints/spines/misc/incoming/bundle_20260217_2a392509e932.md
  ?? constraints/spines/misc/incoming/bundle_20260217_2e976b234d10.md
  ?? constraints/spines/misc/incoming/bundle_20260217_488ba2a2d32d.md
  ?? constraints/spines/misc/incoming/bundle_20260217_684fa7abc682.md
  ?? constraints/spines/misc/incoming/bundle_20260217_abf87199e910.md
  ?? constraints/spines/misc/incoming/bundle_20260217_ae69171d85e4.md
  ?? constraints/spines/misc/incoming/bundle_20260217_b2392bc22434.md
  ?? constraints/spines/misc/incoming/bundle_20260217_ca741f388624.md
  ?? constraints/spines/misc/incoming/bundle_20260217_f72d8c705a60.md

?? constraints/spines/misc/incoming/bundle_20260217_fd65578e336b.md
?? constraints/spines/misc/incoming/bundle_20260220_76f8fc62e3be.md
?? constraints/spines/misc/incoming/bundle_20260221_76f8fc62e3be.md
?? daily_ops.ps1
?? data/capture/instability_state.json
?? data/capture/promotion_log.jsonl
?? data/docs/processed/bundle_20260217_0b0ba285a694__0ccbf3e0c4d4520f16f189cad860eba01a03461317cc589dee176816b68a4fa7.md
?? data/docs/processed/bundle_20260217_0b246b450f2b__3861a93726e718e5105e9affab08585ecae9da17964b78edc8e2bf5c63ae8f3c.md
?? data/docs/processed/bundle_20260217_147c4f114b15__186fa632c7e9819a80ed2f43316f24041ec1f140c5372b1760d529382208a7c3.md
?? data/docs/processed/bundle_20260217_171f5bf62626__c564e24c500b22df45f14411866b0f9d5fde7d6469b2f15002aee28efe0175e8.md
?? data/docs/processed/bundle_20260217_1847826616a2__5d61322253c5268a656cc9c78a6106347838b18887b77a0a7c4a681a5eab9e7d.md
?? data/docs/processed/bundle_20260217_1adc218606de__b2c9ca92efbdc4a0871aa24bc35784c9a904e5d28bb295e03c20bfd125062120.md
?? data/docs/processed/bundle_20260217_1e3825f1dd3b__5a522fee95325f2de5c086b6bba3919685f524fa7ac69b1077449018b2595e92.md
?? data/docs/processed/bundle_20260217_205a01994854__44c282379986fb1f8fe7b2df0c26e3139d6eceb092b2d33fcdf8a7abeb971d0d.md
?? data/docs/processed/bundle_20260217_280e5d8481aa__4112cebafb6cb169bb6b232ac361cccf1b0a86d85db3f2b4f87f88bb53b78dfd.md
?? data/docs/processed/bundle_20260217_2823da584d1a__7ccb2482ded1ccaface2114aeab34662e132c455426e1c78fa4af2aeafc70e30.md
?? data/docs/processed/bundle_20260217_2a392509e932__3f17e4d534fb80f4796d05eff303fc902ce408a426d0066c476242e5d421c076.md

?? data/docs/processed/bundle_20260217_2ceb53d24095__5736eeb1b1c159958c3e4dad53cd10c2168d056a8e931eabd4828a588df9cc5e.md
?? data/docs/processed/bundle_20260217_2fe007337269__1e4a4ce495f3749b2e5c51721fe6e17a80900d38a6c9ccb308a9229b7bd9c63a.md
?? data/docs/processed/bundle_20260217_36cf4a7da767__92e1ce33783af77a521605c7760a8518da890d239bda45c6e31e5569c8adc7ae.md
?? data/docs/processed/bundle_20260217_3a612b387385__9f016d40a2f849c4219ef35539ff35c7d72b0bcc7855b2564d6db5dc904a7412.md
?? data/docs/processed/bundle_20260217_3b4fa34ca53a__6952bcbff0769d5741cd4924b5a9a7d17b19814ac248e70baa3bd06ef0d8caaf.md
?? data/docs/processed/bundle_20260217_3bac41af646f__3025b43872835e8bad39cb7e6c22eef45846cceb02766e0579888a95d81c7795.md
?? data/docs/processed/bundle_20260217_3c4d2c7850ea__f5f9e34b426c330a2e42df8ef1c1c8d15cb487d480e40cae3a62baacf2260a33.md
?? data/docs/processed/bundle_20260217_58dcfc16ff4b__71485e83558feef509bfac316a1da0e719ebac34d4ea04b15cc0872e8b0c4425.md
?? data/docs/processed/bundle_20260217_5a16c28f7997__f9c3ffbd544f1454e3b0b594c18b7297032cc00b52c3fefa25279c7a15697348.md
?? data/docs/processed/bundle_20260217_684fa7abc682__e5ac0a8f10ab9f5e0e79f798eec75182aabee977ce3ec338e8a8c5bba29a3f1a.md
?? data/docs/processed/bundle_20260217_89f259f87abf__fe281d836093db08f9dc11febf0c7bccc5dcb1fc56191f0d551433b266edcbe5.md
?? data/docs/processed/bundle_20260217_8d4be697c3a8__ab49f673c15daae6028f490def0e97c173ac28daaa0fceebbc171534c9f78667.md
?? data/docs/processed/bundle_20260217_90f66a67c7e9__85d18cace3a71e47a808ae2d5dcb808ee5badecf24b416f34472b4d12165ec5b.md

??
data/docs/processed/bundle_20260217_9475f5d37a30__ee87c9b89e08e0bcf96be3f51ab7dd97be18bbf3a325dd2856a116cacbcbb2d1.md
??
data/docs/processed/bundle_20260217_957e5b1e5091__cfcc21ec4bc6b18e5558b3a196ec674c636e5c765658e2c520e77c2f3e75a4ca.md
??
data/docs/processed/bundle_20260217_99915971d463__433dbfc502e027a424ea720274272944f8129af687130b72e7cfe5fd024c7f7f.md
??
data/docs/processed/bundle_20260217_9d82cd9b49c0__d181495ba92625cd624dab5437207b327257a2429ec3f0d1b339481afb041ee3.md
??
data/docs/processed/bundle_20260217_ada6a7554d2f__ee84ac28709194385d51ecd67214e1215d23ca2d60c9d4b32f6a12c91448ce98.md
??
data/docs/processed/bundle_20260217_b0840a629c71__d33d6e4ff9d9ae8dd136f3ca7faba0dbe2dab4226f5e2375a6b04415b86d2044.md
??
data/docs/processed/bundle_20260217_b1357fb9e379__9dba42a69eee9ad5b6f8a231788abe506bfe0636ec950114bcc67286c2dc69ac.md
??
data/docs/processed/bundle_20260217_b2392bc22434__69e5c34e542ffb803d9ff944acb3c4d1e2289b1dc187f8a3cac5093189ed93eb.md
??
data/docs/processed/bundle_20260217_b5acb6f41dad__5cf9fb86e7d18af2bcd720f9b449549a683d3603455c4991f2c1e6f47f160ca8.md
??
data/docs/processed/bundle_20260217_c5e974ad6313__6e7f3ce01d10db92730cb40f4b19d20360b2269a3a538d4f6b3d7ba1028970c6.md
??
data/docs/processed/bundle_20260217_c5f15091d84b__884b5500427507d67c7b87fdd216f6a0933d5100c94e0a1bc8d0e4d6459b462b.md
??
data/docs/processed/bundle_20260217_c8ae47cdbf5a__a0520c68539d1dc3841aebafb81eb26c2525bde4b1b5312d25bd492d5b819679.md
??
data/docs/processed/bundle_20260217_ca741f388624__dd95cb4ed28ada215d30305979b830dfb9bb1f8acd5bd102f803c299c9b73c12.md

?? data/docs/processed/bundle_20260217_cb5d1ae6c659__c6ba49e6da1011f98af45dcc63367a3d73c1f4bc4ff3218c38fc0303ad560adc.md
?? data/docs/processed/bundle_20260217_cbcc364f5b36__23278c39394232f2e0566ebc00b9c994023f9b1e6e9cd1fad6e585cc18f9df1c.md
?? data/docs/processed/bundle_20260217_d3bfd3d5425f__f2c30e25e5704ca61b5daf5fd64406f1bfb92cfbaed9c5136576f5bebfbeb537.md
?? data/docs/processed/bundle_20260217_d58705994f29__bdbb51fa85a9b16cab81bc03016f49b94b7167eff0cad75e31101470f4f3f63f.md
?? data/docs/processed/bundle_20260217_d58d6cb77cf4__c01aefee7ba50535317c167fffbb89e2147505236a62135402699c0a4a6faa57.md this is what cli said

?? data/docs/processed/bundle_20260217_d8c802543007__6c6c7aaa6dbc608b69dd1c0762a379b8ae3d2dfe506bcd7ba53dafea13d7c3f9.md
?? data/docs/processed/bundle_20260217_daf4ffbcae6d__faec0cbcc373a4fcd412d6c6f1e6a44bf25f875726c98aa106dff5e7a1235df9.md
?? data/docs/processed/bundle_20260217_dd027b1b4a3d__7ab8a68347c262838a1b5134b59394634fe7e5b16db5f0d4200037531c802b69.md
?? data/docs/processed/bundle_20260217_dd9725c2618a__a510f787a4acecc27009a2ad64e963b1562156d2aec6e4ea66546ffce1f480bf.md
?? data/docs/processed/bundle_20260217_e0f9fd520d71__bd13c704eedf2616a3193b8cd975e44e949cd9e2bdfced00bebf8ede65f6a125.md
?? data/docs/processed/bundle_20260217_e12669ca8dbc__6e97f754014f1b6589d8026d5dc338354b362835700c8b121bf3057a00ef9990.md
?? data/docs/processed/bundle_20260217_e3bf82ff9871__8ea1995131924130f6ab11b7df1ca76a69c064c5fc952585950f5e15cce21a72.md
?? data/docs/processed/bundle_20260217_e414f5674167__74a7d62ed44ada20e741439eb3bc62ff0799e108031c2532f2a3de65b7eecad4.md

```
  ?? data/docs/processed/bundle_20260217_e76b0fd77e60__bb51ea5157ffa87570e19115af21fef335f955aede60a076c0f30f347d671a54.md
  ?? data/docs/processed/bundle_20260217_e85731116e62__0cc0b71f479a794958994629330271243e141bcb2628fe6eff519fe104f7bc93.md
  ?? data/docs/processed/bundle_20260217_ec153cadf47c__aa4bfba4d994e51fd319f1e687ac1b714a84caead30dbdeaf58c163ecf8ea657.md
  ?? data/docs/processed/bundle_20260217_f8579d3df701__5b46469cf8885cc05097e5b37acea305355b3671f73bb88c70f7bf01caf3bedf.md
  ?? data/docs/processed/bundle_20260217_f956a753fc43__f1988353509159cbd2edfdf833971ae8a49bc57ce77008b65a0c6d535e7ae801.md
  ?? debug_engine.py
  ?? debug_resolve.py
  ?? docs/OPERATIONAL_CORE_v1.md
  ?? docs/capture_layer_v0_3_fix1_validation_report.md
  ?? docs/capture_layer_v0_3_fix1_walkthrough.md
  ?? tests/fixtures/
  ?? tests/integration/test_social_offload_regression.py
  ?? tests/integration/verify_social_offload_contract.py
  ?? tools/capture_validate_fix1.py
  d16a59b Harden append_jsonl_atomic with cross-platform nonblocking file lock
  2d5d2f3 Add deterministic pytest runner using venv python
  915111d Tighten .gitignore to avoid masking tracked data/


› Use /skills to list available skills

  ? for shortcuts
```

ChatGPT said:

Good. The Codex CLI output confirms the lock hardening commit landed (d16a59b).

Now you just need to (1) stop the repo from tracking runtime junk, and (2) decide what to do with the real code mods.

Below is the exact “make it clean + bounded” sequence.

---

0) One-line diagnosis

- `M ...__pycache__/*.pyc` and `M data/*` means those are already tracked, so they will keep showing up until you `git rm --cached` them once.
- All the `?? data/docs/processed/*` and `?? bundle_*` are untracked outputs; ignore them.

---

1) Update `.gitignore` to cover your actual outputs

📦 Copy/paste

```
cd E:\signal_agent


@"
# Python
__pycache__/
*.pyc
*.pyo
*.pyd

# Virtual env
.venv/

# Scratch
.tmp/
*.tmp

# Runtime outputs (do not commit)
data/
logs/
```

```
out*.txt
winget_*.txt

# OS
.DS_Store
Thumbs.db
"@ | Set-Content -Encoding UTF8 .gitignore

git add .gitignore
```

---

2) Untrack currently-tracked junk (keeps files on disk)

This is the key step that makes the “M data/” *and “M pycache/*” stop forever.

📦 Copy/paste

```
cd E:\signal_agent

git rm -r --cached app/hq/capture/__pycache__
git rm -r --cached tests/__pycache__
git rm -r --cached data

git add .gitignore
```

If git complains that a pathspec didn’t match, paste the error and we’ll adjust the exact folder name it’s tracking.

---

3) Confirm status is now “real code only”

📦 Copy/paste

```
cd E:\signal_agent
git status --porcelain=v1
```

Expected after Step 2:

- No more `__pycache__/*.pyc`
- No more `data/*` tracked modifications
- `?? data/docs/processed/*` disappears (ignored)
- You're left with a small list of code files that are truly modified

---

4) Commit the hygiene change (only ignore/untrack)

📦 Copy/paste

```
cd E:\signal_agent



git commit -m "Stop tracking runtime outputs (data/, __pycache__)"
```

That commit should include `.gitignore` + removals from index (`git rm --cached`) and nothing else.

---

5) Now deal with the remaining real code changes

At that point, run:

📦 Copy/paste

```
cd E:\signal_agent

git diff -- app/agent.py app/agents/social_offload/social_offload.py
app/hq/capture/decay.py app/hq/capture/instability.py
app/hq/capture/promote.py app/hq/capture/router.py
app/hq/capture/stress.py tests/test_capture_falsification.py
```

Paste that diff output (or screenshots). I'll tell you exactly what should be committed next vs reset.

One warning about your Codex CLI behavior

Codex asked to delete `tests/integration/test_social_offload_concurrency.py`.

You *already committed it earlier* in your big commit. Don't let Codex delete tests without

you explicitly deciding. If you see a deletion prompt like that again and you don't intend to remove it, press Esc (option 3) and tell Codex: "Do not delete tests; only modify io_contract.py".

If you do Steps 1–4 right now, your repo stops bleeding noise permanently.

Branched from Drift Triage and Ground Truth

You said:

IO_CONTRACT_V1 Implementation Directive: Social Offload Hardening
1. Purpose
Harden the Social Offload pipeline to guarantee atomicity, crash-safety, and concurrent-safe JSONL log appending. Eliminate the risk of partial file writes and interleaved log entries, enabling safe multi-process or high-concurrency execution on a single host.

2. Invariants
I1 Atomic output commit via temp file creation, fsync(), and os.replace().
I2 Log ordering:
ok
 log is only appended after the output artifact commit succeeds.
fault
 logs are appended without output side effects.
I3 Concurrent-safe JSONL append using lockfile + fsync() (guaranteeing no line corruption or interleaving).
I4 Crash-safe behavior: Stray .tmp files are allowed; partial final
.txt
 outputs are impossible; partial JSON lines in the audit log are impossible.
3. Required Code Changes
app/utils/io_contract.py (New File)
 Export atomic_write_text(final_path: Path, text: str) -> dict[str, Path]
Write text to a .tmp sibling file.
Flush and fsync the file descriptor.
Close the .tmp file.
Atomically rename the .tmp file using os.replace() to final_path.
Return {"final_path": final_path, "tmp_path": tmp_path}.
 Export append_jsonl_atomic(jsonl_path: Path, record: dict, lock_path: Path | None = None, retries: int = 30, base_sleep_s: float = 0.02) -> None

Implement a retry loop to acquire a .lock file alongside the jsonl_path (supporting Windows lock semantics).
Open jsonl_path in append mode.
Write the json.dumps(record) + "\n".
Flush and fsync.
Release lock.
app/agents/social_offload/social_offload.py
Add run_id generation: uuid.uuid4().hex to uniquely track the specific execution attempt within logging.
Enforce logging schema update: The fault_codes field must be strictly typed as list[str].
Define
_append_run_log(log_path, log_entry)
as a thin wrapper executing append_jsonl_atomic(log_path, log_entry).
Update output writing block:
If NOT dry_run: Execute atomic_write_text(out_file, rendered_text).
Verify that out_file exists and its size > 0 before appending the
ok
log.
Ensure all log entries include the generated run_id.
4. Acceptance Tests
tests/integration/test_social_offload_concurrency.py
Scenario: Spawn 12 concurrent worker processes executing the social offload pipeline.
Shared State: All 12 workers MUST share the exact same --log JSONL file and identical output folder paths.
Acceptance Gates:
The single JSONL file contains exactly 12 valid JSON lines (no line corruption or mid-line breaks).
Every parsed JSON line contains a unique run_id.
Every parsed JSON line has a status of
ok
.
No JSONDecodeError upon parsing the entire line.
Repeatability: The test must pass repeatedly and flawlessly across multiple local executions, expressly tolerating OS file locking contention (especially typical Windows concurrency).
5. Failure Modes to Verify
Concurrent Writer Collision: If 5 processes open the JSONL log file at exactly the exact same millisecond, the lockfile mechanism gracefully backs off and sequences writes without throwing unhandled exceptions.

System Terminate Mid-Write: If a process is killed immediately after the .tmp file is opened for writing output, the final text file is untouched and the pipeline does not issue an
ok
 log entry. The .tmp file can be safely ignored.
6. Rollback Plan
Primary Action: Revert the local changes directly hitting
social_offload.py
. Remove atomic_write_text and append_jsonl_atomic and return to naive Python open().write().
Secondary Cleanup: Delete app/utils/io_contract.py entirely.
Test Removal: Drop test_social_offload_concurrency.py. ok this is what anti gravity said

ChatGPT said:

That directive is coherent. You already implemented the hard part (cross-platform nonblocking lock + rollback-on-exception for JSONL append) and committed it (`d16a59b`). What remains is aligning the rest of the pipeline to the invariants exactly, and restoring/locking in the concurrency test (Codex was trying to delete it).

Key deltas vs the directive:

- Directive I3 says “lockfile create/delete”. Your current implementation uses OS-level file locking (`msvcrt.locking` / `fcntl.flock`) on a `.lock` file handle. That’s *better* than create/delete because it doesn’t rely on “unlink on exit” correctness and it sequences properly under contention. It still satisfies I3/I4. Keep it.
- You still need:
  - `atomic_write_text()` in `app/utils/io_contract.py` (directive calls it out explicitly).
  - `social_offload.py` to use `atomic_write_text()` and enforce log ordering and schema (`run_id`, `fault_codes: list[str]`).
  - The integration concurrency test to exist and pass repeatedly.

Below is the exact Codex CLI prompt to run next.

📦 Codex CLI Prompt (verbatim-safe)

```
You are working in repo: E:\signal_agent


Goal: Implement the remaining items from IO_CONTRACT_V1 Implementation
Directive: Social Offload Hardening, without deleting any existing
integration tests.


Do NOT remove tests. If you think a test is obsolete, leave it and add a
new one instead.


Tasks:


1) app/utils/io_contract.py
- Ensure it exports:
 a) atomic_write_text(final_path: Path, text: str) -> dict[str, Path]
    Requirements:
      - Write to a sibling temp file
final_path.with_suffix(final_path.suffix + ".tmp")
      - Open with encoding="utf-8", newline="\n"
      - flush + os.fsync(fd)
      - close
      - os.replace(tmp_path, final_path) for atomic commit
      - return {"final_path": final_path, "tmp_path": tmp_path}
 b) append_jsonl_atomic(jsonl_path: Path, record: dict, lock_path:
Path|None=None, retries:int=30, base_sleep_s:float=0.02)->None
    Keep the existing cross-platform nonblocking lock approach
(msvcrt.locking / fcntl.flock) if present. Do not regress to
O_CREAT|O_EXCL lockfile create/delete.


2) app/agents/social_offload/social_offload.py
```

- Generate run_id = uuid.uuid4().hex for each invocation and include it in ALL log entries.

- Ensure fault_codes is strictly list[str] (if currently string or None, normalize to []).

- Implement _append_run_log(log_path, log_entry) as a thin wrapper around append_jsonl_atomic.

- Output write block:

  - If dry_run: do not write output file; log should be status="dry_run" or status="ok" with explicit dry_run=true (choose one and keep deterministic).

  - If NOT dry_run:

    - Use atomic_write_text(out_file, rendered_text)

    - Verify out_file exists and size > 0 BEFORE appending an "ok" log entry

- Enforce ordering invariant:

  - "ok" log only appended AFTER output commit verification succeeds.

  - "fault" log appended with NO output side effects (no file write on failure path).

3) tests/integration/test_social_offload_concurrency.py

- Ensure this file exists (do not delete it).

- Implement concurrency test:

  - Spawn 12 worker PROCESSES (not threads) that all write to the same --log JSONL file and same output folder.

  - Each worker runs the social offload command with the same fixture artifact and channel=linkedin and same pack.

  - Acceptance:

    - JSONL contains exactly 12 lines

    - Each line parses as JSON (no JSONDecodeError)

    - status == "ok" for all (or consistent dry_run semantics if you choose dry_run=false in test)

```
      - run_id is present and unique across all 12
- The test should tolerate Windows lock contention. Use retries/backoff
already in append_jsonl_atomic.


4) Run tests:
- Run: .\.venv\Scripts\python.exe -m pytest -q
- If failures occur, fix them.


Output:
- Provide a concise summary of what you changed and the exact files
modified.
```

Two guardrails (so Codex doesn't "helpfully" break you)

1. If Codex proposes deleting `test_social_offload_concurrency.py`, reject it. That's one of your acceptance gates.
2. If Codex tries to "simplify" the lock back to create/delete, reject it. Your current OS-locking approach is strictly stronger and already proven by your regression test passing.

After Codex finishes

Run these locally:

📦 Copy/paste

```
cd E:\signal_agent
.\.venv\Scripts\python.exe -m pytest -q
git status --porcelain=v1
```

If anything fails, paste:

- failing test output
- `git diff -- app/utils/io_contract.py app/agents/social_offload/social_offload.py tests/integration/test_social_offload_concurrency.py`

and I’ll give you the exact patch-level correction.