Heading 1

Table of Contents

- Heading 2
- Heading 3
- Heading 6: Formatting the text
- Blocks of text
- Test Russian symbols
- Others

Heading 2

This is a test page.

Heading 3

This page was created for `markdown2html5-base` converter (ver. 0.6.1).

Heading 6: Formatting the text

This is a paragraph. Any text may be **bold**, *italic*, underlined, ~~strikethrough (deleted)~~.

The text may also be marked (highlighted). And this is `a piece of something looks like an inline code` inside a regular paragraph.

You can use superscript (X_2) or subscript (H^2O) symbols.

And you can add hyperlinks like Markdown Guide, footnotes[1] (LINE BREAK)
and date/time.[2]

See also other other add-ons.

Blocks of text

Lists are ordered:

1. First
2. Second
3. Third

or unordered:

- Bird
- Chat
- Dog

To-Do lists are ordered:

1. ☐ Todo…
2. ☑ Done!

or unordered:

- ☐ Not complete yet…
- ☑ Complete!

and also nested:

- Parent
  - Child
    1. Grandchild

Definition list:

Frau
: *weiblicher erwachsener Mensch*
Ehefrau

> This is a citation (blockquote).

And code block looks like with a code language definition:

```python
print("Hello, World!")
```

and without it:

```
Some text.
```

Product	Qty	Price
Apples	2	$3.00
Bananas	3	$1.50
Cherries	1	$4.00
Total	*6*	*$8.50*



Simple Markdown editor "Mark Editor"

Test Russian symbols

А этот текст на русском! Ещё текст...

Others

Furigana (Japanese kanji spelling): 私(わたし)は日本人(にほんじん)です。

Some **typographic symbols** and **emoji** as ™, ©, ½, –, ↓, ”Hello!”, «It's me!», ❤, etc.

This *not italic* is escaped by \.

---

1. This is a footnote.
2. 2026-09-29 12:00